




INTRODUCING THE

GOLDSTAR

FAMILY OF

PERSONAL

COMPUTERS.



 **GoldStar**



Building computers isn't anything new to GoldStar.

Over the years, we've built countless computers for other manufacturers. So it's very likely you could be working on a GoldStar computer without even realizing it.

Now we've put our name on the genuine article.

Introducing the family of GoldStar personal computers.



From an entry level XT compatible computer to a high performance 20 MHz 386 system to a 286 laptop. We build

solutions that work hard for you, your company, your family.

The result is a personal computer that meets your needs without breaking your bank. We put to use thirty years of experience making televisions, stereos, VCRs, and most recently, monitors and modems.

And we acknowledge the creed GoldStar has lived by since 1958. High performance without the high price.

GoldStar Personal Computers.



## GS100

Entry Level System  
IBM PC/XT Compatible

- 8088-1 CPU
- 10 or 4.77 MHz Speed
- 101 Key Keyboard
- Small Footprint

Motherboard	8088-1 CPU 10 or 4.77 MHz Socket for 8087 Dual Floppy Controller 1 Serial and 1 Parallel Port Real Time Clock with Battery Back-up
RAM	640 KBytes Standard
Disk Storage	Space for 2 H/H Devices FDD: Standard One 5.25" 360 KByte Drive HDD: Optional
Video	Optional
Expansion Slots	4 slots
Power Supply	87 Watts, 115V
Keyboard	101 Key Keyboard
System Software	MS-DOS™ 3.3/GW™-BASIC Phoenix ROM BIOS
Dimensions (WxDxH)	14.5" x 15.4" x 5.3"

## GS200

Desktop AT System  
IBM PC/AT Compatible

- 80286-10 CPU
- 10 or 8 MHz Speed
- 101 Key Keyboard
- Slim Small Footprint


Motherboard	80286-10 CPU 10 or 8 MHz Socket for 80287 Dual Floppy Controller 1 Serial and 1 Parallel Port Real Time Clock with Battery Back-up
RAM	640 KBytes Standard Expandable to 1.64 MByte on Board
Disk Storage	Space for 2 H/H Devices FDD: Standard One 5.25" 1.2 MByte Drive HDD: Optional
Video	Optional
Expansion Slots	3 slots (2 16-bit & 1 8-bit)
Power Supply	115 Watts, 115V
Keyboard	101 Key Keyboard
System Software	MS-DOS 3.3/GW BASIC Phoenix ROM BIOS
Dimensions (WxDxH)	14.9" x 15.9" x 4.1"

## GS230

High Performance Desktop  
IBM PC/AT Compatible

- 80286-16 CPU
- 16 or 8 MHz Speed
- 101 Key Keyboard
- Small Footprint

Motherboard	80286-16 CPU 16 or 8 MHz Socket for 80287 Dual Floppy Controller 1 Serial and 1 Parallel Port Real Time Clock with Battery Back-up
RAM	1 MByte Standard Expandable to 2 MByte on Board
Disk Storage	Space for 2 H/H Devices FDD: Standard One 5.25" 1.2 MByte Drive HDD: Optional
Video	Optional
Expansion Slots	5 slots
Power Supply	130 Watts, 115V
Keyboard	101 Key Keyboard
System Software	MS-DOS 3.3/GW BASIC Phoenix ROM BIOS
Dimensions (WxDxH)	15.0" x 16.0" x 4.1"



**Desktop System**  
IBM PC/AT Compatible

80286-16 CPU  
12 or 8 MHz  
Socket for 80287  
Dual Floppy Controller  
1 Serial and 1 Parallel Port  
Real Time Clock with Battery Back-up  
1 MByte Standard  
Expandable to 5 MByte on Board  
Space for 3 H/H Devices  
FDD: Standard One 5.25"  
1.2 MByte Drive  
HDD: Optional  
Optional  
Expansion Slots (3 16-bit & 2 8-bit)  
200 Watts, 115V  
101 Key Keyboard  
MS-DOS 3.3/GW BASIC  
Phoenix ROM BIOS  
15.0" x 15.0" x 6.0"

**GS320**  
High Performance File Server  
IBM PC/AT Compatible

- 80386-20 CPU
- 20 or 8 MHz Speed
- 101 Key Keyboard
- 8 Expansion Slots

Motherboard	80386-20 CPU 20 or 8 MHz Socket for 80387 Dual Floppy Controller 1 Serial and 1 Parallel Port Real Time Clock with Battery Back-up
RAM	1 MBytes Standard Expandable to 2 MByte on Board Expandable to 10 MByte High Speed Memory with RAM Board
Disk Storage	Space for 3 H/H Devices FDD: Standard One 5.25" 1.2 MByte Drive HDD: Optional
Video	Optional
Expansion Slots	8 slots (1 32-bit, 5 16-bit & 2 8-bit)
Power Supply	200 Watts, 115V
Keyboard	101 Key Keyboard
System Software	MS-DOS 3.3/GW BASIC Phoenix ROM BIOS
Dimensions (WxDxH)	18.5" x 16.0" x 6.1"

**GS500**  
Laptop Computer  
IBM PC/AT Compatible

- 80286-12 CPU
- 12.5 or 8 MHz Speed
- Compact and Lightweight (16 lbs.)
- 640 x 400 Plasma Display

Motherboard	80286-12 CPU 12 or 8 MHz Socket for 80287 Dual Floppy Controller 1 Serial and 1 Parallel Port Real Time Clock with Battery Back-up
RAM	640 KBytes Standard Expandable to 2.64 MByte on Board
Disk Storage	Space for 2 3.5" Devices FDD: Standard One 3.5" 1.44 MByte Drive HDD: Standard 20 MByte Drive
Video	High Resolution Gas Plasma with 4 Grey Scales 640 x 400 Pixel Graphics 80 x 25 High Resolution Character External EGA/CGA/Hercules Video Connector
Expansion Slots	1 Slot for Internal Modem
Power Supply	70 Watts, 115V
Keyboard	83 Key Keyboard Optional External Numeric 10 Key Pad
System Software	MS-DOS 3.3/GW BASIC Phoenix ROM BIOS
Dimensions (WxDxH)	13.0" x 13.4" x 3.9"

# THE GOLDSTAR STORY.

When you buy GoldStar, you're investing in a multi-billion dollar company with over thirty years of electronics experience. Over time, we've built a reputation as a leader in quality and value.

Our goal is to become the #1 electronics manufacturer in the world. We are striving to achieve this goal through strict attention to quality, an ongoing commitment to new product development and efficiency in management.

Our corporate philosophy of "Growing Together" is based on a commitment to good customer relations, strong partnerships around the world and successful interaction within GoldStar.

We take pride in all the products we manufacture, including televisions, stereo systems, videotape recorders, compact disk players, home entertainment centers and, of course, computer products.

For years, we've manufactured computers and peripherals for some of the world's leading companies. Now we're offering them under the GoldStar name. Monitors, modems and a full line of GoldStar computers. We're defining quality and value in the computer industry.

GoldStar. The brightest star in computing.



**GoldStar**

The Brightest Star in Electronics