

pdp11

**RT-11**

**Master Index**

Order No. AA-H380A-TC

digital



**March 1980**

The *RT-11 Master Index* is a cumulative index with references to all of the manuals in the RT-11 operating system documentation set.

## **RT-11**

### **Master Index**

Order No. AA-H380A-TC

**SUPERSESSSION/UPDATE INFORMATION:** This is a new manual

**OPERATING SYSTEM AND VERSION:** RT-11 V4.0

To order additional copies of this document, contact the Software Distribution Center, Digital Equipment Corporation, Maynard, Massachusetts 01754

**digital equipment corporation · maynard, massachusetts**

First Printing, March 1980

The information in this document is subject to change without notice and should not be construed as a commitment by Digital Equipment Corporation. Digital Equipment Corporation assumes no responsibility for any errors that may appear in this document.

The software described in this document is furnished under a license and may only be used or copied in accordance with the terms of such license.

No responsibility is assumed for the use or reliability of software on equipment that is not supplied by DIGITAL or its affiliated companies.

Copyright © 1980 by Digital Equipment Corporation

The postage prepaid READER'S COMMENTS form on the last page of this document requests the user's critical evaluation to assist us in preparing future documentation.

The following are trademarks of Digital Equipment Corporation:

DIGITAL	DECsystem-10	MASSBUS
DEC	DECTape	OMNIBUS
PDP	DIBOL	OS/8
DECUS	EDUSYSTEM	PHA
UNIBUS	FLIP CHIP	RSTS
COMPUTER LABS	FOCAL	RSX
COMTEX	INDAC	TYPESET-8
DDT	LAB-8	TYPESET-11
DECCOMM	DECSYSTEM-20	TMS-11
ASSIST-11	RTS-8	ITPS-10
VAX	VMS	SBI
DECnet	IAS	PDT
DATATRIEVE	TRAX	

## How To Use This Book

The RT-11 Master Index is a cumulative index with references to all of the manuals in the RT-11 operating system documentation set. This index helps you find which manual contains the primary discussion of a specific topic, and where else in the documentation set you may find information on that topic.

The master index does not include references to the BASIC-11, FORTRAN IV, TECO, or KED manuals, since they are not considered part of the RT-11 operating system.

## Entry Format

For each entry, the title of each book that contains information about the topic precedes the chapter and page references that indicate where the information can be found. The following manual title abbreviations are used to identify the documents referenced in the master index:

### Manual Title Abbreviations

<u>Code</u>	<u>Title</u>
DOC	RT-11 Documentation Directory
INT	Introduction to RT-11
MES	RT-11 System Message Manual
REF	RT-11 Programmer's Reference Manual
GEN	RT-11 Installation and System Generation Guide
SUG	RT-11 System User's Guide
SSM	RT-11 Software Support Manual
MAC	PDP-11 MACRO-11 Language Reference Manual

Underlined page numbers are primary references. A primary reference is the main source of information about an item within the entire documentation set; it is the reference treatment of a topic as opposed to the introductory treatment of the same topic.

The following sample entry illustrates the format of the index:

BASIC keyboard command, INT: 10-2, SUG: 4-22

This entry indicates that a discussion of the BASIC keyboard command occurs in the Introduction to RT-11 on page 10-2 and in the RT-11 System User's Guide on page 4-22, the latter being the primary reference for the topic.

The RT-11 Master Index includes entries that appear in each manual's individual index, as well as entries for the RT-11 System Release Notes, RT-11 Documentation Directory and RT-11 System Message Manual, although none of these three manuals contains its own index.



INDEX

**A**

- A error, MAC:3-10
- /A option,
  - DIR, SUG:9-3
  - LIBR, SUG:12-3
  - LINK, SUG:11-40
  - PIP, SUG:7-11
  - QUEMAN, SUG:20-4
  - RESORC, SUG:17-2
  - SRCCOM, SUG:15-7
- #ABBR SYSGEN script command,
  - GEN:D-3
- Abbreviation mode, GEN:D-3
- Abort entry points, REF:2-30,  
SSM:7-14, 7-15
- Aborting a job, SSM:3-7
- ABS,
  - p-sect attribute, SUG:11-4
  - . ABS., SUG:11-3, 11-6
- Absolute base address,
  - specifying, SUG:11-46
- Absolute base address p-sect,
  - GEN:1-10, 2-26
- Absolute binary file format,
  - SSM:8-28
- Absolute block parameters
  - information (table),  
SUG:11-15
- Absolute Loader, SSM:8-28
- Absolute mode, MAC:5-6
- Absolute p-sect, MAC:5-41
- Absolute program section,
  - See Absolute p-sect.
- Absolute section, SUG:11-3, 11-6,  
See also . ABS..
- Access-code, SUG:11-4
- Acknowledgment block,
  - QUEUE, SSM:3-45
- Active Page Register, See APR.
- ADD instruction, MAC:E-12, G-3,  
H-2
- Address,
  - assignment, INT:12-3
  - CSR, GEN:2-25, 8-5, 8-29
  - next free, SSM:4-38
  - nonstandard, GEN:1-9, 2-25, 8-5
  - physical, SSM:4-2
  - standard, GEN:8-5
  - vector, GEN:8-5, 8-29
  - virtual, SSM:4-2
- Address conversion,
  - 16-bit to 18-bit, SSM:4-14
  - XM, SSM:4-9
- Address space,
  - logical, SSM:4-25
  - physical, SUG:11-28
- Address space (Cont),
  - program virtual (figure),  
SUG:11-28
  - virtual, SUG:11-27
  - virtual and physical (figure),  
SUG:11-30, 11-32
- Addressing,
  - 16-bit, SSM:4-1
  - 18-bit, SSM:4-3
- Addressing modes, MAC:5-1,  
REF:1-10
- Advance command (A),
  - EDIT, INT:5-8, SUG:5-20
- AJFLT system subroutine, REF:3-1
- ALL option,
  - SHOW, SUG:4-161
- Alloc-code, SUG:11-4, 11-5
- /ALLOCATE option,
  - COMPILE, SUG:4-26
  - COPY, SUG:4-33
  - CREATE, SUG:4-44
  - DIBOL, SUG:4-52
  - DIFFERENCES, SUG:4-56
  - DIRECTORY, SUG:4-64
  - DUMP, SUG:4-74
  - EDIT, SUG:4-80
  - EXECUTE, SUG:4-83
  - FORTTRAN, SUG:4-93
  - LIBRARY, SUG:4-114
  - LINK, SUG:4-120
  - MACRO, SUG:4-128
- /ALPHABETIZE option,
  - COMPILE, SUG:4-26
  - DIBOL, SUG:4-52
  - DIRECTORY, SUG:4-64
  - EXECUTE, SUG:4-83
  - LINK, SUG:4-120
- ALTMODE, See ESCAPE code.
- /ALWAYS option,
  - DIFFERENCES, SUG:4-56
- ANSI magtape labels (table),  
SSM:9-23
- ANSI magtape standard, SSM:9-22
- APL keyboard command, SUG:4-17
- APL-11,
  - description of,  
See Optional software  
products.
- Application packages, INT:1-12
- Application program,
  - sample, SSM:C-1
- Application subroutine, GEN:1-9,  
2-10
- Applications, GEN:1-7, 1-8, 2-7,  
2-10, 2-36, 2-40, 2-44, 2-45,  
2-46, D-1
- advanced, GEN:1-8

## INDEX

- Applications, (Cont)
    - debugging multi-terminal, SSM:5-29
    - debugging XM, SSM:4-69
    - device time-out, SSM:7-31
    - multi-terminal, SSM:5-10
    - planning XM, SSM:4-49
    - XM, SSM:4-34
  - APR, SSM:4-11
    - correspondence with virtual address (table), SSM:4-56
  - Argument block, REF:1-8
  - Argument parameters, programmed requests, REF:2-1
  - Arguments, blank, REF:1-9
  - Arguments for /E and /D options (table), SUG:10-7
  - Arguments for /L and /N options (table), SUG:10-5
  - Arrays in extended memory, SSM:4-35
  - ASCII,
    - character set, MAC:A-1
    - file format, SSM:8-34, SUG:3-2
  - .ASCII MACRO-11 directive, MAC:6-24
  - /ASCII option,
    - COPY, SUG:4-33
    - DUMP, SUG:4-74
  - ASCII terminators (table), SUG:21-20
  - ASCII text,
    - changing while debugging, SUG:21-20
  - ASCII values,
    - displaying with SIPP, SUG:22-7
  - .ASCIIZ MACRO-11 directive, MAC:6-26
  - .ASECT MACRO-11 directive, MAC:6-44, SUG:11-3, 11-16
  - ASEMBL, SSM:1-2
  - #ASK SYSGEN script command, GEN:D-3
  - Assembler, GEN:2-12
    - directives, See Permanent symbol table.
    - errors, INT:11-11, MAC:D-1
    - MAC8K, GEN:1-6, SUG:10-13
    - MACRO-11, MAC:6-1, SUG:1-8
    - overlaid, GEN:1-6, 2-12
    - using, SUG:2-1
    - version number, MAC:6-4
  - Assemblies,
    - separate (summary of operations), GEN:10-11
  - Assembling files, SUG:4-86, 4-128
  - Assembly,
    - errors, GEN:3-16, 4-13, 5-12, 6-15, 7-14
  - Assembly (Cont),
    - listing symbols, MAC:4-1
      - pass 1, MAC:1-1
      - pass 2, MAC:1-2
  - Assembly language program, MACRO-11, INT:11-1
  - Assembly language programmer,
    - use of manuals, See MACRO-11 programmer.
  - Assembly listing, See Listing.
    - sample (figure), SUG:10-6
  - Assembly pass option, SUG:10-13
  - ASSIGN keyboard command,
    - GEN:2-15, 2-35, 7-5,
    - INT:4-11, 15-7, SUG:4-18
  - AST word, SSM:5-2, 5-19
  - AST word (table), SSM:5-19
  - Asynchronous directory operation
    - example, SSM:10-10
  - Asynchronous I/O, REF:1-19, SSM:3-12
  - Asynchronous terminal status,
    - GEN:1-15, 8-21
  - Asynchronous terminal status word, See AST word.
  - At sign (@), INT:16-4
  - Attaching a terminal, REF:2-69, SSM:5-20
  - Audit trail,
    - specifying, SUG:4-57, 15-7
  - /AUDITTRAIL option,
    - DIFFERENCES, SUG:4-57
  - Auto XOFF/XON, GEN:3-1, 4-1, 5-1, 6-1, 7-1
  - Autodecrement deferred mode, MAC:5-4
  - Autodecrement mode, MAC:5-4
  - Autoincrement deferred mode, MAC:5-4
  - Autoincrement mode, MAC:5-3
  - AVAIL, SSM:3-13
- ## B
- B keyboard command, SUG:4-20
  - /B option,
    - DIR, SUG:9-4
    - DUP, SUG:8-16
    - LINK, SUG:11-40
    - PIP, SUG:7-11
  - BA,
    - messages, See BATCH messages.
  - BA.MAC, GEN:2-5, 8-9
  - BA.SYS, GEN:2-3
  - Back-arrow key,
    - ODT, SUG:21-8
  - Background console, SSM:5-4
  - Background job, GEN:1-7, 1-13, 2-47, INT:15-2, SSM:2-14



## INDEX

- Background job, (Cont)
  - directing control to, REF:2-3, SUG:3-7
  - loading, SSM:2-15
  - privileged, SSM:4-31, 4-43
  - privileged (figure), SSM:4-31
  - USR swapping considerations for, SSM:2-36
  - virtual, SSM:4-27, 4-45, SUG:4-137
  - virtual (figure), SSM:4-28
- Background job (figure), SSM:2-15
- Backing up the system volume, INT:B-3
- Backup, GEN:2-1, 2-21, 4-5, 4-9, 5-3, 5-4, 5-9, 6-3, 6-5, 7-10
  - patched, GEN:3-9
- Backup copy, INT:17-1, B-3
- Bad block replacement, SSM:7-40, 10-35
- Bad block replacement (table), SSM:10-38
- Bad blocks, GEN:2-15, 2-17, 3-4, 4-3, 5-2, 5-3, 6-2, 7-2
  - covering, SUG:4-108, 8-16
  - DECTape II, SSM:10-40
  - dummy, GEN:2-17, 3-4, 3-9
  - eliminating, SUG:4-90, 18-1
  - finding locations of, SUG:4-64, 8-7
  - replacing, SUG:4-108, 8-15
  - scanning, SUG:4-107, 8-6
- Bad sector error, SUG:4-35
- /BADBLOCKS option,
  - DIRECTORY, GEN:3-4, SUG:4-64
  - INITIALIZE, GEN:3-3, 4-3, 5-3, 6-3, SUG:4-107
- Banner pages,
  - printing for job, SUG:4-134, 20-5
  - setting default number of, SUG:20-6
  - suppressing printing of, SUG:4-134, 20-6
- Base,
  - setting, SUG:4-20
- Base address,
  - specifying absolute, SUG:11-46
- Base keyboard command, SUG:4-20
- Base-line monitor,
  - See BL monitor.
- Base-line single-job monitor,
  - See BL monitor.
- BASIC,
  - interpreter, INT:10-2
  - keyboard command, INT:10-2
  - language processor, INT:10-1
  - volume, GEN:2-19
- \$BASIC command,
  - BATCH, SUG:A-12
- BASIC execution command,
  - BYE, INT:10-3
  - DEL, INT:10-5
  - LIST, INT:10-5
  - LISTNH, INT:10-6
  - NEW, INT:10-13
  - OLD, INT:10-13
  - PRINT, INT:10-3
  - REPLACE, INT:10-14
  - RUN, INT:10-8
  - SAVE, INT:10-13
  - SCR, INT:10-6
  - SUB, INT:10-4
- BASIC keyboard command, SUG:4-21
- BASIC-11,
  - messages, MES:6-45, 6-46
- BASIC-11 Language Reference Manual, DOC:3-12
- BASIC-11 program,
  - reducing size of, MES:6-45, 6-46
  - running, INT:10-1, 10-8
- BASIC-11 programmer,
  - use of manuals, DOC:2-3, 2-3
- BASIC-11 programming language, INT:10-1
- BASIC-11/RT-11 Installation Guide, DOC:3-5
- BASIC-11/RT-11 User's Guide, DOC:3-13
- .BAT file, GEN:2-35
- BATCH, GEN:1-4, 1-5, 1-7, 1-11, 2-34, SUG:1-8, A-1
  - advantages over indirect command file, GEN:8-27
  - building, GEN:C-2
  - character explanation (table), SUG:A-8
  - character set, SUG:A-8
  - command field options, SUG:A-3
  - command field options (table), SUG:A-3
  - command fields, SUG:A-2
  - command names, SUG:A-2
  - commands, SUG:A-11
  - commands (table), SUG:A-11
  - comment fields, SUG:A-7
  - communicating with RT-11, SUG:A-35
  - control statement format, SUG:A-2
  - creating RT-11 mode programs, SUG:A-36
  - differences between RT-11 and RSX-11D, SUG:A-50
  - differences between RT-11 and RSX-11D (table), SUG:A-50
  - END BATCH message, MES:7-78
  - file specifications, SUG:A-6
  - file types (table), SUG:A-6

## INDEX

- Batch, (Cont)
  - hardware and software requirements, SUG:A-1
  - loading, SUG:A-42
  - messages, MES:7-55 to 7-61
  - operating procedures, SUG:A-42
  - RT-11 mode, SUG:A-34
  - RT-11 mode examples, SUG:A-40
  - rules and conventions, SUG:A-10
  - running, SUG:A-44
  - specification field options, SUG:A-7
  - specification fields, SUG:A-5
  - temporary files, SUG:A-9
  - wild card construction, SUG:A-5
- BATCH command,
  - \$BASIC, SUG:A-12
  - \$CALL, SUG:A-13
  - \$CHAIN, SUG:A-14
  - \$COPY, SUG:A-14
  - \$CREATE, SUG:A-15
  - \$DATA, SUG:A-16
  - \$DELETE, SUG:A-18
  - \$DIRECTORY, SUG:A-18
  - \$DISMOUNT, SUG:A-18
  - \$EOD, SUG:A-19
  - \$EOJ, SUG:A-20
  - \$FORTRAN, SUG:A-20
  - \$JOB, SUG:A-22
  - \$LIBRARY, SUG:A-23
  - \$LINK, SUG:A-24
  - \$MACRO, SUG:A-26
  - \$MESSAGE, SUG:A-28
  - \$MOUNT, SUG:A-29
  - \$PRINT, SUG:A-31
  - \$RT11, SUG:A-31
  - \$RUN, SUG:A-31
  - \$SEQUENCE, SUG:A-32
- BATCH jobs,
  - communicating with, SUG:A-47
- BATCH programs,
  - creating on punched cards, SUG:A-41
- BATCH streams, INT:17-1
  - running SIPP from, SUG:22-17
  - sample, SUG:A-32
- BATCH.MAC, GEN:2-5
- BATCH.SAV, GEN:2-4
- Baud rate,
  - setting, GEN:8-43
  - total allowable, SSM:5-28
- BCC instruction, MAC:E-13
- BCS instruction, MAC:E-13
- /BEFORE option,
  - DIRECTORY, SUG:4-64
- /BEGIN option,
  - DIRECTORY, SUG:4-64
- Beginning command (B),
  - EDIT, INT:5-4
- Beginning of tape mark, See BOT.
- BELL 103A-type modem, SSM:5-28
- BEQ instruction, MAC:H-2
- BGE instruction, MAC:E-13
- BGT instruction, MAC:E-13
- BHI instruction, MAC:E-13
- BHIS instruction, MAC:E-13
- BIC instruction, MAC:E-12
- BIN:, GEN:8-8, 8-45
- Binary,
  - object file format, SUG:3-2
  - output device, GEN:8-10, 8-45
- Binary blocks,
  - formatted, SSM:8-4
- Binary file comparison program,
  - See BINCOM.
- Binary number,
  - format of 12-bit (figure), SUG:4-149
- /BINARY option,
  - COPY, SUG:4-33
  - DIFFERENCES, SUG:4-57
- Binary program update service,
  - GEN:2-20
- BINCOM, SUG:1-7, 16-1
  - building, GEN:C-3
  - calling, SUG:16-1
  - examples, SUG:16-4
  - messages, MES:7-61, 7-62
  - options, SUG:16-2
  - options (table), SUG:16-2
  - output format, SUG:16-3
- BINCOM.SAV, GEN:2-3
- Bit patterns,
  - selecting FORMAT verification, SUG:4-91, 18-3
- Bitmap,
  - inhibiting, SUG:11-49
  - low-memory, SSM:2-1, 3-52
  - low-memory (table), SSM:3-53
- /BITMAP option,
  - LINK, SUG:4-120
- BL monitor, GEN:1-3, 1-6, 8-17, SUG:1-3
  - device support for, GEN:1-7
  - differences with SJ monitor (table), GEN:1-7
  - duplicating standard, GEN:A-2
  - halts, See System failures.
  - link map for, GEN:H-3
  - looping, See System failures.
  - memory requirement, SUG:1-3
- Blank arguments, REF:1-9
- Blank media, GEN:2-21
- Blank p-sect, SUG:11-5, 11-6
- Blank p-sect size, SUG:11-6
- /BLANKLINES option,
  - DIFFERENCES, SUG:4-58
- .BLANKS graphics macro, REF:A-3
- BLE instruction, MAC:E-13

## INDEX

- .BLKB MACRO-11 directive,  
MAC:6-35
- BLKEY, SSM:2-29
- .BLKW MACRO-11 directive,  
MAC:6-35
- BLO instruction, MAC:E-13
- Block locations on DECTape II  
(figure), GEN:2-17
- Block-replaceable devices,  
GEN:8-11, SSM:9-1
- Blocking a job, SSM:3-31
- Blocking bits, SSM:3-20, 3-59
- Blocking bits (table), SSM:3-30,  
3-59
- Blocking conditions, SSM:3-23,  
3-29
- Blocking conditions (table),  
SSM:3-30
- Blocks,  
contiguous, SSM:9-8
- /BLOCKS option,  
DIRECTORY, SUG:4-65
- BLOS instruction, MAC:E-13
- BLT instruction, MAC:E-13, H-2
- BNE instruction, MAC:E-9, E-10,  
G-3, H-2
- BOOT,  
keyboard command, GEN:3-17,  
4-15, 5-13, 6-16, 7-4, 7-16,  
INT:15-4
- messages, MES:7-62 to 7-64
- Boot blocks,  
copying, SUG:4-34, 8-11
- BOOT keyboard command, SUG:4-22
- /BOOT option,  
COPY, GEN:2-30, 3-11, 4-8, 5-4,  
5-7, 6-10, 7-9, SUG:4-34
- Boot-time console, SSM:5-4
- Bootable devices, GEN:3-1  
creating, SUG:4-34, 8-8  
list of, SUG:4-22, 8-8  
magtape, GEN:7-11, SSM:9-23
- Bootstrap, GEN:1-11, 2-1, 2-5,  
2-13, 2-15, 2-18, 8-28,  
INT:2-1, SSM:7-50
- depositing in memory, GEN:E-1
- error routine, SSM:7-52
- Loader, SSM:8-28
- loading, GEN:E-1
- loading magtape, GEN:E-4
- loading RK06, GEN:E-5
- loading RK06 (table), GEN:E-10
- loading RK11, GEN:E-1
- loading RK11 (table), GEN:E-8
- loading RL01 (table), GEN:E-10
- loading RL01/RL02, GEN:E-6
- loading RX11, GEN:E-3
- loading RX11 (table), GEN:E-9
- loading RX211, GEN:E-7
- loading RX211 (table), GEN:E-11
- Bootstrap, (Cont)  
loading TC11, GEN:E-2
- loading TC11 (table), GEN:E-8
- loading TJU16 (table), GEN:E-9
- loading TM11 (table), GEN:E-10
- message, GEN:1-12, 2-42, 2-44,  
3-3, 4-3, 5-2, 6-2
- pushbutton console, INT:A-2
- read routine, SSM:7-52
- software, GEN:E-1
- switch register console,  
INT:A-3
- terminal keyboard, INT:A-1
- toggle-in, GEN:E-1
- writing software, SSM:7-52
- Bootstrap routine, GEN:2-32  
automatic install capability,  
GEN:2-31, 9-9
- Bootstrapping,  
devices, SUG:4-22
- distribution, GEN:3-3, 3-11,  
4-2, 5-2, 6-2, 7-2
- FB monitor, GEN:3-17, 4-15,  
5-13, 6-16, 7-16
- foreign volumes, SUG:4-23, 8-9
- manual operations, INT:A-1
- non-RT-11 V04 volumes,  
SUG:4-23, 8-9
- SJ monitor, GEN:3-14, 4-12,  
5-10, 6-13, 7-13
- suggestions, INT:B-2
- the system, INT:2-1, 2-4
- Bootstrapping a device, SUG:8-8
- Bootstrapping a different  
monitor, SUG:8-8
- BOT, GEN:2-17
- /BOTTOM option,  
EXECUTE, SUG:4-83
- LINK, SUG:4-120
- /BOUNDARY option,  
LINK, SUG:4-121
- BPI, GEN:2-34
- BPT instruction, SSM:4-68
- BR instruction,  
addressing, MAC:5-8
- use of, MAC:E-13
- Breakpoints,  
ODT, SUG:21-11, 21-22
- /BRIEF option,  
DIRECTORY, GEN:1-10, 2-26,  
SUG:4-65, INT:4-14
- BSE, See Bad sector error.
- BSTRAP.MAC, GEN:8-9
- Buffer, GEN:2-27, 2-28
- /BUFFER option,  
FRUN, SUG:4-99
- SRUN, SUG:4-169
- Buffers in extended memory,  
SSM:4-35
- Bus timeout trap, GEN:1-12, 2-42

## INDEX

- BYE command,
    - BASIC, INT:10-3
  - .BYTE MACRO-11 directive,
    - MAC:6-21
  - Bytes,
    - advancing in with SIPP,
      - SUG:22-6
  - /BYTES option,
    - DIFFERENCES, SUG:4-58
    - DUMP, SUG:4-74
- C**
- C bit, MAC:E-9
  - /C option,
    - DIR, SUG:9-4
    - DUP, SUG:8-3
    - LIBR, SUG:12-4
    - LINK, SUG:11-41
    - PIP, SUG:7-11
    - RESORC, SUG:17-2
  - /C option arguments (table),
    - SUG:10-10
  - Cache memory error report,
    - sample (figure), SUG:19-8
  - \$CALL command,
    - BATCH, SUG:A-13
  - CALL statement, REF:1-44
  - #CALL SYSGEN script command,
    - GEN:D-5
  - Callable subprograms,
    - SYSLIB-FORTRAN, SUG:1-11
  - Calling conventions, MAC:E-8
  - CAPS-11, GEN:1-12, 2-41
  - Card codes, SSM:10-31
  - Card reader,
    - CM11, GEN:8-38
    - CR11, GEN:8-38
  - Card reader device conditions,
    - setting, SUG:4-150
  - Card reader handler, SSM:6-17,
    - 10-30
  - Carriage return, INT:4-1
  - Carrier, SSM:5-20, 5-26
  - Cartridge,
    - DECTape II, GEN:1-18, 2-8,
      - 2-15, 2-17, 3-1, 4-1, 8-31
    - PDT-11/130 DECTape II, GEN:1-18
  - Cassette,
    - EOF detection, SSM:10-28
    - file header format, SSM:9-26
    - format (figure), SSM:9-25
    - handler, SSM:10-24
    - handler functions, SSM:10-25
    - special functions, SSM:10-27
    - structure, SSM:9-24
    - TAll, GEN:1-12, 8-36
    - using, SUG:4-38, 4-50, 7-4
  - Cassette device conditions,
    - setting, SUG:4-150
  - Categories,
    - sort (table), SUG:4-69
  - CCB, SSM:2-15
  - .CDFN programmed request, REF:2-2
  - Chain area, SSM:2-7
  - \$CHAIN command,
    - BATCH, SUG:A-14
  - .CHAIN programmed request,
    - REF:2-3, SSM:2-16
  - CHAIN system subroutine, REF:3-1,
    - See also .CHAIN programmed request.
  - Chaining (figure), SSM:4-4
  - Chaining to CREF, SSM:8-35
  - Change command (C),
    - EDIT, SUG:5-28
  - Change command arguments (table),
    - SUG:5-29
  - Changebar listings with SRCCOM,
    - GEN:2-24
  - /CHANGEBAR option,
    - DIFFERENCES, GEN:1-9, 2-24,
      - SUG:4-58
  - Changebars and bullets,
    - inserting in a file comparison,
      - SUG:4-58, 15-6
  - Channel,
    - freeing, REF:2-85
  - Channel area (figure), SSM:3-62
  - Channel format,
    - I/O (figure), SSM:3-62
  - Channel status information,
    - REF:2-23
  - Channel Status Word, See CSW.
  - Channels and channel numbers,
    - REF:1-37
  - Character devices, SSM:7-44
  - Character Search, INT:5-9
  - Character set,
    - ASCII, MAC:A-1
    - BATCH, SUG:A-8
    - MACRO-11, MAC:3-1
    - Radix-50, MAC:A-4
  - Character string functions,
    - REF:1-55, 1-56
    - allocating character string
      - variables, REF:1-57
    - passing strings, REF:1-58
    - using quoted-string literals,
      - REF:1-59
  - Characters,
    - bullet (SRCCOM), GEN:2-24
    - control, SSM:3-6
    - fill, GEN:1-10, 2-29, SSM:2-4
    - obtaining, SSM:5-22
    - printing, GEN:8-22, SSM:5-22
    - prompting (table), SUG:6-3
    - vertical bar (SRCCOM), GEN:2-24
  - .CHCOPY programmed request,
    - REF:2-5

## INDEX

- Checksum, GEN:3-8, 4-6, 5-5, 6-7, 7-7
  - PATCH, SUG:25-2
  - SIPP, SUG:22-15
- CHKEY, SSM:2-29
- CHNWT\$, SSM:3-30
- Circumflex key,
  - ODT, SUG:21-8
- .CLEAR graphics macro, REF:A-4
- Clock, SSM:3-9
  - 50-cycle, GEN:1-5, 1-12, 2-40
  - 60-cycle, GEN:1-5, 1-12, 2-40
  - KW11-P, GEN:1-16
  - pseudo, SSM:3-11
- Clock rate, GEN:2-40
  - 50-cycle instead of 60-cycle, GEN:1-12, 2-40
- Clock support, SSM:3-9
- CLOSE keyboard command, SUG:4-24
- .CLOSE programmed request, REF:2-7
- CLOSEC system subroutine, REF:3-2
- CLR instruction, MAC:G-2, G-3, H-2
- CM11 card reader, GEN:8-38
- .CMKT programmed request, GEN:1-17, 8-18, REF:2-8
- CMP instruction, MAC:E-12, H-2
- .CNTXSW programmed request, GEN:8-26, REF:2-9
- Code modifications,
  - completing with SIPP, SUG:22-12
- /CODE option,
  - COMPILE, SUG:4-26
  - EXECUTE, SUG:4-83
  - FORTRAN, SUG:4-94
- Codes,
  - FORTRAN listing (table), SUG:4-96
  - FORTRAN optimization (table), SUG:4-96
- Coding standard, MAC:E-1
  - forbidden instructions, MAC:E-12
- Columns,
  - directory, GEN:2-26
- /COLUMNS option,
  - DIRECTORY, SUG:4-65
- /COLUMNS:n option,
  - DIRECTORY, GEN:2-26
- .COM file type, GEN:2-45
- Command,
  - Edit Backup, SUG:5-13
  - Edit Read, SUG:5-12
  - Edit Write, SUG:5-13
  - End File, SUG:5-14
  - syntax of keyboard, SUG:4-1
- Command string,
  - continuing (QUEMAN), SUG:20-10
- Command arguments,
  - EDIT, INT:5-5, SUG:5-5
  - EDIT change (table), SUG:5-29
  - list (table), SUG:5-24
  - write (table), SUG:5-17
- Command console,
  - See Background console.
- Command expansion buffer area, SSM:2-37
- Command file,
  - creating a SLP, SUG:24-4
- Command files,
  - indirect,
    - See Indirect command files.
- Command interpretation, REF:1-18
- Command line,
  - SYSGEN indirect file, GEN:10-5
  - modifying, GEN:10-9
- Command string,
  - continuing (LIBR), SUG:12-4
  - continuing (LINK), SUG:11-41
  - EDIT, SUG:5-6
- Command String Interpreter,
  - See CSI.
- Commands,
  - See also Keyboard commands.
  - BATCH, SUG:A-11
  - BATCH (table), SUG:A-11
  - EDIT editing, SUG:5-12
  - EDIT utility, SUG:5-30
  - immediate mode (table), SUG:5-37
  - ODT single-instruction mode (table), SUG:21-14
  - PATCH, SUG:25-2
  - PATCH (table), SUG:25-3
  - SIPP, SUG:22-4
  - SIPP (table), SUG:22-4
- Comment,
  - field (BATCH), SUG:A-7
  - MACRO-11, MAC:2-4
- /COMMENTS option,
  - DIFFERENCES, SUG:4-58
- Commercial instruction set, MAC:C-3
- COMMON,
  - FORTRAN global section, SUG:11-5
- Common exit, MAC:E-10
- Communication links,
  - between modules, SUG:11-6
- Comparison program,
  - binary, See BINCOM.
  - source, See SRCCOM.
- COMPILE keyboard command, SUG:4-25
- Compiler,
  - writing a, SSM:8-2

## INDEX

- Completion queue, SSM:3-17
  - .SYNCH considerations for, SSM:3-18
  - SJ considerations for, SSM:3-18
- Completion queue element, SSM:3-18
- Completion queue element (figure), SSM:3-18, 3-60
- Completion routines, REF:1-20, 1-37, SSM:3-11, 3-17, 3-23 and the scheduler, SSM:3-33 in SJ, SSM:3-18
- Components,
  - determining sizes, SSM:2-39
  - free storage required to build (table), GEN:8-11
  - hardware (table), SUG:1-2
  - multi-terminal system, SSM:5-1
  - queued I/O system, SSM:3-11
  - queued I/O system (figure), SSM:3-12
  - selecting, GEN:2-7
  - system hardware, SUG:1-1
  - system software, SUG:1-2
- Compressing a device, SUG:4-167, 8-9
- CON,
  - p-sect attribute, SUG:11-4
- CONCAT system subroutine, REF:3-4
- /CONCATENATE option, COPY, SUG:4-35
- Condition codes, PS, SSM:7-11
- Conditional assembly, MAC:6-49
- Conditional branch, MAC:E-13
- Conditionals, GEN:8-2, 8-6, 8-9, D-1, F-1
  - keyboard command, GEN:F-4
  - system generation, SSM:7-4
- CONFIG2 (table), SSM:3-54
- CONFIG2 word, SSM:3-54
- CONFIG (table), SSM:3-51
- CONFIG word, SSM:3-51
- Configuration, GEN:2-1, 2-20
  - current, GEN:8-4
  - hardware, GEN:1-1, 1-3, 2-32, 2-37, 8-2
  - minimum, GEN:8-2
  - target system, GEN:8-4
  - terminal, SSM:5-3
  - unusual hardware, GEN:1-3
- CONFIGURATION option, SHOW, SUG:4-161
- Configuration parameters, setting system, SUG:4-149
- Configuration word, SSM:3-51
  - extension, SSM:3-54
  - extension (table), SSM:3-54
- Configuration word (table), SSM:3-51
- Confirmation message, suppressing, SUG:4-40, 4-51, 4-91, 4-108, 4-168, 8-13, 18-5
- Console, GEN:8-39, SSM:5-5
  - background, SSM:5-4
  - boot-time, SSM:5-4
  - command,
    - See Background console.
  - moving, SSM:5-4
  - private, SSM:5-5
  - shared, SSM:5-5
- Console emulator, GEN:E-1
- Console terminal, SSM:5-4
  - switching, SSM:5-8
  - using, INT:3-1
- Console terminal character input, REF:2-134
- Console terminal character output, REF:2-136
- Console terminal handler, SSM:10-34
- Constant register, ODT, SUG:21-16
- Context switching, REF:2-9, SSM:3-23, 3-28
  - in XM, SSM:4-32
  - information saved during, SSM:3-29
- Control characters,
  - See Characters.
  - PATCH (table), SUG:25-5
- Control commands,
  - See CTRL commands.
- Control statement format, BATCH, SUG:A-2
- Control status register address,
  - See CSR.
- Controller, GEN:8-7
- Conventions,
  - system, SUG:3-1
- /COPIES option, PRINT, SUG:4-133
  - TYPE, SUG:4-174
- \$COPY command, BATCH, SUG:A-14
- COPY keyboard command, GEN:2-30, 3-9, 3-11, 4-4, 4-8, 5-4, 5-7, 6-10, 7-4, 7-9, INT:7-3, SUG:4-32
- Copyright statement, MAC:E-6
- Core control block, See CCB.
- Correction file, PAT, SUG:23-4
- Corrupted device,
  - removing data from, SSM:9-15
- Corrupted directory,
  - recovering data from, SSM:9-15
- CR device handler, SSM:10-30
- CR.MAC, GEN:2-5, 8-9

## INDEX

- CR.SYS, GEN:2-2
- CR11 card reader, GEN:1-6, 8-38
- .CRAW programmed request,
  - REF:2-11, SSM:4-61
- \$CREATE command,
  - BATCH, SUG:A-15
- CREATE keyboard command,
  - GEN:2-17, SUG:4-44
- /CREATE option,
  - EDIT, SUG:4-80
  - LIBRARY, GEN:2-31, SUG:4-114, INT:5-2, 13-6
- Creating files, SUG:4-79
- CREF, GEN:1-12, 2-37
  - building, GEN:C-3
  - chaining to, SSM:8-35
  - file format, SSM:8-35
  - listing, INT:11-10, MAC:8-14, 9-5
    - messages, MES:7-64, 7-65
- CREF.SAV, GEN:2-3
- Cross-reference,
  - sections (table), SUG:4-129
  - table, SUG:10-9
  - table (figure), SUG:10-12
  - table files, SUG:10-10
  - table generation option, SUG:10-9
- Cross-reference file format,
  - See CREF.
- Cross-reference listing,
  - See CREF listing.
- Cross-reference table, INT:11-10
  - obtaining, SUG:4-26, 4-52, 4-84, 4-128, 10-9
- /CROSSREFERENCE option,
  - COMPILE, SUG:4-26
  - DIBOL, SUG:4-52
  - EXECUTE, SUG:4-84
  - MACRO, MAC:8-7, 8-9, 8-13, 9-5, SUG:4-128, INT:11-7
- .CRRG programmed request,
  - REF:2-14, SSM:4-61
- .CSECT MACRO-11 directive,
  - MAC:6-44, SUG:11-4, 11-5
- CSI, REF:1-18, SSM:2-27, 3-6, SUG:6-1
  - messages, MES:7-65, 7-66
  - prompting characters, SUG:6-3
  - special mode, REF:2-21
  - syntax, SUG:6-1
- CSI option information,
  - passing, REF:2-18
- .CSIGEN programmed request,
  - REF:2-15
- .CSISPC programmed request,
  - REF:2-21
- CSR, GEN:1-11, 2-25, 8-5, 8-29
  - addresses used by FORMAT, GEN:1-9, 2-25
  - nonstandard address for, GEN:2-12
- CSR address,
  - changing, GEN:2-33
- .CSTAT programmed request,
  - REF:2-23
- CSW, SSM:3-61
- CSW (table), SSM:3-63
- CT handler,
  - messages, MES:7-66
- CT.MAC, GEN:2-5, 2-42, 8-9
- CT.SYS, GEN:2-2
- .CTIMIO macro, REF:2-24, SSM:7-30
- .CTL file, GEN:2-35
- CTRL,
  - /A, SUG:3-7
  - /B, INT:15-5, SSM:3-8, SUG:3-7
  - /C, INT:4-14, REF:2-107, SSM:3-7, SUG:3-7, 5-3
  - /D, INT:5-18
  - /E, INT:4-7, SUG:3-7
  - /F, INT:15-5, SSM:3-8, SUG:3-7
  - /G, INT:5-17
  - /L, INT:5-10
  - /N, INT:5-18
  - /O, GEN:8-15, 9-2, 10-3, D-10, INT:4-12, REF:2-89, SSM:3-7, 5-23, SUG:3-7, 5-3
  - /Q, GEN:3-15, 4-12, 5-11, 6-14, 7-14, SSM:3-7, SUG:3-8
  - /S, GEN:3-15, 4-12, 5-11, 6-14, 7-14, SSM:3-7, SUG:3-8
  - /U, INT:4-4, 5-3, SUG:3-8, 5-3
  - /V, INT:5-17
  - /X, INT:5-7, SSM:3-8, 3-40, SUG:3-8, 5-3
  - /Y, SUG:22-12
  - /Z, SUG:3-8, 22-11
- CTRL command key, INT:3-4
- CTRL commands, INT:4-3, SUG:3-6
- CTS-300, GEN:1-15, 8-21, SSM:5-10
- CTS-300 RDCP (2780/3780),
  - description of,
    - See Optional software products.
- Current location counter, MAC:3-12
- Cursor,
  - obtaining current position, SSM:3-8
- Customizing distributed software,
  - GEN:2-23, 3-11, 4-8, 5-8, 6-10, 7-10
- CVTTIM system subroutine, REF:3-5

INDEX

**D**

- D,
  - p-sect attribute, SUG:11-4
- D keyboard command, GEN:1-13, 2-47, SUG:4-46
- /D option,
  - DIR, SUG:9-4
  - DUP, SUG:8-16
  - LIBR, SUG:12-6
  - PIP, SUG:7-14
  - QUEMAN, SUG:20-4
  - RESORC, SUG:17-3
  - SRCCOM, SUG:15-6
- Data,
  - blocks (RT-11), SSM:8-4
  - device, GEN:2-15
  - formats, SUG:3-2
  - p-sect, SUG:11-5
  - record, GEN:2-17
  - sharing, MAC:6-43
  - storage, GEN:2-8, 2-21
  - storage directives, MAC:6-21
- \$DATA command,
  - BATCH, SUG:A-16
- Data set, SSM:5-26
- Data structures,
  - multi-terminal, SSM:5-1, 5-11
  - RMON, SSM:3-47
  - XM, SSM:4-51
- Data transfer,
  - errors, SSM:7-15
  - starting, SSM:7-12
- Date, GEN:1-16
  - inspecting system, SUG:4-47
  - setting, INT:4-8, REF:2-112
  - setting system, SUG:4-47
- Date information, REF:2-25
- DATE keyboard command, GEN:3-3, 4-3, 5-3, 6-3, 7-4, INT:4-8, SUG:4-47
- /DATE option,
  - DIRECTORY, SUG:4-66
- .DATE programmed request,
  - REF:2-25
- Date/time change at midnight,
  - GEN:1-4
- DCL,
  - See DIGITAL Command Language.
- DD device handler, SSM:10-39
- DD handler,
  - messages, MES:7-66
- dd\$COD, SSM:7-4
- dd\$CSR, SSM:7-4
- dd\$VEC, SSM:7-4
- DD.MAC, GEN:2-5, 8-9
- DD.SYS, GEN:2-2
- DD:, GEN:1-11, 2-33
- ddCQE, SSM:3-13
- ddDSIZ, SSM:7-4
- ddINT, SSM:7-10, 7-13
- ddLQE, SSM:3-13
- ddSTS, SSM:7-7
- DEASSIGN keyboard command,
  - SUG:4-48
- /DEBUG option,
  - EXECUTE, SUG:4-84
  - LINK, SUG:4-121
  - ODT, INT:14-5
- Debugger, GEN:2-4, 2-16
  - using, SUG:2-2
- Debugging,
  - device handlers, SSM:7-65
  - multi-terminal applications, SSM:5-29
  - on-line, See ODT.
  - programs, INT:14-1
  - tool (ODT), INT:14-4, See ODT.
  - XM applications, SSM:4-69
- DEC 026/DEC 029 card codes,
  - SSM:10-31
- Decimal/octal/binary conversion,
  - INT:11-5
- Decision subroutine, SSM:3-31
- DECnet, GEN:1-15, 8-19
- DECnet-RT,
  - description of,
    - See Optional software products.
- #DECR SYSGEN script command,
  - GEN:D-5
- DECsystem-10,
  - transferring files to RT-11
    - from, SUG:14-8
- DEctape,
  - deleting files from DOS/BATCH,
    - SUG:14-10
  - TC11, GEN:1-4, 1-5, 2-8, 8-32
- DEctape II,
  - address, GEN:1-11
  - bad blocks, SSM:10-40
  - cartridge, GEN:1-5, 1-18, 2-8, 2-15, 2-17, 2-18, 3-1, 4-1, 8-31
  - device conditions, SUG:4-150
  - device handler, SSM:10-39
  - format, SSM:10-40
- Default,
  - formatting, SUG:4-90, 18-3
  - linker (table), SUG:11-8
  - mapping, SSM:4-18
  - mapping (figure), SSM:4-19
  - wildcard (table), SUG:4-8
- Default device, See DK:.
  - for QUEMAN, GEN:2-48
  - for the EDIT command,
    - GEN:2-46
- FRUN command, GEN:2-45



## INDEX

- Default device, (Cont)
  - indirect command files,
    - GEN:2-44
    - SRUN, GEN:1-3
- Default directory sizes (table),
  - SUG:4-110, 8-15
- Default file name,
  - EDIT, GEN:2-46, 2-47
- Default file specification values (table), SUG:10-3
- Default file type, GEN:1-13, 10-5
  - FRUN, GEN:2-45
  - indirect command files,
    - GEN:2-44
    - SRUN, GEN:1-3
- Default register definitions,
  - MAC:3-10
- Defaults,
  - directory segments, GEN:2-50
  - number of p-sects, GEN:2-27
  - output device, GEN:1-9, 2-25
  - size of list, GEN:2-27
  - storage volume, GEN:2-35
  - SYSGEN response, GEN:8-16, 9-2, 10-2
  - SYSLIB device, GEN:1-11, 2-35
  - system library, See SYSLIB.OBJ.
- DEL command,
  - BASIC, INT:10-5
- \$DELETE command,
  - BATCH, SUG:A-18
- Delete command (D),
  - EDIT, INT:5-8, SUG:5-26
- DELETE key, INT:3-3, 3-4, 4-4, 5-17, SUG:3-8
- DELETE keyboard command,
  - GEN:1-13, 2-18, 7-9, INT:7-6, SUG:4-49
- /DELETE option,
  - LIBRARY, SUG:4-114
  - PRINT, SUG:4-133
  - TYPE, SUG:4-174
- .DELETE programmed request,
  - REF:2-26
- Deleted files,
  - recovering, SUG:4-44, 8-4
- /DELETED option,
  - DIRECTORY, SUG:4-66
- DEMOBG assembly listing (figure),
  - GEN:3-16, 4-13, 5-12, 6-15, 7-15
- DEMOBG.MAC, GEN:2-5, 3-15, 4-12, 5-11, 6-14, 7-14
- DEMOED.TXT, GEN:2-5
- DEMOF1.FOR, GEN:2-5
- DEMOFG.MAC, GEN:2-5, 3-17, 4-14, 5-13, 6-15, 7-16
- DEMOX1.MAC, GEN:2-5
- Density,
  - magnet, GEN:2-34
- Deposit keyboard command,
  - SSM:2-16, SUG:4-46
- Detaching a terminal, REF:2-71, SSM:5-23
- DEV macro, SSM:7-60
- DEVBLD example (figure), GEN:10-5
- DEVBLD.COM, GEN:8-3
- Device, GEN:8-5, REF:1-16,
  - See also Volume.
  - adding, GEN:1-15, 8-7
  - adding to device tables,
    - SSM:3-65
  - assignment, GEN:8-39
  - block-replaceable, SSM:9-1
  - bootstrapping, SUG:4-22, 8-8
  - clearing directory, SUG:4-107, 8-14
  - compressing, GEN:3-12, 4-9, 5-8, 6-10, 7-10, SUG:4-167, 8-9
  - copying, SUG:4-35, 8-5
  - creating bootable, SUG:4-34, 8-8, 8-11
  - directory-structured, SUG:3-5
  - distribution, GEN:1-17
  - dumping, SUG:4-73, 13-1
  - examining and modifying,
    - SUG:22-1
  - file-structured, SSM:9-1, SUG:3-5
  - FILEX supported (table),
    - SUG:14-1
  - formatting, SUG:4-90, 18-1
  - I/O page, See I/O page.
  - I/O time-out, GEN:1-15, SSM:7-28
  - identification, SUG:4-72, 8-12
  - increasing storage space,
    - MES:3-11
  - installing, GEN:1-11, SUG:4-112
  - interface, GEN:8-5
  - list of bootable, SUG:4-22, 8-8
  - maintaining, SUG:8-1
  - non-interrupting, SSM:7-19
  - optional, INT:1-7
  - priority, SSM:6-3
  - programming for specific,
    - SSM:10-1
  - pseudo, SSM:7-19
  - queue, GEN:2-28
  - random-access, SSM:9-1, SUG:3-5
  - sequential-access, SSM:9-1, 9-22, SUG:3-5
  - SET conditions and
    - modifications (table),
      - SUG:4-150
    - size (table), GEN:2-8, 8-11
  - slot, GEN:1-11, 2-32, 8-5, 8-38
  - squeezing, SUG:4-167, 8-9
  - status information, REF:2-36

## INDEX

- Device, (Cont)
  - storage error report, SUG:19-6
  - structures, SUG:3-5
  - structures (table), SUG:3-6
  - supported by FILEX, SUG:14-1
  - tables, SSM:3-62
  - target system, GEN:1-17
- Device assignments, INT:15-7
  - resource listing, SUG:17-5
- Device blocks, REF:1-11, 1-39
- Device directory, See Directory.
- Device driver,
  - See Device handler.
- Device handler, GEN:1-15, 2-2, 2-10, 2-19, 8-28
  - card reader, SSM:6-17
  - console terminal, SSM:10-34
  - CR, SSM:10-30
  - DD, SSM:10-39
  - DECTape II, SSM:10-39
  - DL, SSM:10-37
  - DM, SSM:10-35
  - DX, SSM:10-29
  - DY, SSM:10-29
  - GT, SSM:2-19
  - line printer, GEN:2-12
  - LS, SSM:5-6
  - MQ, SSM:3-39, 6-22
  - NL, SSM:10-39
  - PC, SSM:10-34
  - PP, SSM:1-2
  - PR, SSM:1-2
  - RL01/02, SSM:10-37
  - system, SSM:7-50
  - system, GEN:2-10
  - TT, SSM:3-1
- Device handler listing,
  - DX, SSM:A-19
  - PC, SSM:A-38
  - RK, SSM:A-1
- Device handler macro,
  - .CTIMIO, REF:2-24
  - .DRAST, REF:2-30, SSM:7-14
  - .DRBEG, REF:2-31, SSM:7-9
  - .DRBOT, REF:2-31, SSM:7-53
  - .DRDEF, REF:2-32, SSM:7-3
  - .DREND, REF:2-33, SSM:7-18
  - .DRFIN, REF:2-34, SSM:7-18
  - .DRSET, REF:2-34, SSM:7-24
  - .DRVTB, REF:2-35, SSM:7-10
  - .QELDF, REF:2-86
  - .TIMIO, REF:2-129
- Device handler section,
  - header, SSM:7-9
  - I/O completion, SSM:7-16
  - I/O initiation, SSM:7-11
  - interrupt service, SSM:7-13
  - preamble, SSM:7-3
  - termination, SSM:7-18
- Device handler status,
  - resource listing, SUG:4-161
- Device handlers, REF:1-26, SSM:2-19, 3-22, 6-4, SUG:1-5
  - abort entry point, SSM:7-14
  - adding special functions to, SSM:7-39
  - advantages of, SSM:6-6
  - assembling, GEN:8-7, 9-3, 10-8, SSM:7-57, A-1
  - block 0, SSM:7-9
  - building, GEN:9-9
  - cassette, SSM:10-24
  - cassette functions, SSM:10-25
  - converting to V4 format, SSM:B-1
  - creating system, SSM:7-51
  - debugging with ODT, SSM:7-66
  - first five words, SSM:7-9
  - how to write, SSM:7-1
  - in XM, SSM:7-41
  - in XM (figure), SSM:7-43
  - installing, SSM:7-58
  - installing magtape, SSM:7-65
  - linking, GEN:8-7, 9-3, 10-8, SSM:7-58
  - loading, SSM:2-19, 2-22, SUG:4-126
  - mapping to user buffer, SSM:7-47
  - mapping to user buffer (figure), SSM:7-49
  - multi-vector, SSM:7-10
  - planning to write, SSM:7-1
  - releasing, REF:2-45
  - size of, SSM:2-39
  - skeleton outline, SSM:7-19
  - special functions, REF:2-121, SSM:7-38
  - specifics, SSM:10-1
  - status, SUG:17-3
  - structure of, SSM:7-3
  - suffix, SSM:3-51
  - system, SSM:2-11
  - system (figure), SSM:2-12
  - termination table, REF:2-33
  - testing and debugging, SSM:7-65
  - that access the user buffer, SSM:7-47
  - that queue internally, SSM:7-20
  - time-out calls, REF:2-129
  - unloading, SUG:4-176
- .DEVICE macro, SSM:6-12
- Device name, GEN:2-44, 2-45, 2-46, 2-48
  - permanent (table), SUG:3-3
  - physical (table), SUG:3-3
- /DEVICE option,
  - COPY, SUG:4-35

## INDEX

- .DEVICE programmed request, REF:2-28
  - Device register, MAC:E-2
  - Device size word, SSM:7-8
  - Device status word, SSM:7-7
  - Device status word (table), SSM:7-7
  - Device support, GEN:1-4
    - BL monitor, GEN:1-7
    - SJ monitor, GEN:1-7
  - DEVICE system subroutine, REF:3-5, See also .DEVICE programmed request.
  - Device time-out applications, SSM:7-31
  - Device time-out support, GEN:8-19
  - Device utility program, See DUP.
  - Device vectors, See Vectors.
  - Device-dependent information, SSM:10-1
  - Device-identifier byte, SSM:7-6
  - Device-identifier byte (table), SSM:7-6
  - DEVICES option, SHOW, SUG:4-163
  - DHALT display halt instruction, REF:A-14
  - /DIAGNOSE option, COMPILE, SUG:4-27 EXECUTE, SUG:4-84 FORTRAN, SUG:4-94
  - DIBOL, GEN:1-10, 2-10, 2-27 library, GEN:2-31
  - DIBOL keyboard command, SUG:4-52
  - /DIBOL option, COMPILE, SUG:4-27 EXECUTE, SUG:4-84
  - DIFFERENCES keyboard command, INT:6-2, SUG:4-56
  - DIGITAL command language, MAC:8-8, SSM:1-2, See also Keyboard commands.
  - DIR, GEN:2-14, 2-16, 2-20, 2-26, SUG:1-6, 9-1
    - building, GEN:C-3
    - calling, SUG:9-1
    - messages, MES:7-66, 7-67
    - options, SUG:9-2
    - options (table), SUG:9-2
  - DIR.SAV, GEN:2-3
  - Directive summary, .DSABL and .ENABL (table), SUG:4-129
  - Directives, See Permanent symbol table. BATCH run-time handler operator (table), SUG:A-48
  - Directory, date format (figure), SSM:9-7
  - Directory, (Cont)
    - default sizes (table), SUG:8-15
    - entries, SSM:9-5
    - entry format, SSM:9-5
    - entry format (figure), SSM:9-5
    - example (asynchronous operation), SSM:10-10
    - header format, SSM:9-4
    - header words (table), SSM:9-4
    - link words, SSM:9-15
    - recovering data from corrupted, SSM:9-15
    - special, SSM:7-40
    - structure, SSM:9-2
  - Directory caching, inhibiting, SSM:2-29
  - Directory columns, number of, GEN:1-10
  - \$DIRECTORY command, BATCH, SUG:A-18
  - DIRECTORY keyboard command, GEN:1-10, 2-8, 2-26, 3-4, 8-10, INT:4-12, SUG:4-62
  - Directory listing, a summary, SUG:9-7
    - all but files specified, SUG:9-8
    - alphabetically, SUG:4-64, 9-3
    - beginning with specified file, SUG:4-64, 9-5
    - block numbers in octal, SUG:9-7
    - by category, SUG:4-68, 9-9
    - deleted files, SUG:4-66, 9-8
    - file, INT:7-1
    - files created after specified date, SUG:4-70, 9-6
    - files created before specified date, SUG:4-64, 9-6
    - files of a specified date, SUG:4-66, 9-4
    - files' starting block numbers, SUG:4-65, 9-4
  - FILEX, SUG:14-9
  - in reverse, SUG:4-70, 9-9
  - library file, SUG:12-10
  - obtaining, SUG:4-62
  - on line printer, SUG:4-70, 9-6
  - only file names and types, SUG:4-65, 9-5
  - setting number of columns in listing, GEN:2-26, SUG:4-65, 9-4
  - software kit, GEN:G-1
  - unused areas, SUG:4-67, 9-7
  - used and unused areas, SUG:4-67, 9-5
  - volume identification, SUG:4-72, 9-10
- Directory program, See DIR.

## INDEX

- Directory segments, GEN:2-50
  - changing the number of,
    - SUG:4-110, 8-14
  - default number, GEN:1-14
  - sample (figure), SSM:9-9
  - splitting, SSM:9-13
  - splitting (figure), SSM:9-16
- Directory sizes,
  - default (table), SUG:4-110
- Directory status word,
  - format, SSM:9-5
  - format (figure), SSM:9-5
  - values (table), SSM:9-6
- Directory words,
  - extra, SSM:9-7
- Directory-structured volumes,
  - INT:B-3, SUG:3-5
- /DISABLE option,
  - COMPILE, SUG:4-27
  - EXECUTE, SUG:4-84
  - MACRO, SUG:4-129
- Disk, GEN:4-1
  - RF11, GEN:1-12, 1-18, 2-8,
    - 2-41, 8-32
  - RJS03/RJS04, GEN:1-18, 2-8,
    - 2-24, 8-32
  - RK05, GEN:1-18, 2-8, 2-21, 4-3,
    - 5-1, 7-4, 8-32
  - RK06/07, GEN:1-18, 2-8, 4-3,
    - 7-4, 8-33
  - RL01, GEN:1-18, 2-8, 4-3, 5-1,
    - 7-4, 8-32
  - RL02, GEN:1-18, 2-8, 5-1, 7-4,
    - 8-32
  - RP02, GEN:1-18, 2-8, 7-4, 8-33
  - RP03, GEN:1-18, 2-8, 2-34, 7-4,
    - 8-33
- Diskette,
  - for system build, GEN:10-6
  - formatting in single-density
    - mode, SUG:4-91, 18-5
  - handlers, SSM:10-29
  - PDT-11/150, GEN:1-18, 2-8, 10-1
  - RX01, GEN:1-18, 2-8, 3-1, 4-1,
    - 8-29, 10-1
  - RX02, GEN:1-19, 2-8, 2-21, 6-1,
    - 8-30, 10-1
  - silos, SSM:6-2
- Diskette system, GEN:8-2
  - copying files with, SUG:4-41,
    - 7-17
- \$DISMOUNT command,
  - BATCH, SUG:A-18
- DISMT1.COM, GEN:2-4, 7-5
- DISMT2.COM, GEN:2-4, 7-6
- Display editor,
  - EDIT, SUG:5-34
  - format with 12-inch screen
    - (figure), SUG:5-35
  - using, SUG:5-35
- Display file handler,
  - description, REF:A-1
  - using, REF:A-15
- Display file structure,
  - BASIC-11 graphics software,
    - REF:A-20
  - main file/subroutine, REF:A-19
  - subroutine calls, REF:A-18
- Display hardware,
  - using, SUG:4-103
- Display processor,
  - See VT11/VS60 graphic display.
- Display processor mnemonics,
  - REF:A-23
- Display screen values (table),
  - SUG:4-109
- Distribution, GEN:2-21, 2-36
  - customizing, GEN:2-23
  - device, GEN:1-17
  - kit, GEN:1-1, 1-3, 2-2
  - medium, GEN:1-18
  - policy, GEN:2-20
  - volume, GEN:2-1
- DIV instruction, MAC:H-2
- DJFLT system subroutine,
  - REF:3-6
- DJSR subroutine call instruction,
  - REF:A-13
- DK:, GEN:1-11, 1-13, 2-15, 2-34,
  - 2-44
- DL device handler, SSM:10-37
- DL interface,
  - time-out routine for,
    - SSM:5-27
- DL-type interface, SSM:5-2
- DL.MAC, GEN:2-5, 8-9
- DL.SYS, GEN:2-2
- DL11 device, GEN:1-10
- DL11 interface, GEN:8-39
- DL11-E interface, GEN:8-39
- DL11-J interface, SSM:5-28
- DL11-W interface, SSM:5-28
- DLV11 interface, GEN:8-39
- DLV11-E interface, GEN:8-39
- DLV11-F interface, GEN:8-39
- DLV11-J interface, GEN:8-39
- DM device handler, SSM:10-35
- DM handler special functions,
  - SSM:10-36
- DM.MAC, GEN:2-5, 8-9
- DM.SYS, GEN:2-2
- DMA devices, SSM:7-44
- DNAME load name register
  - instruction, REF:A-14
- /DOS option,
  - COPY, SUG:4-36
  - DELETE, SUG:4-49
  - DIRECTORY, SUG:4-66
  - INITIALIZE, SUG:4-108

## INDEX

- DOS/BATCH and RT-11,  
transferring files between,  
SUG:14-3
- DOS/BATCH DECTapes,  
deleting files from, SUG:14-10
- Double ASCII character indicator,  
MAC:3-2
- Double-density diskette,  
See RX02 diskette.
- Double-density only RX02,  
GEN:1-15, 8-30
- Down-line loading, SSM:8-28
- DP.MAC, GEN:2-5, 8-9
- DP.SYS, GEN:2-2
- .DRAST device handler macro ,  
REF:2-30
- .DRAST device handler macro,  
SSM:7-14
- .DRBEG device handler macro,  
REF:2-31, SSM:7-9
- .DRBOT device handler macro ,  
REF:2-31
- .DRBOT device handler macro,  
SSM:7-53
- .DRDEF device handler macro ,  
REF:2-32
- .DRDEF device handler macro,  
SSM:7-3
- .DREND device handler macro ,  
REF:2-33
- .DREND device handler macro,  
SSM:7-18
- DRET sybroutine return  
instruction, REF:A-13
- .DRFIN device handler macro ,  
REF:2-34
- .DRFIN device handler macro,  
SSM:7-18
- Driver,  
primary, SSM:7-51, 7-51
- Drivers, See Device handlers.
- .DRSET device handler macro ,  
REF:2-34
- .DRSET device handler macro,  
SSM:7-24
- .DRVTB device handler macro ,  
REF:2-35
- .DRVTB device handler macro,  
SSM:7-10
- DS.MAC, GEN:2-5, 8-9
- DS.SYS, GEN:2-2
- .DSABL and .ENABL MACRO-11  
directive summary (table),  
SUG:4-129
- .DSABL MACRO-11 directive,  
GEN:1-14, 2-51, MAC:6-18  
to 6-21
- DSTAT display status instruction,  
REF:A-14
- .DSTATUS programmed request,  
REF:2-36
- DT.MAC, GEN:2-5, 8-9
- DT.SYS, GEN:2-2
- DUMP, SUG:1-6, 13-1  
building, GEN:C-4  
calling, SUG:13-1  
examples, SUG:13-2  
keyboard command, GEN:2-25  
messages, MES:7-67, 7-68  
options, SUG:13-1  
options (table), SUG:13-1  
program, See DUMP.
- DUMP keyboard command, SUG:4-73
- DUMP.SAV, GEN:2-3
- Dumping devices and files,  
SUG:4-73
- DUP, GEN:1-14, 2-14, 2-16, 2-20,  
2-50, SUG:1-6, 8-1  
and bootstrap, SSM:7-53  
building, GEN:C-4  
calling, SUG:8-1  
directory segment table in,  
GEN:2-50  
messages, MES:7-69 to 7-74  
options, SUG:8-1  
options (table), SUG:8-2  
options and categories (table),  
SUG:8-2
- DUP.SAV, GEN:2-3
- \$DVREC table, SSM:3-64
- DVREC\$ p-sect, SSM:2-14
- \$DVSIZ table, SSM:3-64
- DX device handler, SSM:10-29
- DX device handler listing,  
SSM:A-19
- DX.MAC, GEN:2-5, 8-9
- DX.SYS, GEN:2-2
- DY device handler, SSM:10-29
- DY.MAC, GEN:2-6, 8-9
- DY.SYS, GEN:2-2
- Dynamic region,  
creating, REF:2-14
- Dynamic regions, SSM:4-24
- Dynamic windows, SSM:4-25
- DZ interface,  
polling routine for, SSM:5-27
- DZ multiplexers,  
number of (local), GEN:8-42  
number of (remote), GEN:8-43
- DZ-type interface, SSM:5-2
- DZ11 multiplexer, GEN:8-39
- DZV11 multiplexer, GEN:8-39

## E

- E keyboard command, GEN:1-13,  
2-47, SUG:4-78

## INDEX

- /E option,
  - DIR, SUG:9-5
  - LIBR, SUG:12-6
  - LINK, SUG:11-41
  - PIP, SUG:7-16
- EDIT, GEN:1-10, 2-13, 2-20, 2-28,
  - SUG:1-5, 4-79, 5-1
  - backup file, INT:5-11
  - building, GEN:C-5
  - calling, SUG:5-1
  - command arguments, SUG:5-5
  - command categories (table), SUG:5-4
  - command properties, SUG:5-7
  - command repetition, SUG:5-9
  - command string, SUG:5-6
  - command structure, SUG:5-3
  - commands and file status (table), SUG:5-15
  - default device, GEN:1-13
  - display editor, SUG:5-34
  - editing commands,
    - See Editing commands.
  - error conditions, SUG:5-39
  - example, SUG:5-38
  - key commands (table), SUG:5-2
  - keyboard command, GEN:1-13, SUG:4-79
  - memory usage, SUG:5-10
  - messages, MES:7-74 to 7-76
  - modes of operation, SUG:5-1
  - program exit, INT:5-6
  - text window in, GEN:2-28
- Edit Backup command, SUG:5-13
- EDIT command arguments, INT:5-4, 5-5
- EDIT keyboard command, GEN:2-46, 2-47, INT:5-2, 5-4
- Edit Lower command (EL),
  - EDIT, INT:5-12, SUG:5-34
- /EDIT option,
  - EDIT, GEN:1-13, 2-46
- Edit Read command, SUG:5-12
- EDIT reference pointer,
  - moving, SUG:5-19
- Edit Upper command (EU),
  - EDIT, INT:5-12, SUG:5-34
- Edit Version command (EV),
  - EDIT, SUG:5-33
- Edit Write command, SUG:5-13
- EDIT.SAV, GEN:2-3, 2-46
- EDIT.TEC, GEN:2-7
- Editing text files, SUG:4-79
- Editing a BASIC program,
  - INT:10-4
- Editing commands,
  - EDIT, SUG:5-12
  - summary, INT:5-13
- Editing conditional file, GEN:8-6
- Editing demonstration program,
  - GEN:3-15, 4-12, 5-11, 6-14, 7-14
- Editing SYCND.MAC, GEN:8-6, 9-3
- Editing text files, SUG:1-5
- Editor, GEN:2-13, 2-46
  - character-oriented, GEN:2-14
  - cursor-oriented, GEN:2-14
  - EDIT, GEN:2-14, 2-20, 2-28, SUG:1-5, 4-79, 4-151, 5-1
  - K52, GEN:2-14, SSM:1-3, SUG:1-5, 4-79, 4-81, 4-151
  - KED, GEN:2-14, SSM:1-3, SUG:1-5, 4-79, 4-81, 4-151
  - keypad, See KED or K52.
  - RT-11, INT:5-1
  - setting default, SUG:4-151
  - TECO, DOC:2-4, GEN:2-14, SSM:1-2, SUG:4-151
  - using, SUG:2-1
- EDTGBL, GEN:10-9
- EDTGBL.MAC, GEN:2-6, 8-2, 8-9
- Effective address search,
  - ODT, SUG:21-15
- EIS, GEN:1-8, 1-15, SSM:4-7
- EL, SSM:3-35, SUG:19-2
  - messages, MES:7-77
- EL.REL, SUG:19-2
- EL.SYS, SUG:19-2
- .ELAW programmed request,
  - REF:2-38, SSM:4-64
- ELBLDR macro, SSM:7-37
- ELCOPY.MAC, GEN:2-6, 8-9
- Eliminating bad blocks, SUG:4-90
- ELINIT, SUG:19-2
  - messages, MES:7-77, 7-78
  - using, SUG:19-4
- ELINIT.MAC, GEN:2-6, 8-9
- .ELRG programmed request,
  - REF:2-39, SSM:4-64
- ELTASK.MAC, GEN:2-6, 8-9
- Empty entry, SSM:9-6
- Empty file, See Empty entry.
- EMT codes, REF:1-3
- EMT error codes, SSM:2-4
- EMT instructions, MAC:5-9, D-4, REF:1-3
- Emulator,
  - console, GEN:2-21, E-1
- .ENABL MACRO-11 directive,
  - GEN:1-14, 2-51, MAC:6-2, 6-18 to 6-21, 8-6, 8-9, 9-4, B-4, D-1, D-2, D-4, F-2, SUG:11-6
- /ENABLE option,
  - COMPILE, SUG:4-27
  - EXECUTE, SUG:4-84
  - MACRO, SUG:4-129

## INDEX

- END BATCH message,
  - See BATCH messages.
- End File command, SUG:5-14
- .END MACRO-11 directive, MAC:6-2,  
6-37, B-4, D-3, H-2
- /END option,
  - COPY, SUG:4-36
  - DIFFERENCES, SUG:4-58
  - DIRECTORY, SUG:4-67
  - DUMP, SUG:4-74
- .ENDC MACRO-11 directive,
  - MAC:6-2, 6-12, 6-49, 6-50,  
6-51, 6-53, 6-54, 6-55, 7-3,  
B-4
- #ENDC SYSGEN script command,
  - GEN:D-6
- .ENDM MACRO-11 directive,
  - MAC:6-13, 6-21, 7-2 to  
7-8, 7-10, 7-11,  
7-17 to 7-19, B-4, B-7,  
F-3
- .ENDR MACRO-11 directive,
  - MAC:7-18, 7-19, B-4, B-7
- #ENDS SYSGEN script command,
  - GEN:D-6
- \$ENSY (table), SSM:3-27
- \$ENSY and the job's stack,  
SSM:3-27
- \$ENSY monitor routine, SSM:3-27
- .ENTER programmed request,
  - GEN:2-40, REF:2-39
- Entry,
  - empty, SSM:9-6
- /ENTRY option,
  - DELETE, GEN:1-13, 2-48,  
SUG:4-49
- Entry point, SUG:11-6
  - abort, REF:2-30, SSM:7-14, 7-15
  - interrupt, REF:2-30, SSM:7-13,  
7-15
- Entry point symbol,
  - See .GLOBL MACRO-11  
directive.
- \$ENTRY table, SSM:3-64
- ENTRY\$ p-sect, SSM:2-14
- \$EOD command,
  - BATCH, SUG:A-19
- EOF card (figure), SUG:A-42
- EOF detection for cassette,  
SSM:10-28
- \$EOJ command,
  - BATCH, SUG:A-20
- .EOT MACRO-11 directive, MAC:6-2,  
6-37, B-5
- ERL\$G, SSM:7-5, 7-34
- ERL\$U, SSM:7-34
- ERRLOG.DAT, SUG:19-2
- Error,
  - bad sector, SUG:4-35
- Error abort level,
  - setting indirect command file,  
SUG:4-15i
- Error byte,
  - user, SSM:2-4
  - user (table), SSM:2-6
- Error codes, MAC:D-1
  - EMT, SSM:2-4
  - MACRO-11, MES:8-133, SUG:10-14
  - MACRO-11 (table), SUG:10-14
  - multi-terminal programmed  
requests, SSM:5-24
  - XM programmed requests,  
SSM:4-65
- Error conditions,
  - EDIT, SUG:5-39
- Error level, SSM:2-5
- Error log file formats, SSM:8-37
- Error Logger, SUG:1-7, 19-1
  - adding a device to, SSM:7-37
  - calling, SSM:7-36, SUG:19-3
- Error logging, GEN:1-5, 1-7,  
1-15, 1-17, 8-27, SSM:3-35,  
SUG:19-1,
  - See also Logging an error.
  - building, GEN:C-5
  - example, SSM:7-37
  - implementing, SSM:7-34
  - number of units supported by,  
GEN:8-28
  - report analysis, SUG:19-6
  - subsystem, SUG:19-2
  - subsystem (figure), SSM:8-38,  
SUG:19-3
  - uses, SUG:19-1
- .ERROR MACRO-11 directive,
  - MAC:7-15, B-5, D-4
- Error message manual,
  - RT-11,  
See RT-11 System Message  
Manual.
- Error message severity level
  - codes, MES:1-3
  - changing effect of, MES:1-3
- Error message severity level
  - codes (table), MES:1-3
- Error messages,
  - format, MES:1-3
  - MACRO-11, MAC:D-1, MES:8-133
  - order of, MES:1-2
  - power fail, GEN:1-5
  - system I/O errors, GEN:8-19
- Error processing, REF:1-17
- Error report, SSM:2-5,  
SUG:19-6,  
19-7, 19-8, 19-9, 19-10
  - hardware magtape handler,  
SSM:10-13
- Error status, SSM:2-5

## INDEX

- Errors,
  - assembler, INT:11-7, 11-11
  - fatal system, GEN:2-38
  - file copy, SUG:7-12
  - hard reset of, GEN:1-12, 2-38
  - hardware, GEN:2-38
  - interrupt service routine
    - mapping, SSM:6-22
  - interrupt service routine
    - mapping (figure), SSM:6-22
  - logging, See Error logging.
  - memory parity, SSM:4-69
  - retry count, SSM:7-12
  - retrying at fork level,
    - SSM:7-16
  - syntax, INT:14-1
  - SYSGEN (table), GEN:9-3, 10-2
  - SYSGEN script file (table),
    - GEN:D-12
  - system build (table), GEN:9-6,
    - 10-13
- Errors on data transfer, SSM:7-15
- ERRORS option,
  - SHOW, SUG:4-164
- ERROUT, SUG:19-2
  - messages, MES:7-78, 7-79
  - using, SUG:19-5
- ERROUT.MAC, GEN:2-6, 8-9
- ERROUT.SAV, GEN:2-4
- ERRTXT.MAC, GEN:2-6, 8-10
- ESC, See ESCAPE key.
- ESCAPE code, GEN:2-29
- ESCAPE key, INT:3-4, 5-3, 5-16,
  - 5-18
- .EVEN MACRO-11 directive,
  - MAC:6-2, 6-27, 6-35, B-5,
    - SUG:11-5
- EX editing command, INT:5-11
- Examine keyboard command,
  - SSM:2-16
- Examples,
  - .WDBBK macro, SSM:4-58
  - BATCH RT-11 mode, SUG:A-40
  - BINCOM, SUG:16-4
  - creating an extended memory
    - overlay structure, SUG:11-31
  - device time-out, SSM:7-32
  - directory segment (figure),
    - SSM:9-9
  - DUMP, SUG:13-2
  - DX device handler, SSM:A-19
  - error logging, SSM:7-37
  - foreground program, SSM:C-1
  - in-line interrupt service
    - routine, SSM:C-1
  - magtape directory, SSM:10-10
  - MONBLD and DEVBLD (figure),
    - GEN:10-5
  - multi-terminal program,
    - SSM:5-29
- Examples, (Cont)
  - multi-terminal system
    - generation, GEN:B-3
  - PATCH, SUG:25-8
  - PC device handler, SSM:A-38
  - QUEUE program, SSM:3-45
  - RK device handler, SSM:A-1
  - SET options, SSM:7-25
  - SLP, SUG:24-3
  - specifying low memory overlay
    - structure, SUG:11-44
  - updating object modules,
    - SUG:23-5
  - XM monitor system generation,
    - GEN:B-2
  - XM program, SSM:4-70
- Exchange command (X),
  - EDIT, SUG:5-30
- Exchange command arguments,
  - EDIT (table), SUG:5-30
- /EXCLUDE option,
  - COPY, SUG:4-36
  - DELETE, SUG:4-50
  - DIRECTORY, SUG:4-67
- EXECUTE keyboard command,
  - INT:9-11, 11-16, SUG:4-82
- Execute macro command (EM),
  - EDIT, SUG:5-33
- /EXECUTE option,
  - EDIT, SUG:4-81
  - EXECUTE, SUG:4-84
  - LINK, SUG:4-121
- Execution time, GEN:8-1
- Exit command (EX),
  - EDIT, INT:5-3, SUG:5-18
- .EXIT programmed request,
  - REF:2-42
- #EXIT SYSGEN script command,
  - GEN:D-6
- EXIT\$, SSM:3-30
- EXPAND, SSM:1-2
- Expression,
  - evaluation of, MAC:3-16
- Expression indicator,
  - immediate, MAC:3-2, B-1
- /EXTEND option,
  - COMPILE, SUG:4-27
  - EXECUTE, SUG:4-85
  - FORTTRAN, SUG:4-94
  - LINK, SUG:4-121
- Extended display instructions,
  - REF:A-13
- Extended Instruction Set,
  - See EIS.
- Extended memory, SSM:4-1,
  - SUG:11-2
  - arrays, SSM:4-35
  - buffers, SSM:4-35
  - creating a scratch region in,
    - SUG:4-125, 11-49



## INDEX

Extended memory, (Cont)  
   hardware, SSM:4-4  
   multi-user program, SSM:4-36  
   overlay handler, GEN:2-31  
   overlay handler (figure),  
     SUG:11-38  
   overlay option, SUG:11-31  
   overlay structure, SUG:11-31  
   overlays, GEN:2-10, SSM:4-34  
   partitions that contain sharing  
     segments (figure), SUG:11-33  
   programmed requests, REF:1-24,  
     SSM:4-61  
   specifying overlay structure,  
     SUG:11-49  
   workspace, SSM:4-37  
 Extended memory and low memory  
   overlays,  
     memory diagram showing  
       (figure), SUG:11-35  
 Extended memory monitor,  
   See XM monitor.  
 Extended memory overlays,  
   SUG:11-27  
     load map for program with  
       (figure), SUG:11-36  
 Extension configuration word,  
   SSM:3-54  
 Extension configuration word  
   (table), SSM:3-54  
 /EXTENSION option,  
   CREATE, SUG:4-44  
 External expression, MAC:3-17  
 External swap file, See SWAP.SYS.  
 External symbol, MAC:6-49,  
   See also .GLOBL MACRO-11  
   directive.  
 /EXTRACT option,  
   LIBRARY, GEN:2-10, 2-30,  
   SUG:4-114

## F

/F option,  
   DIR, SUG:9-5  
   DUP, SUG:8-7  
   LINK, SUG:11-42  
   PIP, SUG:7-15  
 /FAST option,  
   DIRECTORY, GEN:2-26, SUG:4-67  
   FATAL, GEN:2-38  
 Fatal I/O error, GEN:8-19  
 Fatal system error, GEN:1-4, 1-12  
 FB,  
   keeping the USR resident in,  
     SSM:2-35  
 FB monitor, GEN:1-3, 1-7, 2-32,  
   2-38, 8-18, INT:15-1,  
   REF:1-2, SUG:1-3

FB monitor, (Cont)  
   duplicating standard, GEN:A-3  
   FORTRAN IV programs, REF:1-50  
   halts, See System failures.  
   impure area, SSM:3-55  
   link map for, GEN:H-7  
   looping, See System failures.  
   memory requirement, SUG:1-3  
 FB system (figure), SSM:2-26  
 FB systems,  
   scheduling in, SSM:3-23  
 FB.MAC, GEN:2-6, 8-10  
 Features, GEN:1-1, 1-9, 1-14,  
   8-1, 8-5  
   adding, GEN:1-9  
   available in distributed  
     monitors (table), GEN:1-5  
   available only through system  
     generation (table), GEN:1-15  
   available through simple  
     customizations (table),  
     GEN:1-9  
   special,  
     See also Special features.  
 .FETCH programmed request,  
   REF:2-44  
 File,  
   conditional, GEN:8-2  
   empty, See Empty entry.  
   permanent, SSM:9-6  
   source, GEN:2-5, 2-13, 8-2,  
     8-9, 9-4, 9-7, 10-4  
   tentative, SSM:9-6  
 File block,  
   QUEUE, SSM:3-43  
 File copy operations,  
  
   See Files  
 File exchange program, See FILEX.  
 File formats, SSM:8-1, SUG:14-1  
   .LDA, SSM:8-28  
   .OBJ, SSM:8-1  
   .REL, SSM:8-32  
   .REL image, SUG:3-2  
   .SAV, SSM:8-30  
   .SAV image, SUG:3-2  
   .STB, SSM:8-24  
   ASCII, SSM:8-34, SUG:3-2  
   binary object, SUG:3-2  
   CREF, SSM:8-35  
   error log, SSM:8-37  
   LDA image, SUG:3-2  
   library, SSM:8-25  
 File names, SUG:3-4  
   changing suffix, GEN:I-2  
   dummy, SUG:8-5  
 /FILE option,  
   INITIALIZE, SUG:4-108  
 File specifications,  
   BATCH, SUG:A-6

## INDEX

- File specifications, (Cont)
  - factoring, SUG:4-3
  - keyboard command, SUG:4-3
- File structure magtape handler,
  - SSM:10-2
- #FILE SYSGEN script command,
  - GEN:D-7
- File transfers involving magtape and cassette, SUG:4-38
- File type, INT:4-13, SUG:3-4
  - .COM, GEN:2-45
  - .REL, GEN:2-45
  - BATCH (table), SUG:A-6
  - default, GEN:2-44
  - specifications, SUG:4-5
  - standard (table), SUG:3-4
  - system job, SSM:3-36
- File-structured devices, SSM:9-1, SUG:3-5
- File-structured handler, GEN:2-33
- File-structured magtape, GEN:8-33
  - TJUL6, GEN:1-6
  - TM11, GEN:1-5
  - TS11, GEN:1-6
- Files,
  - assembling, SUG:4-82, 4-128, 10-1
  - assigning a job name for queued, SUG:4-135
  - backup copy, INT:17-1
  - comparing, INT:6-1
  - comparing two, SUG:4-56, 15-1, 16-1
  - compiling, SUG:4-25, 4-82
  - concatenating, SUG:4-35, 7-13
  - copying, INT:7-3, SUG:4-32, 7-1, 7-10
  - copying in ASCII mode, SUG:7-11
  - copying in binary mode, SUG:4-33, 7-11
  - copying or transferring, SUG:4-35, 7-1
  - copying system, SUG:4-41, 7-13
  - copying with a diskette system, SUG:4-42, 7-17
  - copying with a single volume system, SUG:4-42, 7-16
  - creating, INT:5-2, SUG:4-79, 8-4
  - creating a patch for memory image, SUG:16-5
  - deleting, INT:7-6, REF:2-26, SUG:4-49, 7-14
  - deleting from DOS/BATCH DECTapes, SUG:14-10
  - deleting from interchange diskettes, SUG:14-10
  - deleting input after printing, SUG:20-5
- Files, (Cont)
  - deleting system, SUG:4-51
  - directories, INT:7-1
  - dumping, SUG:4-73, 13-1
  - editing, INT:5-1, SUG:4-79
  - enabling for deletion, SUG:4-141, 7-15
  - extending, SUG:4-44, 8-10
  - extending with SIPP, SUG:22-12
  - generating copies of, SUG:4-133, 7-12
  - ignoring input errors during copy, SUG:4-36, 7-12
  - indirect, INT:16-1
  - indirect command, SUG:4-9
  - listing, INT:7-7
  - load map, SUG:4-119
  - loading into memory, SUG:4-102
  - logging, SUG:7-15
  - maintenance, INT:7-1
  - multiple, INT:7-2
  - number of, SSM:9-12
  - of the current date, SUG:4-37, 7-11
  - opening and closing, SUG:5-12
  - operating on system, SUG:4-41, 4-51, 4-142, 7-13
  - PAT input, SUG:23-4
  - patching save image, See SIPP.
  - patching source, See SLP.
  - preventing replace during copy, SUG:4-40, 7-12
  - printing, SUG:4-133
  - printing multiple copies, SUG:4-133, 20-5
  - protecting from deletion, SUG:4-141, 7-15
  - protection, INT:3-8, SSM:9-8, SUG:4-141, 7-15
  - queuing for subsequent printing, SUG:4-133, 20-1
  - recovering deleted, SUG:4-44, 8-4
  - renaming, INT:7-5, SUG:4-140, 7-14
  - renaming system, SUG:4-142
  - searching through with SIPP, SUG:22-9
  - size, GEN:1-12, 2-40
  - size of, SSM:9-12
  - specification syntax, SUG:6-1
  - specification values,
    - default (table), SUG:10-3
    - specifications options, MACRO (table), SUG:10-4
  - storage, SSM:9-1
  - storage on random-access devices, SSM:9-8

## INDEX

- Files, (Cont)
  - storing using mass storage volumes, INT:3-4
  - symbol definition table, SUG:4-119
  - transfer operations, GEN:3-5, 4-4, 5-4, 6-4
  - transferring, INT:7-3, SUG:4-32, 7-1
  - transferring between RT-11 and DOS/BATCH, SUG:14-3
  - transferring between RT-11 and interchange diskette, SUG:14-5
  - transferring to RT-11 from DECsystem-10, SUG:14-8
  - transfers involving magtape and cassette, SUG:7-4
  - typing at terminal, SUG:4-174
  - upper limit on size, GEN:1-12
- /FILES option,
  - COPY, SUG:4-36
  - DIRECTORY, SUG:4-67
- FILES-11, MAC:6-19
- FILEX, SUG:1-7, 14-1
  - building, GEN:C-5
  - calling, SUG:14-2
  - messages, MES:7-79 to 7-82
  - options, SUG:14-2
  - options (table), SUG:14-3
  - supported devices, SUG:14-1
  - supported devices (table), SUG:14-1
- FILEX.SAV, GEN:2-3
- Fill characters, GEN:1-10, 2-29, SSM:2-4
- Fill count, SSM:2-4
- /FILL option,
  - LINK, SUG:4-122
- FILSTS, SSM:7-8
- Find command (F),
  - EDIT, SUG:5-23
- Fixed offsets,
  - RMON, SSM:3-47
  - RMON (table), SSM:3-48
- Flag, GEN:2-50, 2-51
- /FLAGPAGE option,
  - PRINT, SUG:4-134
- Floating point support, GEN:1-5, 8-26
- Floating vector, GEN:2-25, 8-5
  - VT11/VS60, GEN:2-25
- Floating-point directives,
  - MAC:B-5,
  - See also .FLT2 MACRO-11 directive.
- Floating-point indicator, MAC:B-3
- Floating-point processor,
  - MAC:3-14, 6-31, 6-32, C-4
- Floating-point rounding,
  - MAC:6-19, 6-32
- Floating-point storage,
  - See Floating-point directives.
- Floating-point truncation,
  - MAC:6-19, 6-32
- Flowcharting, SSM:6-10, 7-2
  - .FLT2 MACRO-11 directive, MAC:6-2, 6-33, B-5
  - .FLT4 MACRO-11 directive, MAC:6-2, 6-33, B-5
- FLX, MAC:6-19
- FMS-11, SSM:5-10
  - description of,
  - See Optional software products.
- Foreground impure area, SSM:2-27
- Foreground job,
  - privileged, SSM:4-31, 4-43
  - privileged (figure), SSM:4-32
  - virtual, SSM:4-27, 4-46
  - virtual (figure), SSM:4-30
- Foreground job (figure),
  - SSM:2-21
- Foreground jobs, GEN:1-4, 1-7, 2-13, 2-45, 3-18, 4-15, 5-14, 6-17, 7-17, SSM:2-20
  - assigning a terminal to, SUG:4-100
  - communicating with, SSM:3-8
  - directing control to, SUG:3-7
  - initiating, SUG:4-99
  - linking, SUG:4-122, 11-47
  - restrictions, SSM:3-35
  - starting, SSM:2-24
  - unloading, INT:15-9, SUG:4-176
  - USR swapping considerations for, SSM:2-37
- /FOREGROUND option,
  - LINK, INT:15-6, ^D[SUG] 4-122, 15-6
- Foreground program example,
  - SSM:C-1
- Foreground stack, SSM:2-26
- Foreground/background, See FB.
- Foreground/background
  - communications, REF:1-22
- Foreground/background
  - environment,
  - running a FORTRAN IV program, REF:1-59
- Foreground/background jobs,
  - running, INT:15-2, 15-3
  - using ODT with, SUG:21-21
- Foreground/background monitor,
  - See FB monitor.
- Foreground/background program,
  - BOOT command, INT:15-4
  - communications, INT:15-5
  - FRUN keyboard command, INT:15-8

## INDEX

- Foreground/background program,(Cont)
  - LINK/FOREGROUND keyboard command, INT:15-6
  - LOAD keyboard command, INT:15-7
- Foreground/background terminal I/O, SUG:3-8
- /FOREIGN option,
  - BOOT, SUG:4-23
  - DUMP, SUG:4-74
- Fork block, SSM:6-16
- Fork level, SSM:6-15
- Fork level for retries, SSM:7-16
- .FORK macro , REF:2-46, SSM:6-15
- .FORK macro summary (table), SSM:6-17
- .FORK macro summary, SSM:6-17
- Fork queue, SSM:3-9, 6-15
- Fork queue element (figure), SSM:3-61
- FORLIB, GEN:2-10, 2-31
  - combining with SYSLIB, GEN:2-31
- Format,
  - 12-bit binary number (figure), SUG:4-149
  - BATCH control statement, SUG:A-2
  - BINCOM output, SUG:16-3
  - DECTape II, SSM:10-40
  - ODT printout, SUG:21-6
  - programmed requests, REF:1-6
  - SRCCOM output, SUG:15-3
- FORMAT, GEN:2-14, 2-21, 2-25, SUG:1-7, 18-1
  - building, GEN:C-6
  - calling, SUG:18-1
  - messages, MES:7-82 to 7-84
  - options, SUG:18-2
  - options (table), SUG:18-2
  - specifying verification bit patterns, SUG:4-91, 18-3
- Format control, MAC:2-5
- FORMAT keyboard command, GEN:4-3, 5-3, 6-3, SUG:4-90
- FORMAT.SAV, GEN:2-3
- Formats,
  - data, SUG:3-2
- Formatted binary, MAC:6-19
- Formatted binary blocks, SSM:8-4
- Formatting,
  - default, SUG:18-3
- Formatting program, GEN:2-21
- Formatting RK05 disks, GEN:2-21
- Formatting RX02 diskettes, GEN:2-21
- /FORMFEED option,
  - DIFFERENCES, SUG:4-58
- FORTRAN,
  - keyboard command, INT:9-4, SUG:4-93
- FORTRAN, (Cont)
  - Language Reference Manual, See PDP-11 FORTRAN Language Reference Manual.
  - listing codes (table), SUG:4-96
  - optimization codes (table), SUG:4-96
  - OTS routines, GEN:1-9, 2-10
- \$FORTRAN command,
  - BATCH, SUG:A-20
- FORTRAN IV,
  - compiling, INT:9-3
  - Installation Guide, See RT-11/FORTRAN IV Installation Guide.
  - interrupts in, SSM:6-18
  - language processor, INT:9-1
  - library modules, INT:9-2, SUG:11-11
  - linking, INT:9-9
  - messages, MES:5-22 to 5-24
  - processor, INT:9-1
  - programming language, INT:9-1, MAC:6-43, 6-44, E-15, G-2
  - PSECT ordering, REF:1-41
  - running a program, INT:9-10, REF:1-59
  - User's Guide, See RT-11/RSTS/E/FORTRAN IV User's Guide.
- FORTRAN IV programmer,
  - use of manuals, DOC:2-3, 2-3
- FORTRAN IV programs,
  - foreground/background environment, REF:1-50
- FORTRAN IV/RT-11/RSTS/E Release Notes, DOC:3-5
- FORTRAN library modules,
  - linking, SUG:11-42
- /FORTRAN option,
  - COMPILE, SUG:4-27
  - EXECUTE, SUG:4-85
- FORTRAN programs,
  - calculating workspace, REF:1-51, SUG:4-99
  - in memory (figure), SSM:2-34
  - p-sect ordering for, SSM:2-33, SUG:11-6
  - USR swapping and, SSM:2-32
- FORTRAN/BASIC language volume, INT:B-6
- FORTRAN/MACRO interface,
  - REF:1-45
  - calling FORTRAN programs, REF:1-48
  - calling MACRO subroutines, REF:1-46
  - subroutine register usage, REF:1-46

## INDEX

Forward reference, MAC:3-8 to  
     3-10, 3-13, D-4  
     illegal, MAC:D-3  
 FPU, GEN:8-26  
     traps, SSM:4-68  
 Fragmentation, GEN:2-17  
 Free memory list,  
     XM, SSM:4-60  
 /FREE option,  
     DIRECTORY, GEN:8-10, SUG:4-67  
 Free queue elements, SSM:3-13  
 Free space, GEN:3-12, 4-9, 5-8,  
     6-10, 7-10  
     managing, SSM:2-19  
 FRUN,  
     default file type, GEN:1-13  
 FRUN keyboard command, GEN:1-13,  
     2-45, INT:15-8, SSM:2-22,  
     3-39, SUG:4-99  
 FRUN keyboard command (figure),  
     SSM:2-25  
 FSM.MAC, GEN:2-6, 8-10  
 /FULL option,  
     DIRECTORY, SUG:4-67  
 Function control directives,  
     GEN:1-14, 2-51, MAC:6-18  
     defaults, GEN:1-14  
 Function control options,  
     MACRO-11, MAC:8-6, 9-4,  
     SUG:10-7  
 Function control switches,  
     See Function control options.  
 Function reference, REF:1-44  
 Functions,  
     special, SSM:7-38

## G

/G option,  
     DIR, SUG:9-5  
     LIBR, SUG:12-7  
     LINK, SUG:11-42  
     PIP, SUG:7-12  
 GBL,  
     p-sect attribute, SUG:11-4  
 General registers,  
     accessing with ODT, SUG:21-9  
 Get command (G),  
     EDIT, INT:5-9, SUG:5-21  
 GET keyboard command, SSM:2-14,  
     SUG:4-102  
 \$GETBYT monitor routine, SSM:7-45  
 GETSTR system subroutine, REF:3-7  
 GETSTR.FOR, GEN:2-5, 2-11  
 Global expression evaluation,  
     MAC:3-17  
 Global label, MAC:6-48  
 Global references, MAC:6-20,  
     6-48, F-4, G-4  
     resolving, SUG:11-7

Global symbol, GEN:2-10, 2-27,  
     2-31  
     definition, MAC:2-2, 3-1, 3-2,  
     3-8, 6-48,  
     See also .GLOBL directive.  
     directory, MAC:1-2  
 Global symbols, INT:12-2,  
     MAC:1-2, 3-7, B-5, D-2, D-3,  
     E-4, SUG:11-2, 11-6  
     deleting from a library  
     directory, SUG:12-7  
     including all in library's  
     directory, SUG:12-3  
     including from any library in  
     link, SUG:11-43  
     listing in alphabetical order,  
     SUG:11-40  
     unresolved, SUG:4-119  
 .GLOBL MACRO-11 directive,  
     MAC:3-7, 6-2, 6-48, B-5, E-4,  
     SUG:11-6  
 .GMCX programmed request,  
     REF:2-48, SSM:4-63  
 Graphics display,  
     VT11/VS60, GEN:1-7, 2-28  
 Graphics display terminal,  
     immediate mode commands,  
     INT:5-16  
     using, INT:5-15  
 Graphics macro calls,  
     summary, REF:A-21  
 Graphics macros, REF:A-3  
 Graphics software, GEN:2-5  
 GT device handler, SSM:2-19  
 GT keyboard command, INT:4-6,  
     5-2, 5-15, SUG:4-103  
 GT OFF keyboard command, INT:4-7,  
     SUG:4-103  
 GT ON keyboard command, GEN:3-14,  
     4-12, 5-11, 6-13, 7-13,  
     INT:4-6, SUG:4-103  
 .GTIM programmed request,  
     REF:2-49  
 GTIM system subroutine, REF:3-8  
 .GTJB programmed request,  
     REF:2-50  
 GTJB system subroutine, REF:3-8  
 .GTLIN programmed request,  
     non-terminating, SSM:2-7,  
     GEN:8-22, REF:2-52  
 GTLIN system subroutine,  
     REF:3-10,  
     See also .GTLIN programmed  
     request.  
 .GVAL programmed request,  
     REF:2-53, SSM:3-47

## H

/H option,  
     LINK, SUG:11-42

## INDEX

- /H options, (Cont)
    - QUEMAN, SUG:20-4
    - RESORC, SUG:17-4
  - Halt, GEN:2-39, 8-19, 8-27
  - Handler,
    - device, See Device handlers.
    - extended memory overlay (figure), SUG:11-38
    - file-structured, GEN:2-33
    - hardware, GEN:2-33
    - overlay, GEN:2-10
  - Handler looping,
    - See System failures.
  - Handlers, See Device handlers.
  - Hard copy terminal, SSM:5-6
  - Hard copy terminal as line printer, GEN:8-21
  - Hard error conditions, MES:2-5
  - Hard errors,
    - logging, SSM:7-35
  - Hard reset, GEN:1-12, 2-38
  - Hardware,
    - bootstrap, GEN:3-3, 4-2, 4-8, 5-2, 6-2, 7-2
    - components (table), SUG:1-2
    - console interface, SSM:5-4
    - extended memory, SSM:4-4
    - handler, GEN:2-33
    - magtape handler, SSM:10-13
    - magtape handler calls with the file structure module, SSM:10-12
    - multi-terminal, SSM:5-2
    - vectors, SUG:11-3
    - XM, SSM:4-7
  - Hardware bootable monitor,
    - GEN:2-42
  - Hardware bootstrap, SUG:4-22
    - performing, SUG:8-8
  - Hardware configuration, GEN:1-1, 1-3, 1-17, 2-1, 2-32, 2-37, 3-11, 4-1, 5-1, 7-1, 8-1, 8-8
    - computer, INT:2-3
    - optional devices, INT:2-4
    - resource listing, SUG:17-4
    - storage volume, INT:2-4
    - supported languages, INT:2-4
    - system volume, INT:2-3
    - terminal, INT:2-3
  - Hardware magtape, GEN:1-11, 2-33
    - TJU16, GEN:1-6
    - TM11, GEN:1-6
    - TS11, GEN:1-6
  - Hardware manuals, INT:1-13
  - Hardware register, MAC:E-2
  - /HEADER option,
    - COMPILE, SUG:4-27
    - EXECUTE, SUG:4-85
    - FORTTRAN, SUG:4-94
  - Header records, GEN:1-12
  - Header section, SSM:7-9
  - HELP,
    - building, GEN:C-6
    - keyboard command, GEN:1-11, 2-36, INT:17-2
    - messages, MES:7-84
    - package, GEN:2-11, 2-20
    - text, GEN:2-36
    - text macro library, GEN:1-11, 2-11, 2-36
    - topic, GEN:2-36
    - topic (example), GEN:2-36
  - HELP file, INT:17-2
  - HELP keyboard command, SUG:4-105
  - HELP text,
    - changing, GEN:2-36
    - modifying, GEN:1-11
  - HELP.EXE, GEN:1-11, 2-4, 2-11, 2-36
  - HELP.MLB, GEN:2-4, 2-11, 2-36
  - HELP.SAV, GEN:2-3, 2-11, 2-36
  - HELP.TXT, GEN:2-11
    - separate file of, GEN:2-37
  - .HERR programmed request,
    - REF:2-54
  - High limit,
    - program, SSM:4-38
    - setting program, REF:2-114
    - virtual, SSM:4-38
  - High memory address, SSM:2-4
  - High-speed reader/punch, GEN:1-6
  - High-speed ring buffer, SSM:3-5
  - HNDLR\$, SSM:7-7
  - Home block, SSM:9-1
  - Home block (figure), SSM:9-3
  - Home block (table), SSM:9-3
  - .HRSET programmed request,
    - REF:2-56
  - \$HSIZE table, SSM:3-64
- |
- I,
    - p-sect attribute, SUG:11-4
  - /I option,
    - DUP, SUG:8-4
    - LINK, SUG:11-43
  - I.BLOK (table), SSM:3-59
  - I.BLOK word, SSM:3-29, 3-59
  - I.STATE (table), SSM:3-58
  - I.STATE word, SSM:3-35, 3-58
  - I/O,
    - adding an element to the I/O queue, SSM:3-14
    - asynchronous, SSM:3-12
    - channel format (figure), SSM:3-62
    - completing an I/O request, SSM:3-22

## INDEX

- I/O, (Cont)
- completion section, SSM:7-16
  - event driven, REF:1-19
  - foreground/background terminal, SUG:3-8
  - initiation section, SSM:7-11
  - interrupt driven, SSM:6-2
  - issuing an I/O request, SSM:3-19
  - limitations (terminal), SSM:3-6
  - manipulating the I/O queue, SSM:3-21
  - non-interrupt programmed, SSM:6-1
  - non-interrupt programmed example, SSM:6-2
  - page, GEN:1-13, 2-47, SSM:2-10
  - page (figure), SSM:2-11
  - performing an I/O transfer, SSM:3-22
  - processing, SSM:3-19
  - queue, SSM:3-12
  - queue element, SSM:3-12
  - queue element (figure), SSM:3-13, 3-60
  - queue element in XM, SSM:4-59
  - queued system, SSM:3-11
  - queuing an I/O request, SSM:3-20
  - stopping in progress, SSM:6-12
  - time-out, SSM:7-28
  - transfer, GEN:2-38
  - wait-mode, SSM:3-20
- I/O channels,  
 defining additional, REF:2-2
- /I4 option,  
 COMPILE, SUG:4-27  
 EXECUTE, SUG:4-85  
 FORTRAN, SUG:4-94
- IADDR system subroutine, REF:3-11
- IAJFLT system subroutine,  
REF:3-11
- IAS,  
 MACRO-11 operating procedures,  
 See MACRO-11 operating procedures.  
 magtapes from, SSM:10-22
- IASIGN system subroutine,  
REF:3-12
- IBM floppy format (table),  
SSM:9-20
- ICDFN system subroutine, REF:3-13
- ICHCPY system subroutine,  
REF:3-14
- ICLOSE system subroutine, REF:3-2
- ICMKT system subroutine,  
REF:3-15,  
 See also .CMKT programmed request.
- ICSI system subroutine, REF:3-16,  
 See also .CSISPC programmed request.
- ICSTAT system subroutine,  
REF:3-18
- IDelet system subroutine,  
REF:3-19,  
 See also .DELETE programmed request.
- .IDENT MACRO-11 directive,  
MAC:6-2, 6-17, B-5, D-2, E-5, E-7, E-15, H-1
- IDJFLT system subroutine,  
REF:3-20
- Idle loop light pattern, GEN:1-5, 1-15, 8-20
- IDSTAT system subroutine,  
REF:3-21
- IENTER system subroutine,  
REF:3-21,  
 See also .ENTER programmed request.
- .IF MACRO-11 directive, MAC:6-2, 6-12, 6-49 to 6-55, 7-3, 7-8, B-5, D-1, D-2
- #IF SYSGEN script command,  
GEN:D-7
- IFETCH system subroutine,  
REF:3-23,  
 See also .FETCH programmed request.
- .IFF MACRO-11 directive, MAC:6-2, 6-52 to 6-54, B-5
- #IFF SYSGEN script command,  
GEN:D-8
- #IFGT SYSGEN script command,  
GEN:D-7
- #IFN SYSGEN script command,  
GEN:D-7
- IFREC system subroutine,  
REF:3-24
- .IFT MACRO-11 directive, MAC:6-2, 6-52 to 6-54, B-5
- #IFT SYSGEN script command,  
GEN:D-8
- .IFTF MACRO-11 directive,  
MAC:6-2, 6-52, 6-53, B-5
- #IFTF SYSGEN script command,  
GEN:D-8
- IGETC system subroutine, REF:3-24
- IGETSP system subroutine,  
REF:3-25
- /IGNORE option,  
 COPY, SUG:4-36  
 DUMP, SUG:4-74
- IGTJB system subroutine, REF:3-8
- .IIF MACRO-11 directive, MAC:6-2, 6-54, 6-55, B-6, D-1, D-2

## INDEX

- IJCVT system subroutine, REF:3-26
- Illegal characters, MAC:3-3, D-2, D-3
- Illegal forward reference,  
See Forward reference.
- ILUN system subroutine, REF:3-27
- Image mode,  
copying files in, SUG:4-37, 7-10
- /IMAGE option,  
COPY, SUG:4-37
- Immediate conditional assembly,  
MAC:6-54, 6-55
- Immediate control command,  
ESCAPE key, INT:5-18
- Immediate expression indicator,  
MAC:3-2, B-1
- Immediate mode, MAC:5-1, 5-5, B-2, G-2, G-4, SUG:5-37  
graphics display terminal,  
INT:5-16
- Immediate mode command, INT:5-16  
graphics display, INT:5-16  
CTRL/D, INT:5-18  
CTRL/G, INT:5-17  
CTRL/N, INT:5-18  
CTRL/V, INT:5-17  
DELETE key, INT:5-17
- Immediate mode commands (table),  
SUG:5-37
- Implicit .WORD MACRO-11  
directive, MAC:2-1, 2-4, 6-23
- Impure area, SSM:2-21, 3-23, 3-55  
FB monitor, SSM:3-55  
foreground, SSM:2-27  
SJ monitor, SSM:3-55
- Impure area (table), SSM:3-56
- In-line code, GEN:2-10
- In-line interrupt service  
routine, SSM:6-4  
advantages of, SSM:6-6  
example of, SSM:C-1
- /INCLUDE option,  
LINK, SUG:4-122
- #INCR SYSGEN script command,  
GEN:D-9
- Indefinite repeat block,  
See Repeat block
- Index deferred mode, MAC:5-1, 5-5, B-2, G-2, G-4
- Index mode, MAC:5-1, 5-5, 5-7, B-2, G-2, G-4
- INDEX system subroutine, REF:3-27
- Indirect command file,  
running SIPP from, SUG:22-16
- Indirect command file error abort  
level,  
setting, SUG:4-151
- Indirect command files, GEN:1-12, 2-23, 2-25, 2-43, 2-44, 2-48, 8-3, 8-8, INT:16-1, 17-1, SSM:2-7, SUG:4-9  
creating, SUG:4-9, 15-7, 16-5  
default device for, GEN:2-44  
executing, INT:16-4, SUG:4-12  
interacting with, SUG:4-10  
KMON, SSM:2-37  
nesting, SUG:4-14  
nesting depth of, GEN:1-14, 2-48  
SIPP, SUG:22-16  
SLP, SUG:24-4  
startup, SUG:3-2, 4-15
- Information,  
HELP keyboard command,  
SUG:4-105
- Initial default, GEN:2-51
- Initialization and control,  
REF:1-15  
devices, REF:1-16  
error processing, REF:1-17  
input/output access, REF:1-16  
memory allocation, REF:1-15
- Initialize, GEN:1-14
- INITIALIZE keyboard command,  
GEN:2-50, 3-3, 4-3, 5-3, 6-3, 7-5, INT:4-15, SUG:4-107
- Initializing a directory,  
SUG:4-107, 8-14
- Initializing diskettes with  
volume ID, GEN:10-7
- Initializing the storage volume,  
INT:4-15
- Input,  
device, GEN:8-45, 10-5  
ring buffer, GEN:1-16, 8-21, SSM:3-3  
ring buffer (figure), SSM:3-4, 3-5
- Input/output access, REF:1-16
- Input/output operations,  
completion routines, REF:1-20, SSM:3-11, 3-17, 3-23  
multi-terminal programmed  
requests, REF:1-22, SSM:5-20  
terminal input/output, REF:1-21
- Insert command (I),  
EDIT, INT:5-3, SUG:5-25
- /INSERT option,  
LIBRARY, GEN:2-10, SUG:4-115, INT:13-7
- INSERT system subroutine,  
REF:3-28
- INSERT.TEC, GEN:2-7
- /INSPECT option,  
EDIT, SUG:4-81



## INDEX

- .INSRT graphics macro, REF:A-5
- INSTALL keyboard command,
  - GEN:1-11, 2-32, 2-33,
  - SSM:7-59, SUG:4-112
- Installation, GEN:1-9, 2-1
  - automatic, GEN:2-32, 9-9
  - introduction to, GEN:1-1
  - introduction to (flowchart), GEN:1-2
  - restrictions, SSM:7-65
  - survey of, GEN:2-1
  - worksheet, GEN:2-52
- Installation Guide,
  - See RT-11 Installation and System Generation Guide.
- Installation Summary Cards, DOC:3-6
- Installation verification routine, SSM:7-62
- Installation-specific library, GEN:2-10
- Installing a device handler, SSM:7-58
- Installing bootstrap, GEN:3-11, 4-8, 5-7, 6-9, 7-9
- Installing devices, GEN:1-11, SUG:4-112
- Installing hardware magtape support, GEN:1-11
- Installing magtape handlers, SSM:7-65
- Installing mandatory patches, GEN:3-7, 4-5, 5-5, 6-6, 7-6
- Installing only the generated handlers, GEN:I-1
- Installing specially generated monitor and handlers, GEN:9-7, 9-9, 10-12
- Installing system distributed on hard disk to run on hard disk, GEN:5-1
- Installing system distributed on magtape to run on hard disk, GEN:7-1
- Installing system distributed on RX02 to run on RX02, GEN:6-1
- Installing system distributed on small device to run on disk, GEN:4-1
- Installing system distributed on small device to run on small device, GEN:3-1
- Instruction,
  - BPT, SSM:4-68
  - IOT, SSM:4-68
  - RTS PC, SSM:6-18
  - TRAP, SSM:4-68
- Instruction set,
  - commercial, MAC:C-3
  - PDP-11, MAC:C-1
- INTACT, SSM:3-33
- INTEGER\*4 support functions, REF:1-39
- Intelligent terminal, GEN:1-5, 1-7, 2-12, 3-1, 8-32
- \$INTEN (table), SSM:3-26
- \$INTEN and the job's stack, SSM:3-26
- .INTEN macro , SSM:3-27, 6-13
- .INTEN macro summary (table), SSM:6-17
- .INTEN macro summary, SSM:6-17
- .INTEN macro, REF:2-57
- \$INTEN monitor routine, SSM:3-25
- Interactive application, GEN:1-7
- Interchange diskette and RT-11, transferring files between, SUG:14-5
- Interchange diskette format (table), SSM:9-20
- Interchange diskettes, deleting files from, SUG:4-50, 14-10
- /INTERCHANGE option,
  - COPY, SUG:4-37
  - DELETE, SUG:4-50
  - DIRECTORY, SUG:4-68
  - INITIALIZE, SUG:4-108
- Interface, GEN:8-39
  - device, GEN:8-5
  - DL11, GEN:8-39
  - DL11-E, GEN:8-39
  - DL11-J, SSM:5-28
  - DL11-W, SSM:5-28
  - DLV11, GEN:8-39
  - DLV11-E, GEN:8-39
  - DLV11-F, GEN:8-39
  - DLV11-J, GEN:8-39
  - hardware console, SSM:5-4
  - KL11, GEN:8-39
- Interleaving, SSM:6-9
- Internal queuing, SSM:7-20
- Internal registers, accessing with ODT, SUG:21-10
- Interpreter,
  - BASIC, INT:10-2
  - immediate mode, INT:10-3
- Interrupt,
  - how it works, SSM:6-3
- Interrupt entry points, REF:2-30, SSM:7-13, 7-15
- Interrupt level counter, SSM:3-25
- Interrupt level counter (table), SSM:3-25
- Interrupt levels (figure), SSM:3-26
- Interrupt service,
  - exiting from, SSM:6-18
  - local terminal, SSM:5-26

## INDEX

- Interrupt service, (Cont)
  - multi-terminal, SSM:5-25
  - remote terminal, SSM:5-26
- Interrupt service routine macro,
  - .FORK, REF:2-46
  - .INTEN, REF:2-57
  - .SYNCH, REF:2-127
- Interrupt service routines,
  - REF:1-25
  - advantages of in-line, SSM:6-6
  - how to write, SSM:6-1
  - in XM, SSM:6-20
  - in-line, SSM:6-4
  - mapping error, SSM:6-22
  - mapping error (figure), SSM:6-22
  - planning, SSM:6-8
  - programmed requests and, SSM:6-14
  - registers available in, SSM:6-18
  - skeleton outline, SSM:6-19
  - structure of, SSM:6-11
- Interrupt service section,
  - SSM:7-13
  - writing, SSM:7-15
- Interrupt vector area (figure),
  - SSM:2-10
- Interrupt vectors, GEN:8-5,
  - SSM:2-8, 6-3
  - setting up, SSM:6-12
- Interrupt vectors (table),
  - SSM:2-8
- Interrupt-driven I/O, SSM:6-2
- Interrupts,
  - code with (inhibited), MAC:E-11
- Interrupts in FORTRAN IV,
  - SSM:6-18
- INTLVL, SSM:3-25
- INTLVL (table), SSM:3-25
- Introduction to BASIC, DOC:3-13
- Introduction to RT-11, DOC:3-6
- INTSET system subroutine,
  - REF:3-28, SSM:6-18
- IOT instruction, SSM:4-68
- IPEEK system subroutines,
  - REF:3-30
- IPEEKB system subroutines,
  - REF:3-30
- IPOKE system subroutine, REF:3-31
- IPOKEB system subroutine,
  - REF:3-31
- IQSET system subroutine,
  - REF:3-32,
  - See also .QSET programmed request.
- IRAD50 system subroutine,
  - REF:3-33
- IRCVD system subroutine, REF:3-34
- IRCVDC system subroutine,
  - REF:3-34
- IRCVDF system subroutine,
  - REF:3-35
- IRCVDW system subroutine,
  - REF:3-36
- IREAD system subroutine, REF:3-36
- IREADC system subroutine,
  - REF:3-38
- IREADF system subroutine,
  - REF:3-39
- IREADW system subroutine,
  - REF:3-40
- IRENAM system subroutine,
  - REF:3-41,
  - See also .RENAME programmed request.
- IREOPN system subroutine,
  - REF:3-42
- .IRP MACRO-11 directive, MAC:7-2,
  - 7-16 to 7-18, B-6, D-2
- .IRPC MACRO-11 directive,
  - MAC:7-2, 7-16 to 7-18,
  - B-6, D-2
- ISAVES system subroutine,
  - REF:3-43
- ISCHED system subroutine,
  - REF:3-44
- ISCOMP system subroutine,
  - REF:3-90
- ISDAT system subroutine, REF:3-45
- ISDATC system subroutine,
  - REF:3-46
- ISDATF system subroutine,
  - REF:3-47
- ISDATW system subroutine,
  - REF:3-47
- ISLEEP system subroutine,
  - REF:3-48
- ISPFN system subroutine, REF:3-48
- ISPFNC system subroutine,
  - REF:3-50
- ISPFNF system subroutine,
  - REF:3-51
- ISPFNW system subroutine,
  - REF:3-53
- ISPY system subroutine, REF:3-54
- ITIMER system subroutine,
  - REF:3-55
- ITLOCK system subroutine,
  - REF:3-56,
  - See also .TLOCK programmed request.
- ITTINR system subroutine,
  - REF:3-57
- ITTOUR system subroutines,
  - REF:3-57
- ITWAIT system subroutine,
  - REF:3-59

## INDEX

IUNTIL system subroutine,  
REF:3-60  
IWAIT system subroutine, REF:3-61  
IWRITC system subroutine,  
REF:3-62  
IWRITE system subroutine,  
REF:3-61  
IWRITF system subroutine,  
REF:3-63  
IWRITW system subroutine,  
REF:3-64

## J

/J option,  
DIR, SUG:9-6  
RESORC, SUG:17-5  
JADD system subroutine, REF:3-64  
JAFIX system subroutine, REF:3-65  
JCMP system subroutine, REF:3-65  
JDFIX system subroutine, REF:3-66  
JDIV system subroutine, REF:3-67  
JICVT system subroutine, REF:3-67  
JJCVT system subroutine, REF:3-68  
JMOV system subroutine, REF:3-68  
JMP instruction, MAC:5-3, E-12  
JMUL system subroutine, REF:3-69  
Job,  
background, GEN:1-7, 1-13,  
2-47, INT:15-2, SSM:2-14,  
2-17  
background (figure), SSM:2-15  
foreground, GEN:1-4, 1-7, 2-13,  
2-45, 3-18, 4-15, 5-14, 6-17,  
7-17, SSM:2-20  
privileged, SSM:4-27, 4-42,  
SUG:1-5, 11-31  
system, SSM:2-20, 3-35  
virtual, SSM:2-7, 2-17, 4-26,  
4-44, SUG:1-5, 11-31  
Job block,  
QUEUE, SSM:3-42  
Job blocking bits, SSM:3-59  
Job blocking bits (table),  
SSM:3-59  
\$JOB command,  
BATCH, SUG:A-22  
Job communication,  
message transfers, REF:2-109  
reading data, REF:2-90  
Job flow, GEN:2-18  
Job names,  
logical, SSM:3-36  
Job number, SSM:3-36  
Job state word, SSM:3-58  
Job state word (table), SSM:3-58  
Job status information, REF:2-50  
Job Status Word, See JSW.

Job suspension,  
I/O completion, REF:2-140  
period of time, REF:2-138  
Jobs,  
assigning a name to, SUG:4-135  
assigning priority, SSM:3-37  
blocking, SSM:3-31  
context, SSM:3-23  
deleting from queue, SUG:4-49,  
20-5  
differences between foreground  
and background, SSM:2-21  
loaded,  
resource listing, SUG:17-5  
printing banner pages, SUG:20-5  
priority, SSM:3-36  
resuming or restarting printing  
of, SUG:20-7  
running twice, SSM:2-25  
start address, SSM:2-3  
suspending printing of,  
SUG:20-7  
system, GEN:1-17, 2-13, 2-28,  
8-19, 8-27, SUG:1-7, V-1  
unblocking, SSM:3-32  
using a separate terminal for,  
SSM:5-10  
JOBS option,  
SHOW, SUG:4-163  
JSR instruction, MAC:5-3, E-8  
JSUB system subroutine, REF:3-70  
JSW, SSM:2-4, 2-6  
JSW (figure), SSM:2-8  
JSW (table), SSM:2-6  
JSW summary, SSM:2-8  
JTIME system subroutine, REF:3-70  
Jump command (J),  
EDIT, INT:5-6, SUG:5-20

## K

/K option,  
DIR, SUG:9-6  
DUP, SUG:8-6  
LINK, SUG:11-43  
PIP, SUG:7-12  
QUEMAN, SUG:20-5  
K-words, SSM:4-2  
K52, GEN:2-14, SSM:1-3, SUG:1-5,  
4-79, 4-151  
/K52 option,  
EDIT, SUG:4-81  
K52.SAV, GEN:2-3  
KED, GEN:2-14, SSM:1-3, SUG:1-5,  
4-79, 4-151  
/KED option,  
EDIT, SUG:4-81  
KED.SAV, GEN:2-3

## INDEX

- Kernel mapping, SSM:4-18, 6-21
- Kernel processor mode, SSM:4-16
- Key commands,
  - EDIT, SUG:5-2
  - EDIT (table), SUG:5-2
- Keyboard command,
  - APL, SUG:4-17
  - ASSIGN, GEN:2-15, 2-35, 7-5, INT:4-11, 15-7, SUG:4-18
  - B, SUG:4-20
  - Base, SUG:4-20
  - BASIC, INT:10-2, SUG:4-21
  - BOOT, GEN:3-18, 4-15, 5-13, 6-16, 7-4, 7-16, INT:15-4, SUG:4-22
  - CLOSE, SUG:4-24
  - COMPILE, SUG:4-25
  - COPY, GEN:2-30, 3-9, 3-11, 4-4, 4-8, 5-4, 5-7, 6-10, 7-4, 7-9, INT:7-3, SUG:4-32
  - CREATE, GEN:2-17, SUG:4-44
  - D, GEN:1-13, 2-47, SUG:4-46
  - DATE, GEN:3-3, 4-3, 5-3, 6-3, 7-4, INT:4-8, SUG:4-47
  - DEASSIGN, SUG:4-48
  - DELETE, GEN:1-13, 2-18, 7-9, INT:7-6, SUG:4-49
  - Deposit, SSM:2-16, SUG:4-46
  - DIBOL, SUG:4-52
  - DIFFERENCES, INT:6-2, SUG:4-56
  - DIRECTORY, GEN:1-10, 2-8, 2-26, 3-4, 8-10, INT:4-12, SUG:4-62
  - DUMP, GEN:2-25, SUG:4-73
  - E, GEN:1-13, 2-47, SUG:4-78
  - EDIT, GEN:1-13, 2-46, 2-47, INT:5-2, SUG:4-79
  - Examine, SSM:2-16
  - EXECUTE, INT:9-11, 11-16, SUG:4-82
  - FORMAT, GEN:4-3, 5-3, 6-3, SUG:4-90
  - FORTTRAN, INT:9-4, SUG:4-93
  - FRUN, GEN:1-13, 2-45, INT:15-8, SSM:2-22, 3-40, SUG:4-99
  - FRUN (figure), SSM:2-25
  - GET, SSM:2-14, SUG:4-102
  - GT, INT:4-6, 5-2, 5-15, SUG:4-103
  - GT ON, GEN:3-14, 4-12, 5-11, 6-13, 7-13
  - HELP, GEN:1-11, 2-36, INT:17-2, SUG:4-105
  - INITIALIZE, GEN:2-50, 3-3, 4-3, 5-3, 6-3, 7-5, INT:4-15, SUG:4-107
  - INSTALL, GEN:1-11, 2-32, 2-33, SSM:7-59, SUG:4-112
  - LIBRARY, GEN:2-10, 2-30, 2-31, INT:13-6, SUG:4-113
  - LINK, INT:9-9, 11-15, SUG:4-119
  - Keyboard command, (Cont)
    - LOAD, INT:15-7, SSM:3-40, SUG:4-126
    - MACRO, INT:11-7, MAC:9-2, SUG:4-128
    - PRINT, GEN:1-13, 2-12, 2-25, 2-48, INT:7-7, SUG:4-133
    - R, GEN:1-11, SSM:2-16, SUG:4-137
    - R (flowchart), SSM:2-18
    - REENTER, SUG:4-138
    - REMOVE, GEN:1-11, 2-32, SUG:4-139
    - RENAME, GEN:2-12, 2-32, 2-33, 3-7, 3-13, 4-5, 5-5, 6-6, 6-12, 7-10, INT:7-5, SUG:4-140
    - RESET, SUG:4-143
    - RESTART, SSM:2-16
    - RESUME, SSM:3-40, SUG:4-144
    - RUN, GEN:1-11, 3-17, 4-14, 5-13, 6-15, 7-15, INT:9-11, 11-15, SSM:2-14, SUG:4-145
    - RUN (flowchart), SSM:2-17
    - SAVE, SUG:4-147
    - SET, GEN:1-11, 2-12, 2-33, 2-34, 2-43, 3-1, 3-10, 4-1, 5-1, 6-1, 6-9, 7-1, SUG:4-149
    - SET TT, SSM:3-40
    - SHOW, GEN:2-32, INT:4-11, SUG:4-160
    - SHOW JOBS, SSM:3-40
    - SQUEEZE, GEN:2-18, 3-4, 3-12, 4-4, 4-9, 5-4, 5-8, 6-4, 6-11, 7-10, SUG:4-167
    - SRUN, GEN:1-3, SSM:2-22, 3-40, SUG:4-169
    - START, SSM:2-14, SUG:4-171
    - SUSPEND, SSM:3-40, SUG:4-172
    - TIME, GEN:3-18, 4-15, 5-14, 6-17, 7-15, INT:4-8, SUG:4-173
    - TYPE, INT:7-7, SUG:4-174
    - UNLOAD, INT:15-9, SSM:3-40, SUG:4-176
    - UNLOAD F, GEN:3-19, 4-16, 5-15, 6-18, 7-18
  - Keyboard commands, SUG:4-1, 4-15, See also DIGITAL Command Language and Monitor command language.
    - abbreviating, SUG:4-5
    - and system jobs, SSM:3-39
    - changing, SSM:2-38
    - complex, SUG:1-9
    - conditionals, GEN:F-4
    - expansion, SSM:2-37
    - file specifications, SUG:4-3
    - mutually exclusive options, SUG:4-2

## INDEX

- Keyboard commands, (Cont)
  - option, SUG:4-1
  - prompt, SUG:4-6
  - prompts, SUG:4-1
  - removing, SUG:4-15
  - simple, SUG:1-9
  - subset, GEN:1-5, 1-15
  - utility program, GEN:8-23
  - subset (language), GEN:8-24
  - subset (minimal), GEN:8-24
  - summary, SUG:B-1
  - syntax, SUG:4-1
  - system program equivalents (table), SUG:B-1
  - using, SUG:1-9
- Keyboard layouts, INT:3-3
- Keyboard Monitor, See KMON.
- Keyboard monitor command,
  - See Keyboard command.
- Keyboard symbols, INT:4-4
- Keypad editor, See KED or K52.
- Keypad Editor Reference Card,
  - See PDP-11 Keypad Editor Reference Card.
- Keypad Editor User's Guide,
  - See PDP-11 Keypad Editor User's Guide.
- Keys,
  - special function, SUG:3-6
- Keyword macro arguments, REF:1-11
- Kill command (K),
  - EDIT, INT:5-8, SUG:5-27
- Kit directories, GEN:G-1
- KL11 interface, GEN:8-39
- KMON, GEN:2-9, 10-9, INT:4-1,
  - SSM:2-37, SUG:1-2
  - command expansion, SSM:2-37
  - indirect file, SSM:2-37
  - messages, MES:7-85 to 7-92
  - modifying, SSM:2-38
  - overlays, GEN:10-8, SSM:2-37
  - size of, SSM:2-39
  - sliding, SSM:2-37
- KMON (figure), SSM:2-38
- KMON sliding, SSM:2-19
- KMON.MAC, GEN:2-6, 8-10
- KMOVLY, GEN:10-9
- KMOVLY.MAC, GEN:2-6, 8-10
- KSPND\$, SSM:3-30
- KT11, SSM:4-7
  - hardware, GEN:1-8
- KW11-P programmable clock,
  - GEN:1-16, 8-25
  
- L**
- /L option,
  - DIR, SUG:9-6
  - GT, SUG:4-103
  - LINK, SUG:11-44
- /L option, (Cont)
  - QUEMAN, SUG:20-5
  - RESORC, SUG:17-5
  - LA30S DECwriter terminal,
    - GEN:1-10, 2-29
  - Label,
    - field, MAC:2-1 to 2-3, E-1
    - global, MAC:6-48
    - multiple definition, MAC:2-3
    - terminator, MAC:3-1, B-1
  - Language,
    - assembly, SUG:1-8
    - comparisons, INT:8-2
  - Language processors, INT:1-12,
    - SUG:1-8
    - invoking, SUG:4-25, 4-82
  - Layered Product, GEN:2-20, 8-1
  - LCL,
    - p-sect attribute, SUG:11-4
  - LDA file,
    - format, SSM:8-28
    - producing, SUG:4-122, 11-44
  - LDA file format, SUG:3-2
  - LDA image file, SUG:3-2
  - /LDA option,
    - LINK, SUG:4-122
  - LEN system subroutine, REF:3-71
  - /LEVEL option,
    - SRUN, SUG:4-169
  - LIBR, GEN:2-12, 2-16, 2-31, 2-36,
    - SUG:1-6, 12-1
    - building, GEN:C-6
    - calling, SUG:12-1
    - Macro options (table),
      - SUG:12-13
    - messages, MES:7-92 to 7-96
    - object options (table),
      - SUG:12-3
    - using, SUG:2-2, 4-113
  - LIBR.SAV, GEN:2-3
  - Librarian program, See LIBR.
  - Libraries and subroutines,
    - GEN:2-5
  - Library, GEN:1-10, 1-11, 2-30
    - adjusting buffer size (LINK),
      - SUG:11-42
    - creating multiple definition,
      - SUG:12-10
    - deleting global symbols from
      - directory, SUG:12-7
    - deleting modules from,
      - SUG:4-114, 12-6
    - directory, GEN:2-10
    - extracting modules from,
      - SUG:4-114, 12-6
    - file format, SSM:8-25
    - HELP text, GEN:2-11, 2-36
    - including module names in
      - directory, SUG:12-7

## INDEX

- Library, (Cont)
- including p-sect names in directory, SUG:12-8
  - inserting modules into, SUG:4-115, 7-5
  - listing directory, SUG:4-115, 12-10
  - merging files, SUG:12-11
  - module list, GEN:1-10, 2-27
  - replacing modules in, SUG:12-8, 4-117
  - searching, SUG:4-119
  - updating, SUG:4-117, 12-9
  - using multiple definition, SUG:11-14
- \$LIBRARY command, BATCH, SUG:A-23
- LIBRARY command options, /CREATE option, INT:13-6 /INSERT option, INT:13-7 /LIST option, INT:13-6 /REMOVE option, INT:13-7
- Library files, SUG:11-2
- creating, INT:13-1, SUG:4-113, 12-4
  - Macro libraries, INT:13-1
  - Object libraries, INT:13-1
- LIBRARY keyboard command, GEN:2-10, 2-30, 2-31, INT:13-6, SUG:4-113
- Library modules, INT:9-2, SUG:11-2, 11-11
- linking FORTRAN, SUG:11-42
  - processing, SUG:11-12
- /LIBRARY option, COMPILE, SUG:4-27 EXECUTE, SUG:4-85 LINK, SUG:4-122 MACRO, SUG:4-129
- LIBRARY options, prompting sequence (table), SUG:4-117
- Library references, resolving, INT:12-2
- Library routine list, changing amount of space allocated for, SUG:11-46
- Library searches (figure), SUG:11-13
- License, GEN:2-20, 8-2
- .LIMIT MACRO-11 directive, XM, SSM:4-41, MAC:6-3, 6-36, B-6
- .LIMIT programmed request, SUG:4-125
- Limitations, 32K-word addressing, SSM:4-4 overcoming memory, SSM:4-2 terminal I/O, SSM:3-6
- Limits, overlaid program segment (table), SUG:22-14, 22-15
- Line, SSM:3-4
- length, SSM:3-6
  - printing, SSM:5-22
- Line count, GEN:2-37
- LINE FEED key, INT:3-4
- ODT, SUG:21-8
- Line printer, GEN:1-4, 1-6, 1-9, 1-12, 2-25, 2-48, 8-36, See also LP:., See also Serial line printer.
- address, GEN:1-11
  - handler, GEN:2-12
  - parallel, GEN:2-12
  - serial, GEN:2-12
  - setting device conditions, SUG:4-152
- Line printer listing format, MAC:6-5, 6-6, 6-12, See also Listing Control.
- /LINENUMBERS option, COMPILE, SUG:4-27 DIBOL, SUG:4-53 EXECUTE, SUG:4-85 FORTRAN, SUG:4-94
- LINK, GEN:1-10, 1-11, 2-10, 2-14, 2-16, 2-20, 2-26, 2-27, 2-35, SUG:1-6, 11-1
- allowable number of /Q p-sects, GEN:2-26
  - building, GEN:C-7
  - calling, SUG:11-7
  - input and output, SUG:11-11
  - keyboard command, INT:9-9, 11-15
  - memory requirement for, SUG:11-3
  - messages, MES:7-96 to 7-103
  - prompts, SUG:11-50
  - typing additional lines of input to, SUG:4-123, 11-41
  - volume, GEN:2-19
- \$LINK command, BATCH, SUG:A-24
- LINK keyboard command, SUG:4-119
- Link map, GEN:8-11, 10-12, SSM:2-12
- BL monitor, GEN:H-3
  - FB monitor, GEN:H-7
  - monitor, GEN:2-26, 2-38, 2-40, 2-43
  - SJ monitor, GEN:H-5
- Link operation, GEN:1-10, 2-10, 2-27, 10-11, MAC:4-1, 6-36
- address assignment, INT:12-3
  - overlay feature, INT:12-6
  - producing a load map, INT:12-7

## INDEX

- Link operation, (Cont)
  - producing a load module, INT:12-7
  - program, relocation, INT:12-3
  - program sections, INT:12-4
  - resolving library references, INT:12-2
  - resolving symbolic references, INT:12-2
- LINK options prompting sequence (table), SUG:4-120
- Link volume, INT:B-8
- Link words,
  - directory, SSM:9-15
- LINK.SAV, GEN:2-3
- Linker, MAC:1-2, 2-2, 6-17, 6-40, 6-43, 6-44, 6-48, F-4, G-1, G-4, See also LINK.
  - defaults (table), SUG:11-8
  - functions, SUG:11-2
  - options (table), SUG:11-9
  - process, SUG:11-1
  - using, SUG:2-2
  - writing a, SSM:8-2
- Linker program, See LINK.
- Linking, See also Link operation.
  - demonstration program, GEN:3-16, 3-18, 4-14, 4-15, 5-12, 5-14, 6-15, 6-17, 7-15, 7-17
  - device handlers, SSM:7-58
  - foreground jobs, SUG:4-122, 11-47
  - FORTRAN library modules, SUG:11-42
  - graphics programs, REF:A-16
  - object modules, INT:9-9, 11-14, SUG:4-119, 11-1
  - object programs, INT:12-1
- Linking with FORLIB, REF:1-54
- /LINKLIBRARY option, EXECUTE, SUG:4-85
- LINK, SUG:4-122
- .LIST and .NLIST MACRO-11 directive summary (table), SUG:4-132
- List command,
  - arguments (table), SUG:5-24
  - BASIC, INT:10-5
- List command (L),
  - EDIT, INT:5-4, SUG:5-24
- .LIST MACRO-11 directive,
  - GEN:1-14, 2-50, MAC:6-3, 6-9, 6-10, 6-12 to 6-14, 6-21, 8-6, 8-9, 8-11, 9-4, B-6, D-1
- /LIST option,
  - COMPILE, SUG:4-28
  - DIBOL, SUG:4-53
  - EXECUTE, SUG:4-85
- /List option, (Cont)
  - FORTRAN, SUG:4-94
  - LIBRARY, SUG:4-115
  - MACRO, SUG:4-130, INT:9-4, 11-7, 13-6
- Listing,
  - assembly, INT:11-7
  - requesting a wide (LIBR), SUG:12-9
  - sample, MAC:H-1
  - System Macro Library, REF:B-1
  - system resources, See Resource listing.
- Listing codes,
  - FORTRAN (table), SUG:4-96
- Listing control directives,
  - GEN:1-14, 2-50, MAC:6-4 to 6-1
  - See also .LIST and .NLIST MACRO-11 directive.
  - defaults, GEN:1-14
- Listing control options,
  - MACRO-11, MAC:8-6 to 8-9, 8-12, 9-4, SUG:10-4
- Listing control switches,
  - See Listing control options.
- Listing level count, MAC:6-9, 6-10, 6-12, B-6, B-7
- Listing page length in MACRO and CREF, GEN:1-12, 2-37
- Listing volume directories,
  - See Directory listing.
- LISTNH command,
  - BASIC, INT:10-6
  - .LNKRT graphics macro, REF:A-5
- Load image file format, SUG:3-2
- LOAD keyboard command, INT:15-7, SSM:3-39, SUG:4-126
- Load map, SUG:4-119, 11-16
  - description of sample (table), SUG:11-17, 11-37
  - producing, INT:12-7
  - sample (figure), SUG:11-17
- Load module, SUG:2-2, 11-2, 11-14
  - filling unused locations in, SUG:11-50
  - how LINK structures, SUG:11-3
  - specifying start address, SUG:11-47
- Load point, GEN:7-2
- Loaded jobs,
  - resource listing, SUG:17-5
- Loaded program,
  - starting, SUG:4-171
- Loading device handlers,
  - REF:2-44
- Loading RX211 bootstrap, GEN:8-15
- Loading values into device registers, REF:2-28
- Local line, GEN:8-39

## INDEX

Local symbol, MAC:3-11, 3-12,  
7-8, 7-9, D-4, E-4, F-2

Local terminal interrupt service,  
SSM:5-26

LOCAL.TEC, GEN:2-7

Location counter,  
See Current location counter.

Location pointer,  
current, SUG:5-7

Locations of bad blocks,  
finding, SUG:4-64

.LOCK programmed request,  
REF:2-58

LOCK system subroutine, REF:3-72

/LOG option,  
COPY, SUG:4-37  
DELETE, SUG:4-50  
PRINT, SUG:4-134  
RENAME, SUG:4-140  
TYPE, SUG:4-174

Logging a hard error, SSM:7-35

Logging a soft error, SSM:7-35

Logging an error, SSM:7-35,  
See also Error logging.

Logging files, SUG:7-15

Logical address space, GEN:1-15,  
8-18, SSM:4-25

Logical assignments, GEN:1-15

Logical device, GEN:2-34, 8-5,  
8-44, 10-8

Logical device names,  
assigning, GEN:8-39, INT:4-9,  
SUG:4-18  
deassigning, SUG:4-48  
special, INT:4-9

Logical job names, SSM:3-36

Logical unit number, See LUN.

.LOOKUP programmed request,  
standard lookup, REF:2-61  
system job lookup, REF:2-63

LOOKUP system subroutine,  
REF:3-73

Low memory, SSM:4-1, SUG:11-2

Low memory overlays, SUG:11-18  
physical address space for  
program with (figure),  
SUG:11-29  
structure, SUG:11-44

Low-memory,  
bitmap, SSM:2-1, 3-52  
bitmap (table), SSM:3-53

Lower-case characters, INT:5-12,  
MAC:6-19

Lowering processor priority,  
SSM:6-13, 7-14

LP.MAC, GEN:2-6, 8-10

LP.SYS, GEN:2-2, 2-12

LP:, GEN:1-11, 2-25, 2-33, 2-48,  
See also Line printer.

.LPEN graphics macro, REF:A-7

LS handler, SSM:5-6

LS.MAC, GEN:2-6, 8-10

LS.SYS, GEN:2-2, 2-12

LS:, GEN:1-11, 2-33, 2-48,  
See also Serial line printer.

LSI-11 processor, GEN:1-7, 1-8,  
2-42

LUN, SSM:5-1

## M

M command arguments (table),  
SUG:5-32

/M option,  
DIR, SUG:9-7  
LIBR, SUG:12-14  
LINK, SUG:11-44  
QUEMAN, SUG:20-5  
RESORC, SUG:17-6

MAC library file format, SSM:8-25

MAC8K, GEN:1-6, 2-12  
building, GEN:C-7

MAC8K.SAV, GEN:2-3

Machine language code, INT:11-4

Macro,  
.CTIMIO, SSM:7-30  
.DEVICE, SSM:6-12  
.FORK, SSM:6-15  
.INTEN, SSM:3-27, 6-13  
.PROTECT, SSM:6-11  
.RDBBK, SSM:4-53  
.RDBDF, SSM:4-52  
.SYNCH, SSM:6-14,  
See also Synch.  
.SYNCH, SSM:3-19  
.TIMIO, SSM:7-28  
.WDBBK, SSM:4-57  
.WDBBK example, SSM:4-58  
.WDBDF, SSM:4-56  
argument, MAC:7-6, 7-13, 7-14,  
B-3  
argument concatenation,  
MAC:7-11  
attribute directive, MAC:7-11  
definition, MAC:6-30, 7-1 to  
7-12, 7-14, 7-16, 7-17, 7-19,  
B-4, B-6, B-7, E-6, F-2  
DEV, SSM:7-60  
directive, MAC:7-1, 7-2, 7-4,  
See also .MACRO MACRO-11  
directive.  
ELBLDR, SSM:7-37  
expansion, MAC:7-1, 7-3, 7-5,  
7-6, 7-7, 7-9, 7-11, 7-16,  
B-6, D-4, F-2  
expansion listing, MAC:6-9,  
6-12  
keyword argument, MAC:7-4, 7-9,  
7-10



## INDEX

- MACRO, (Cont)
  - keyword indicator, MAC:3-1
  - name, MAC:7-1, 7-2, 7-4, D-4, E-4
  - nesting, MAC:7-2, 7-3, 7-5, 7-16
  - numeric argument, MAC:7-7
  - redefinition, MAC:F-3
  - symbol, MAC:3-6
- MACRO .ENABL/.DSABL defaults, GEN:2-51
- MACRO .LIST/.NLIST defaults, GEN:2-50
- Macro call, MAC:7-1 to 7-10, 7-12, 7-19, B-1, B-6, See also .MCALL directive.
  - numeric argument, MAC:3-3
- Macro calls,
  - summary, SSM:6-17
  - summary (table), SSM:6-17
- \$MACRO command, BATCH, SUG:A-26
- Macro command (M), EDIT, SUG:5-32
- MACRO keyboard command, INT:11-7, SUG:4-128
- Macro library,
  - creating, SUG:12-14
  - directive, See .MCALL MACRO-11 directive.
  - file designation option, SUG:10-8
  - options, SUG:12-13
- .MACRO MACRO-11 directive, MAC:6-13, 6-21, 7-1 to 7-8, 7-10, 7-11, 9-6, B-6, D-1, F-3
- /MACRO option,
  - COMPILE, SUG:4-29
  - EXECUTE, SUG:4-86
  - LIBRARY, SUG:4-115
- Macro symbol table, MAC:3-6, 3-7
- MACRO-11, GEN:1-12, 1-14, 2-12, 2-16, 2-37
  - work file, GEN:8-9, 10-8
  - 8K version, GEN:1-6, SUG:10-13
  - assembler options, SUG:10-4
  - assembly language, INT:11-1, SUG:1-8, 10-1
  - building, GEN:C-7
  - calling the assembler, SUG:10-1
  - character set, MAC:3-1
  - error codes, MAC:D-1, SUG:10-14
  - error codes (table), SUG:10-14
  - error messages, MES:8-133
  - file specifications options (table), SUG:10-4
  - function control options, MAC:8-6, 9-4, SUG:10-7
- MACRO-11, (Cont)
  - language processor program counter, INT:11-3
  - language processor symbol table, INT:11-4
  - Language Reference Manual, See PDP-11 MACRO-11 Language Reference Manual.
  - listing control options, MAC:8-6, SUG:10-4
  - machine code language processor, INT:11-4
  - temporary assembler work file, SUG:10-3
  - terminating the assembler, SUG:10-3
- MACRO-11 directive,
  - .DISABL, GEN:1-14
  - .ENABL, GEN:1-14
  - .LIST, GEN:1-14
  - .NLIST, GEN:1-14
- MACRO-11 listing control
  - directives, See Listing control directives.
- MACRO-11 listing control options, See Listing control options.
- MACRO-11 operating procedures, RSTS, MAC:6-2, 6-37, 9-1, 9-2, 9-8
  - RSX run-time system, MAC:9-1, 9-2
  - RSX-11M, MAC:6-2, 6-12, 6-17, 6-37, 6-38, 6-44, 7-19, 8-1, 8-16, E-12, F-3, G-1
  - RSX-11M-PLUS, MAC:6-2, 8-8, 8-16, G-1
  - RT-11, MAC:6-2, 6-12, 6-17, 6-20, 6-37, 6-38, 6-40, 6-41, 6-45, 7-19, 9-2, 9-8
  - RT-11 run-time system, MAC:9-1
- MACRO-11 programmer,
  - use of manuals, DOC:2-3
- MACRO-11 programs,
  - assembling, INT:11-5, SUG:10-1
  - linking, INT:11-15
  - running, INT:11-1, 11-15
  - USR swapping and, SSM:2-31
  - writing, INT:11-1
- MACRO.SAV, GEN:2-3, 2-12, 2-50
- Magnetic tape, See Magtape.
- Magtape, GEN:7-1, 8-33
  - ANSI labels (table), SSM:9-23
  - bootable, SSM:9-23
  - build program, GEN:C-10
  - density, GEN:1-11, 2-34
  - directory example, SSM:10-10
  - file-structured, GEN:1-6, 8-33, 8-34, 8-35
  - from IAS, SSM:10-22

## INDEX

- Magtape, (Cont)
  - from RSTS/E, SSM:10-21
  - from RSX-11D, SSM:10-22
  - from RSX-11M, SSM:10-21
  - hardware, GEN:1-6, 2-33
  - how files are stored on, SSM:9-22
  - nine-track, GEN:2-34
  - number of units, GEN:8-33, 8-34, 8-35
  - parity, GEN:1-11, 2-34
  - programmed requests, SSM:10-4
  - reading physical blocks, SSM:10-14
  - rewinding, SSM:10-18
  - seven-track, GEN:2-34, SSM:10-22
  - spacing backward, SSM:10-15
  - spacing forward, SSM:10-15
  - structure, SSM:9-22
  - TJU16, GEN:1-19, 2-33, 7-3, 8-34
  - TM11, GEN:1-19, 2-33, 7-3, 8-33
  - TS11, GEN:2-33, 8-35
  - using, SUG:4-38, 7-8
  - writing physical blocks, SSM:10-14
  - writing tape mark, SSM:10-18
  - writing with extended gap, SSM:10-18
- Magtape and cassette,
  - file transfers involving, SUG:4-38, 7-4
- Magtape device conditions,
  - setting, SUG:4-155
- Magtape handler, SSM:7-65
  - error reporting, SSM:10-13
  - file structure, SSM:10-2
  - hardware, SSM:10-13
  - hardware calls with the file structure module, SSM:10-12
  - specifics, SSM:10-1
  - writing, SSM:7-40
- Magtape or cassette,
  - copying files to, SUG:4-38, 7-4
- Main-line code, GEN:8-20
  - change flow of control, REF:2-119
    - resume flow, REF:2-124
    - suspend flow, REF:2-124
- Manual bootstrapping operations, INT:A-1
- Manual system generation, GEN:8-2, 8-15
- Map,
  - link, SSM:2-12
  - load, SUG:11-16
  - output device, GEN:8-11, 8-45
- /MAP option,
  - EXECUTE, SUG:4-86
  - /MAP option, (Cont)
    - LINK, SUG:4-122
    - MACRO, INT:12-7
  - .MAP programmed request,
    - REF:2-64, SSM:4-62
  - MAP:, GEN:8-8, 8-45
  - Mapping, SSM:4-7, 4-26
    - default, SSM:4-18
    - default (figure), SSM:4-19
    - how programs control, SSM:4-21
    - kernel, SSM:4-18, 6-21
    - PAR1, SSM:7-47
    - privileged, SSM:4-26, 6-21
    - selecting virtual, SSM:4-26
    - user, SSM:4-18
    - virtual, SSM:4-26
  - Mapping a window to a region,
    - REF:2-64, SSM:4-62
  - Mapping errors,
    - interrupt service routine, SSM:6-22
    - interrupt service routine (figure), SSM:6-22
  - Mapping status,
    - obtaining, SSM:4-63
  - Mark time programmed request,
    - See .MRKT programmed request.
  - Mass storage, GEN:8-1, 8-8
  - /MATCH option,
    - DIFFERENCES, SUG:4-58, INT:6-3
  - MBOOT,
    - building, GEN:C-10
  - MBOOT.BOT, GEN:2-5
  - .MCALL MACRO-11 directive,
    - MAC:7-19, 7-20, 8-6, 8-10, 8-12, 9-4 to 9-6, B-6, D-4, F-1 to F-3, SSM:7-4
  - MDUP,
    - building, GEN:C-10
    - messages, MES:7-103 to 7-106
  - MDUP for disk or magtape not supported by RT-11, GEN:C-12
  - MDUP.MM, GEN:2-3, 7-3
  - MDUP.MS, GEN:2-3
  - MDUP.MT, GEN:2-4, 7-3
  - MDUP.SAV, GEN:2-3, C-10
  - Media, GEN:2-21
  - Memory, GEN:1-12, 2-38, 2-42
    - above 28K, GEN:1-8
    - additional, GEN:1-8
    - allocation, MAC:6-39, 6-44, F-1, F-2, REF:1-15, SSM:2-19, 2-21
    - conservation, MAC:F-1
    - error report, SUG:19-8
    - error report analysis (table), SUG:19-8
    - error report sample (figure), SUG:19-8
    - extended, SSM:4-1, SUG:11-2

## INDEX

- Memory, (Cont)
- limits, GEN:1-4
  - low, SSM:4-1
  - parity, GEN:1-4, 1-5, 1-15, 8-26
  - parity errors, SSM:4-69
  - setting upper limit on size, GEN:2-42
  - upper limit on size, GEN:1-12
- Memory block initialization, ODT, SUG:21-16
- Memory cache, GEN:8-28
- Memory diagram showing BASIC link with overlay regions (figure), SUG:11-26
- Memory diagram showing low memory and extended memory overlays (figure), SUG:11-35
- Memory image file, See SAV file.
- creating a patch for, SUG:16-5
- Memory layout, SSM:2-1
- XM, SSM:4-20
  - XM (figure), SSM:4-21
- Memory limitations, 28K-word system, SSM:4-2
- Memory management faults, SSM:4-69
- Memory management hardware, GEN:1-7, 1-8, 1-15
- documentation on, SSM:4-7
- Memory management unit, SSM:4-6, 4-8
- Memory requirement, GEN:1-8
- BL monitor, SUG:1-3
  - FB monitor, SUG:1-3
  - minimal, GEN:1-7
  - SJ monitor, SUG:1-3
  - XM monitor, SUG:1-4
- Memory resources, increasing, MES:3-11, 3-12
- Memory usage, EDIT, SUG:5-10
- Message, GEN:3-17, 4-14, 5-13, 6-16, 7-16, 8-19
- BASIC-11, See BASIC-11 messages.
  - bootstrap, GEN:1-12, 2-44
  - FORTAN IV, See FORTAN IV messages.
  - MACRO-11, See MACRO-11 error messages.
  - monitor identification, GEN:2-44
  - suppressing confirmation, SUG:8-13
  - SYSGEN error, GEN:9-3, 10-3
  - SYSGEN script file error, GEN:D-12, MES:7-122 to 7-124
  - system, See System messages.
- Message, (Cont)
- system build error, GEN:9-6, 10-13
  - utility program, See individual utility program name.
- \$MESSAGE command, BATCH, SUG:A-28
- Message handling and system jobs, SSM:3-38
- Message Manual, RT-11 System, See RT-11 System Message Manual.
- .MEXIT MACRO-11 directive, MAC:7-3, 7-17 to 7-19, B-6
  - .MFPS programmed request, REF:2-65
- MINC-11, SSM:5-3
- MM handler specifics, SSM:10-1
- MM.SYS, GEN:2-2
- MMG\$T, SSM:7-5
- MMHD.SYS, GEN:2-3, 2-33
- MMU, See Memory management unit.
- Mode, special, SSM:3-4
- Modem, GEN:8-21, 8-39, SSM:5-26
- BELL 103A-type, SSM:5-28
- Modularity, MAC:6-41, E-8, F-1
- Module, load, SUG:2-2, 11-1, 11-13
- object, SUG:2-2, 11-1, 11-6
- Module checking routine, MAC:E-9
- Module names, including in a library directory, SUG:12-7
- Module preface, MAC:E-5
- Modules, adding a subroutine to, SUG:23-6
- deleting from a library, SUG:4-114, 12-6
  - extracting from a library, SUG:4-114, 12-6
  - inserting into a library, SUG:4-115, 7-5
  - patching object, See PAT.
  - replacing in a library, SUG:4-117, 12-8
- MON, messages, MES:7-106 to 7-111
- MONBLD example (figure), GEN:10-5
- MONBLD.COM, GEN:8-3
- Monitor, GEN:1-1, 1-3, 1-17, 2-2, 2-9, 2-19, 3-11
- assembling, GEN:8-7, 9-3, 10-8
  - base-line, See BL monitor.
  - BL, See BL monitor.
  - bootstrapping a, SUG:4-22, 8-8

## INDEX

- Monitor, (Cont)
  - changing, INT:15-4, SUG:4-22
  - current,
  - resource listing, SUG:17-6
  - device tables in, GEN:8-28
  - distributed, GEN:1-5
  - extended memory,
    - See XM monitor.
  - FB, See FB monitor.
  - foreground/background,
    - See FB monitor.
  - hardware bootable, GEN:2-42
  - linking, GEN:8-7, 9-3, 10-8
  - Resident, See RMON.
  - single-job, See SJ monitor.
  - SJ, See SJ monitor.
  - small, GEN:1-6
  - special, GEN:2-43
  - specially generated, GEN:8-1
  - standard, GEN:1-4
  - system, SUG:1-2
  - unique, GEN:8-1
  - XM, See XM monitor.
- Monitor command language, INT:4-1
- Monitor command mode,
  - returning to, INT:5-18
- Monitor command operations,
  - initial, INT:4-5
- Monitor commands,
  - See Keyboard commands.
- Monitor configuration word,
  - GEN:2-40
- Monitor console routine, MAC:8-1, 8-2
- Monitor device tables, GEN:2-31, SSM:3-62
  - adding a device to, SSM:3-65
- Monitor differences (table),
  - GEN:1-4
- Monitor display support, REF:A-2
- Monitor files, SSM:7-50
- Monitor fixed-offset area,
  - REF:1-3
- Monitor halts,
  - See System failures.
- Monitor identification message,
  - GEN:2-44
- Monitor link map, GEN:2-26, 2-38, 2-40, 2-43
- Monitor message queue, GEN:3-17, 4-14, 5-13, 6-16, 7-16
- Monitor offset values,
  - obtaining, REF:2-53
- Monitor options, GEN:8-17
- Monitor p-sects, SSM:2-12
- Monitor p-sects (table), SSM:2-12
- Monitor prompt, INT:4-1
- Monitor routine,
  - \$ENSYS, SSM:3-27
  - \$GETBYT, SSM:7-45
- Monitor routine, (Cont)
  - \$INTEN, SSM:3-25
  - \$MPPHY, SSM:7-44
  - \$PUTBYT, SSM:7-45
  - \$PUTWRD, SSM:7-46
  - \$RQTSW, SSM:3-33
  - \$SYSWT, SSM:3-31
  - \$SYSWT (flowchart), SSM:3-32
  - XM, SSM:7-44
- Monitor services, GEN:8-5
- Monitor version identification,
  - SUG:3-1
- Monitors,
  - changing, GEN:2-47, SUG:8-8
- Month rollover, GEN:1-5, 1-16, 8-22
- \$MOUNT command,
  - BATCH, SUG:A-29
- MOV instruction, MAC:3-13, 3-14, 6-34, 6-54, D-1, E-12, G-2 to G-4, H-2
- MOVB instruction, MAC:H-2
- \$MPPHY monitor routine, SSM:7-44
- MQ handler, SSM:3-39, 6-22
- MQ handler restrictions,
  - SSM:3-39
- .MRKT programmed request,
  - GEN:1-15, 1-17, 8-18,
  - REF:2-67
- MRKT system subroutine, REF:3-76.
- MS handler specifics, SSM:10-1
- MS.SYS, GEN:2-3
- MSBOOT,
  - building, GEN:C-10
  - messages, MES:7-111
- MSBOOT.BOT, GEN:2-5, 7-2
- MSHD.SYS, GEN:2-3, 2-33
- MSV11-DD memory option, GEN:2-42
- MT handler specifics, SSM:10-1
- MT.SYS, GEN:2-3
- .MTATCH programmed request,
  - REF:2-69, SSM:5-20
- MTATCH system subroutine,
  - REF:3-76
- .MTDTCH programmed request,
  - REF:2-71, SSM:5-23
- MTDTCH system subroutine,
  - REF:3-79
- MTEMT\$ p-sect, SSM:2-14
- .MTGET programmed request,
  - REF:2-72, SSM:5-21
- MTGET system subroutine,
  - REF:3-79,
  - See also .MTSET programmed request.
- MTHD.SYS, GEN:2-3, 2-33
- .MTIN programmed request,
  - REF:2-75, SSM:5-22
- MTIN system subroutine, REF:3-80
- MTINT\$ p-sect, SSM:2-14

## INDEX

- .MTOU programmed request,  
REF:2-76, SSM:5-22
  - MTOU system subroutine, REF:3-81
  - .MTPRNT programmed request,  
REF:2-77, SSM:5-22
  - MTPRNT system subroutine,  
REF:3-81
  - .MTPS programmed request,  
REF:2-65
  - .MTRCTO programmed request,  
REF:2-78, SSM:5-23
  - MTRCTO system subroutine,  
REF:3-82,  
See also .RCTRL0 programmed  
request.
  - .MTSET programmed request,  
REF:2-79, SSM:5-21
  - MTSET system subroutine,  
REF:3-82,  
See also .MTSET programmed  
request.
  - .MTSTAT programmed request,  
REF:2-80, SSM:5-23
  - MTSTAT system subroutine,  
REF:3-83
  - MTTEMT.MAC, GEN:2-6, 8-10,  
SSM:5-1
  - MTTINT.MAC, GEN:2-6, 8-10,  
SSM:5-1
  - MTTY\$ p-sect, SSM:2-14
  - MTYSET.MAC, SSM:5-29
  - MU BASIC-11, GEN:1-15, 1-16,  
8-20, 8-21, SSM:3-35, 5-10
  - MU BASIC-11/RT-11,  
description of,  
See Optional software  
products.
  - Multi-tasking, SSM:3-35
  - Multi-terminal, GEN:1-4, 1-5,  
1-15, 1-16, 8-20  
activities summary, SSM:5-10  
activities summary (table),  
SSM:5-10  
applications, SSM:5-10  
data structures, SSM:5-1, 5-11  
debugging multi-terminal  
application, SSM:5-29  
example program, SSM:5-29  
feature, REF:1-2, SSM:5-1  
hardware, SSM:5-2  
line and terminal  
characteristics, REF:2-79  
polling routines, SSM:5-27  
programmed request error codes,  
SSM:5-24  
programmed requests, REF:1-22,  
SSM:5-10, 5-20  
restrictions, SSM:5-28
  - Multi-terminal, (Cont)  
support for United Kingdom,  
GEN:8-6  
system components, SSM:5-1
  - Multi-terminal polling routines,  
GEN:1-2
  - Multi-terminal programmed  
request,  
.MTATCH, REF:2-69  
.MTDTCH, REF:2-71  
.MTGET, REF:2-72  
.MTIN, REF:2-75  
.MTOU, REF:2-76  
.MTPRNT, REF:2-77  
.MTRCTO, REF:2-78  
.MTSET, REF:2-79  
.MTSTAT, REF:2-80
  - Multi-terminal TCB, GEN:8-2
  - Multi-terminal time-out, GEN:1-16
  - Multi-user program in extended  
memory, SSM:4-36
  - Multi-vector device handler,  
SSM:7-10
  - Multiple definition global  
symbols, SUG:11-7
  - Multiple definition libraries,  
creating, SUG:12-10  
using, SUG:11-14
  - Multiple editing commands,  
erasing, INT:5-7
  - Multiple expression, MAC:2-4
  - Multiple files, INT:7-2
  - Multiple label, MAC:2-2
  - Multiple symbol, MAC:2-4
  - Multiplexer, SSM:5-2  
DZ11, GEN:8-39  
DZV11, GEN:8-39
  - Multiprogramming, GEN:1-7
  - .MWAIT programmed request,  
REF:2-81
  - MWAIT system subroutine, REF:3-84
- ## N
- /N option,  
DIR, SUG:9-7  
DUP, SUG:8-14  
LIBR, SUG:12-7  
PIP, SUG:7-12  
QUEMAN, SUG:20-6
  - .NAME graphics macro, REF:A-8
  - /NAME option,  
FRUN, SUG:4-101  
PRINT, SUG:4-135  
SRUN, SUG:4-169
  - #NAME SYSGEN script command,  
GEN:D-9

## INDEX

- Named p-sect, SUG:11-6
- Names,
  - assigned to p-sects, SUG:11-6
- Naming conventions, GEN:2-32
- Naming standard, MAC:E-2
- .NARG MACRO-11 directive,
  - MAC:7-8, 7-11, 7-12, B-6, D-2
- .NCHR MACRO-11 directive,
  - MAC:7-11, 7-13, B-6, D-2
- Nesting depth,
  - indirect command file,
    - GEN:1-14, 2-48
- NEW command,
  - BASIC, INT:10-13
- New media,
  - formatting of, GEN:2-21
- /NEWFILES option,
  - COPY, SUG:4-37
  - DELETE, SUG:4-50
  - DIRECTORY, SUG:4-68
  - PRINT, SUG:4-135
  - RENAME, SUG:4-140
  - TYPE, SUG:4-175
- NEXT command (N),
  - EDIT, INT:5-11, SUG:5-17
- NL device handler, SSM:10-39
- NL.MAC, GEN:2-6, 8-10
- NL.SYS, GEN:2-3
- .NLIST MACRO-11 directive,
  - GEN:1-14, 2-50, MAC:6-3, 6-9to  
6-14, 6-16, 6-21, 8-6, 8-9, 9-4, B-7, D-1
- /NOASCII option,
  - DUMP, SUG:4-74
- /NOBITMAP option,
  - LINK, SUG:4-120
- /NOCOMMENTS option,
  - DIFFERENCES, SUG:4-58
- /NOEXECUTE option,
  - LINK, SUG:4-121
- /NOFLAGPAGE option,
  - PRINT, SUG:4-134
- /NOLINENUMBERS option,
  - COMPILE, SUG:4-27
  - DIBOL, SUG:4-53
  - EXECUTE, SUG:4-85
  - FORTTRAN, SUG:4-94
- /NOLOG option,
  - COPY, SUG:4-37
  - PRINT, SUG:4-135
  - RENAME, SUG:4-140
  - TYPE, SUG:4-174
- Non-file-structured .LOOKUP
  - programmed request, SSM:10-19
- Non-file-structured .READ
  - programmed request, SSM:10-20
- Non-file-structured .WRITE
  - programmed request, SSM:10-20
- Non-interrupt programmed I/O,
  - SSM:6-1
  - example, SSM:6-2
- Nonbootable diskette, GEN:10-8
- Nonbootable volume, GEN:3-10, 6-4
- Nondirectory-structured volumes,
  - INT:17-1, B-3
- Nonoverlaid utility, GEN:2-16
- Nonstandard address, GEN:1-9,
  - 2-12, 2-25, 8-5
- Nonstandard CSR address, GEN:8-36
- Nonstandard CSR and vector
  - support, GEN:8-7
- Nonstandard device, GEN:2-32
- Nonstandard ESCAPE code,
  - terminal with, GEN:1-10
- Nonstandard vector address,
  - GEN:8-36
- NonXM .SETTOP programmed request,
  - SSM:4-40
- /NOOBJECT option,
  - COMPILE, SUG:4-29
  - DIBOL, SUG:4-54
  - FORTTRAN, SUG:4-96
  - LIBRARY, SUG:4-116
  - MACRO, SUG:4-131
- /NOOPTIMIZE option,
  - COMPILE, SUG:4-29
  - EXECUTE, SUG:4-87
  - FORTTRAN, SUG:4-96
- /NOPROTECTION option,
  - RENAME, GEN:3-7, 4-5, 5-5, 6-6, SUG:4-141
- /NOQUERY option,
  - COPY, SUG:4-40
  - DELETE, SUG:4-51
  - FORMAT, SUG:4-91
  - INITIALIZE, SUG:4-108
  - SQUEEZE, SUG:4-168
- /NOREPLACE option,
  - COPY, GEN:7-4, SUG:4-40
  - RENAME, SUG:4-141
- /NORUN option,
  - EXECUTE, SUG:4-88
- NORUN\$, SSM:3-30
- /NOSHOW option,
  - COMPILE, SUG:4-30
  - EXECUTE, SUG:4-88
- /NOSPACES option,
  - DIFFERENCES, SUG:4-59
- /NOSWAP option,
  - COMPILE, SUG:4-30
  - EXECUTE, SUG:4-88
  - FORTTRAN, SUG:4-97
- .NOSYN graphics macro, REF:A-11
- /NOTRIM option,
  - DIFFERENCES, SUG:4-61
- /NOVECTORS option,
  - COMPILE, SUG:4-31
  - EXECUTE, SUG:4-88
  - FORTTRAN, SUG:4-97
- /NOWARNINGS option,
  - COMPILE, SUG:4-31
  - DIBOL, SUG:4-55

## INDEX

/NOWARNINGS option, (Cont)  
     EXECUTE, SUG:4-89  
     FORTRAN, SUG:4-98  
 .NTYPE MACRO-11 directive,  
     MAC:7-11, 7-14, B-7, D-2  
 Null byte, GEN:2-44  
 Null device, GEN:1-4  
 Null handler, GEN:1-6, 8-38,  
     SSM:10-39  
 Number of arguments,  
     See .NARG directive.  
 Numeric control,  
     temporary, MAC:6-33, 6-34, B-3  
 Numeric directive, MAC:6-31

## O

/O option,  
     DIR, SUG:9-7  
     DUP, SUG:8-8  
     LINK, SUG:11-44  
     PIP, SUG:7-12  
     RESORC, SUG:17-7  
 OBJ file, GEN:8-10, 10-10  
     format, SSM:8-1  
     type, GEN:8-8, 8-10, 10-10  
 Object libraries,  
     building, INT:13-6  
     creating input files, INT:13-2  
 Object library file format,  
     SSM:8-25  
 Object module, SUG:2-2, 11-2,  
     11-6  
     examples of updating, SUG:23-5  
     format (figure), SSM:8-5  
     input to LINK, SUG:11-11  
     linking, INT:9-9, 11-14,  
         SUG:4-119, 11-1  
     name, MAC:1-2  
     patching, See PAT.  
 Object module patch program,  
     See PAT.  
 /OBJECT option,  
     COMPILE, SUG:4-29  
     DIBOL, SUG:4-54  
     EXECUTE, SUG:4-87  
     FORTRAN, SUG:4-95  
     LIBRARY, SUG:4-116  
     MACRO, SUG:4-131  
 /OCTAL option,  
     DIRECTORY, SUG:4-68  
 Octal values,  
     entering with SIPP, SUG:22-7  
 .ODD MACRO-11 directive, MAC:6-3,  
     6-34, 6-35, B-7  
 Odd parity, GEN:2-34  
 ODT, INT:14-4, SUG:1-7, 21-1  
     accessing general registers,  
         SUG:21-9  
     accessing internal registers,  
         SUG:21-10  
     back-arrow key, SUG:21-8  
     breakpoints, SUG:21-11, 21-22  
     building, GEN:C-12  
     calculating offsets, SUG:21-17  
     calling, SUG:21-1  
     changing ASCII text,  
         SUG:21-20  
     changing locations, SUG:21-7  
     closing locations, SUG:21-7  
     commands and functions,  
         SUG:21-6  
     constant register, SUG:21-16  
     controlling program execution,  
         SUG:21-12  
     error detection, SUG:21-26  
     forms of relocatable  
         expressions (r) (table),  
             SUG:21-5  
     functional organization,  
         SUG:21-22  
     internal registers (table),  
         SUG:21-10  
     loaded in memory (figure),  
         SUG:21-2  
     memory block initialization,  
         SUG:21-16  
     messages, MES:7-61  
     opening addressed location,  
         SUG:21-9  
     opening an individual location,  
         SUG:21-7  
     opening bytes, SUG:21-7  
     opening locations, SUG:21-7  
     opening previous location,  
         SUG:21-8  
     opening subsequent locations,  
         SUG:21-8  
     printout format, SUG:21-6  
     priority level, SUG:21-19  
     Radix-50 mode, SUG:21-10  
     relative branch offset,  
         SUG:21-9  
     relocation, SUG:21-4  
     relocation calculators,  
         SUG:21-19  
     relocation register commands,  
         SUG:21-18  
     return to previous sequence,  
         SUG:21-9  
     sample load maps, SUG:21-2  
     searches, SUG:21-25  
     searching for words,  
         SUG:21-15  
     searching through program,  
         SUG:21-14  
     single-instruction mode,  
         SUG:21-14

## INDEX

- ODT, (Cont)
  - specifying number of instructions to execute, SUG:21-14
  - suspending program execution, SUG:21-11
  - terminal interrupt, SUG:21-26
  - using in XM, SSM:7-68
  - using to debug device handlers, SSM:7-66
  - using with
    - foreground/background jobs, SUG:21-21
    - using with multi-terminal system, GEN:I-2
- ODT /DEBUG option, INT:14-5
- ODT.OBJ, GEN:2-4, 2-16
- Off line terminal, GEN:1-16
- Offsets,
  - queue element, SSM:7-5
  - RMON fixed, SSM:3-47
  - RMON fixed (table), SSM:3-48
- OHANDL, GEN:2-10, 2-31
- OLD command,
  - BASIC, INT:10-13
- On-line debugging technique,
  - See ODT.
- /ONDEBUG option,
  - COMPILE, SUG:4-29
  - DIBOL, SUG:4-54
  - EXECUTE, SUG:4-87
  - FORTTRAN, SUG:4-96
- /ONLY option,
  - DUMP, SUG:4-74
- Opening and closing files,
  - SUG:5-12
- Opening bytes,
  - ODT, SUG:21-7
- Opening locations,
  - ODT, SUG:21-7, 21-8, 21-9
- Operand field, MAC:2-1, 2-4, E-1
- Operating procedures,
  - BATCH, SUG:A-42
- Operation field, MAC:E-1
- Operator directives to BATCH
  - run-time handler (table), SUG:A-48
- Operator field, MAC:2-1, 2-3, 2-4
- Operators,
  - SLP command file (table), SUG:24-4
- Optimization codes (table),
  - SUG:4-96
- /OPTIMIZE option,
  - COMPILE, SUG:4-29
  - EXECUTE, SUG:4-87
  - FORTTRAN, SUG:4-96
- Option functions,
  - combining library, SUG:12-12
- Optional software products,
  - DOC:3-13, 4-14
- Options,
  - assembly pass, SUG:10-13
  - BATCH command field (table), SUG:A-3
  - BATCH specification field, SUG:A-7
  - BINCOM, SUG:16-2
  - BINCOM (table), SUG:16-2
  - DIR, SUG:9-2
  - DIR (table), SUG:9-2
  - DUMP, SUG:13-1
  - DUMP (table), SUG:13-1
  - DUP, SUG:8-1
  - DUP (table), SUG:8-2
  - FILEX, SUG:14-2
  - FORMAT, SUG:18-2
  - FORMAT (table), SUG:18-2
  - keyboard command, SUG:4-1
  - LIBR Macro (table), SUG:12-13
  - LIBR object, SUG:12-3
  - LIBR object (table), SUG:12-3
  - linker (table), SUG:11-9
  - Macro libraries, SUG:12-13
  - MACRO-11 assembler, SUG:10-4
  - MACRO-11 listing control, SUG:10-4
  - PATCH, SUG:25-2
  - PATCH (table), SUG:25-2
  - PIP, SUG:7-3
  - QUEMAN, SUG:20-3
  - QUEMAN (table), SUG:20-3
  - RESORC, SUG:17-1
  - RESORC (table), SUG:17-2
  - SIPP, SUG:22-2
  - SIPP (table), SUG:22-2
  - SLP, SUG:24-2
  - SLP (table), SUG:24-2
  - specification field (table), SUG:A-7
  - SRCCOM, SUG:15-2
  - SRCCOM (table), SUG:15-2
  - summary keyboard commands and utility program options, SUG:B-1
  - SYSGEN, GEN:8-5,
    - See Special features.
- /ORDER option,
  - DIRECTORY, SUG:4-68
- OS-11, SSM:1-1
- OS/8, SSM:1-1
- Output device, GEN:8-45, 10-5
- Output files,
  - closing, SUG:4-24
- Output format,
  - BINCOM, SUG:16-3
  - SRCCOM, SUG:15-3



## INDEX

- Output listing,
    - sample SRCCOM, SUG:15-4
  - /OUTPUT option,
    - DIFFERENCES, SUG:4-58
    - DIRECTORY, SUG:4-70
    - DUMP, SUG:4-74
    - EDIT, SUG:4-81
    - SQUEEZE, GEN:4-4, 5-4, 6-4, SUG:4-167
  - Output ring buffer, GEN:1-16, 8-21, SSM:3-2
  - Output ring buffer (figure), SSM:3-2, 3-3
  - Output storage volume, GEN:2-35
  - Output-stalled jobs, GEN:1-14, 2-49
  - /OUTPUT: option,
    - SQUEEZE, GEN:3-4
  - Overflow, GEN:2-28
  - Overlaid program segment limits (table), SUG:22-14, 22-15
  - Overlaid programs, SSM:2-25
  - Overlay feature, INT:12-6
  - Overlay handler, GEN:1-11, 2-10, 2-30
    - adding to another library, GEN:2-31
    - extended memory, SUG:11-38
    - extended memory (figure), SUG:11-38
    - run-time (figure), SUG:11-20
    - unmapped, GEN:2-31
    - virtual, GEN:2-31
  - Overlay handlers,
    - extracting from SYSLIB, GEN:2-30
  - Overlay regions,
    - memory diagram showing BASIC link with (figure), SUG:11-26
  - Overlay scheme (figure), SUG:11-20
  - Overlay segments, SUG:11-2
    - extending with SIPP, SUG:22-12
  - Overlay structure,
    - creating, SUG:11-18
    - sample for a FORTRAN program (figure), SUG:11-19
    - specifying in low memory, SUG:11-44
  - Overlaying (figure), SSM:4-4
  - Overlaying lines in a module, PAT, SUG:23-5
  - Overlays, MAC:6-39, 6-41
    - combining low memory and extended memory, SUG:11-34
    - extended memory, SSM:4-34, SUG:11-27
    - guidelines for specifying, SUG:11-23
  - Overlays, (Cont)
    - KMON, SSM:2-37
    - load map for program with extended memory (figure), SUG:11-36
    - low memory, SUG:11-18
    - memory diagram showing low memory and extended memory (figure), SUG:11-35
    - physical address space for program with low memory (figure), SUG:11-29
    - REL files with, SSM:8-34
    - unmapped, GEN:2-10
    - virtual, GEN:2-10
  - OVLY p-sect, SSM:2-14
  - OVR,
    - p-sect attribute, SUG:11-4
  - \$OVRH, GEN:2-10, 2-31
  - /OWNER option,
    - COPY, SUG:4-38
    - DIRECTORY, SUG:4-70
  - \$OWNER table (figure), SSM:3-65
  - \$OWNER table, SSM:3-65
  - OWNERS\$ p-sect, SSM:2-12
- P**
- /P option,
    - DIR, SUG:9-8
    - FORMAT, SUG:18-3
    - LIBR, SUG:12-8
    - LINK, GEN:2-27, SUG:11-46
    - PIP, SUG:7-13
    - QUEMAN, SUG:20-6
    - SRCCOM, SUG:15-7
  - P-sect, INT:12-4, MAC:E-5, SSM:8-5, SUG:11-2, 11-3, 11-5, 11-6
    - /Q, GEN:1-10, 2-26
    - absolute base address, GEN:1-10, 2-26
    - attributes, SUG:11-4
    - attributes (table), SUG:11-4
    - extending in root, SUG:11-41
    - FORTRAN program (table), SSM:2-33
    - including names in library directory, SUG:12-8
    - monitor, SSM:2-12
    - monitor (table), SSM:2-12
    - names, SUG:11-6
    - order, SUG:11-6
    - ordering for FORTRAN programs, SSM:2-33, SUG:11-6
    - specifying start address in root, SUG:11-49
  - P-sect names, MAC:6-38
  - P-sect table, MAC:1-1

## INDEX

- .PACKED MACRO-11 directive,
  - MAC:6-3, 6-29, 6-34, B-7
- /PACKED option,
  - COPY, SUG:4-38
- Page Address Register, See PAR.
- Page Descriptor Register,
  - See PDR.
- .PAGE MACRO-11 directive,
  - MAC:6-3, 6-18, 7-4, B-7
- Pages, SUG:5-1
  - virtual address, SSM:4-9
  - virtual address (figure), SSM:4-10
- Paging a file, INT:5-10
- Paging output, SUG:3-7
- PAL-11R assembler, MAC:6-55
- Paper tape, GEN:1-4
  - device handler, SSM:10-34
  - reader (PR11), GEN:8-37
  - reader/punch (PC11), GEN:8-37
- PAR, SSM:4-13
- PAR1 mapping, SSM:7-47
- PAR1 restriction, SSM:4-66, 6-22
- PAR2 restriction, SSM:4-67
- Parallel line printer, GEN:2-12, 2-33, 8-36
- Parity,
  - magtape, GEN:1-11, 2-34
- Partitions,
  - extended memory that contain sharing segments (figure), SUG:11-33
- /PASS:1 option,
  - COMPILE, SUG:4-30
  - EXECUTE, SUG:4-87
  - MACRO, SUG:4-131
- PAT, SUG:1-8, 23-1
  - adding a subroutine to a module, SUG:23-6
  - building, GEN:C-12
  - calling, SUG:23-1
  - correction file, SUG:23-4
  - effecting updates, SUG:23-3
  - input file, SUG:23-4
  - messages, MES:7-111 to 7-114
  - overlying lines in a module, SUG:23-5
  - processing steps required to update a module using (figure), SUG:23-2
  - updating a module using (figure), SUG:23-2
  - validating contents of a file, SUG:23-8
- PAT.SAV, GEN:2-4
- Patch, GEN:2-23, MAC:E-14,
  - binary, GEN:2-20, 3-7, 4-5, 5-5, 6-6, 7-6
  - creating for a memory image file, SUG:16-5
- Patch, (Cont)
  - creating for a source file, SUG:15-7
  - creating patch command files, SUG:4-56
  - customization, GEN:2-23
  - future, GEN:3-9, 4-8, 5-6, 6-8, 7-8
  - mandatory, GEN:2-20, 3-9, 4-6, 4-7, 5-6, 6-8, 7-8
  - optional, GEN:2-20, 3-9, 4-7, 5-6, 6-8, 7-8
  - published, GEN:3-7, 4-6, 5-5, 6-7, 7-7
  - source, GEN:2-20, 3-7, 4-5, 5-5, 6-6, 7-6
- PATCH, SUG:1-8, 25-1
  - building, GEN:C-13
  - calling, SUG:25-1
  - checksum, SUG:25-2
  - commands, SUG:25-2
  - commands (table), SUG:25-3
  - control characters (table), SUG:25-5
  - examining and changing locations in a file, SUG:25-4
  - example patching a nonoverlaid file, SUG:25-8
  - example patching an overlaid file, SUG:25-10
  - examples, SUG:25-8
  - exiting, SUG:25-4
  - including old contents in the checksum, SUG:25-7
  - messages, MES:7-114 to 7-116
  - options, SUG:25-1
  - options (table), SUG:25-2
  - patching a new file, SUG:25-4
  - setting relocation registers, SUG:25-8
  - setting the bottom address, SUG:25-7
  - setting values in the overlay handler tables, SUG:25-7
  - translating and indirectly modifying locations in a file, SUG:25-5
- Patch program, See PATCH.
- object module, See PAT.
- save image, See SIPP.
- source language, See SLP.
- PATCH\$ p-sect, SSM:2-14
- PATCH.SAV, GEN:2-4
- Patched backup, GEN:3-9, 4-7, 5-6, 6-8, 7-8
- Patched master magtapes, GEN:7-8
- Patching,
  - a new file, PATCH, SUG:25-4
  - a TCB, SSM:5-18

## INDEX

- Patching, (Cont)
  - object modules, See PAT.
  - pre-V04 save image files, See PATCH.
  - save image files, See SIPP.
  - source files, See SLP.
- PATCHO, SSM:1-2
- Pattern, GEN:2-17
- /PATTERN option,
  - FORMAT, SUG:4-91
- /PAUSE option,
  - FRUN, SUG:4-100
  - SRUN, SUG:4-169
- PC device handler, SSM:10-34
- PC device handler listing,
  - SSM:A-38
- PC.MAC, GEN:2-6, 8-10
- PC.SYS, GEN:2-3
- PC11 paper tape reader/punch,
  - GEN:8-37
- PD.MAC, GEN:2-6, 8-10
- PD.SYS, GEN:2-3
- PDP-11 FORTRAN Language Reference Manual, DOC:3-12
- PDP-11 Keypad Editor Reference Card, DOC:3-11
- PDP-11 Keypad Editor User's Guide, DOC:3-10
- PDP-11 MACRO-11 Language Reference Manual, DOC:3-11
- PDP-11 processor, GEN:2-42
- PDP-11 word, INT:11-5
- PDP-11/23 processor, GEN:1-8
- PDR, SSM:4-13
- PDT-11, GEN:1-5, SSM:5-3, 5-27, See also intelligent terminal.
- PDT-11 volume, GEN:2-18, 3-1, 8-32
- PDT-11/130 DECTape II cartridge, GEN:1-18
- PDT-11/150 diskette, GEN:1-18, 2-8, 10-1
  
- Peripheral device, GEN:8-5, 8-28
- Peripheral interchange program, See PIP.
- Permanent device names (table), SUG:3-3
- Permanent file, SSM:9-6
- Permanent symbol table,
  - MACRO-11, MAC:3-6, 3-7, C-1 to C-7
- Physical address, SSM:4-2
- Physical address region,
  - SSM:4-22, See also Region.
- Physical address space, SUG:11-28
- Physical address space for program with low memory overlays (figure), SUG:11-29
  
- Physical and virtual address space (figure), SUG:11-30, 11-32
- Physical device names, INT:4-9
- Physical device names (table), SUG:3-3
- Physical unit number, See PUN.
- PIC, MAC:G-1 to G-4,
  - SSM:6-13, 7-2, 7-11
- PIP, GEN:2-14, 2-16, 2-20,
  - SUG:1-6, 7-1
  - building, GEN:C-13
  - calling, SUG:7-1
  - messages, MES:7-116 to 7-120
  - options, SUG:7-3
  - using wildcards in, SUG:7-1
- PIP.SAV, GEN:2-4
- PIPC, SSM:1-2
- PLAS, SSM:4-25
- Platter,
  - RF11, GEN:1-12
- PLOT55,
  - building, GEN:C-19
- PLOT55.OBJ, GEN:2-5
- \$PNAME table, SSM:3-62
- PNAME\$ p-sect, SSM:2-14
- Pocket Guide,
  - RT-11, See RT-11 Pocket Guide.
- Pointer,
  - current location, SUG:5-7
- Polling routines, SSM:5-27
  - for DZ interface, SSM:5-27
- Position command (P),
  - EDIT, SUG:5-23
- Position independent code, See PIC.
- /POSITION option,
  - COPY, SUG:4-38
  - DELETE, SUG:4-50
  - DIRECTORY, SUG:4-70
  
- Power failure, GEN:1-7, 8-27
- Power recovery, GEN:8-27
- PP device handler, SSM:1-2
- PR device handler, SSM:1-2
- PR11 paper tape reader, GEN:8-37
- Preamble section, SSM:7-3
- /PREDELETE option,
  - COPY, SUG:4-40
- Primary bootstrap, GEN:7-2
- Primary driver, SSM:7-51, 7-51
- Primary driver macro, REF:2-31
- PRINT,
  - command (BASIC), INT:10-3
  - keyboard command, GEN:1-13, 2-12, 2-25, 2-48, INT:7-7, SUG:4-133
  - system subroutine, REF:3-84

## INDEX

- \$PRINT command,
  - BATCH, SUG:A-31
- .PRINT MACRO-11 directive,
  - MAC:7-15, B-7
- .PRINT programmed request,
  - REF:2-82
- #PRINT SYSGEN script command,
  - GEN:D-9
- Printer,
  - enabling, INT:4-7
  - line, See Line printer.
  - using a terminal as, SSM:5-6
- /PRINTER option,
  - DIFFERENCES, SUG:4-58
  - DIRECTORY, SUG:4-70
  - DUMP, SUG:4-74
  - HELP, SUG:4-105, INT:4-14
- Printing,
  - characters, GEN:8-22, SSM:5-22
  - deleting input files after,
    - SUG:4-133, 20-5
  - lines, SSM:5-22
  - resuming or restarting,
    - SUG:20-7
  - suppressing banner pages,
    - SUG:4-134, 20-6
  - suspending a job, SUG:20-7
- Printout format,
  - ODT, SUG:21-6
- Priority,
  - assigning job, SSM:3-37
  - device, SSM:6-3
  - job, SSM:3-36
  - lowering, SSM:6-13, 7-14
  - processor, MAC:E-2, SSM:6-3
- Priority level, GEN:1-7
  - ODT, SUG:21-19
- Priority scheme,
  - bootstrap routine's, GEN:2-32
- Priority structure, SSM:6-3
- Priority structure (figure),
  - SSM:6-3
- Private console, SSM:5-5
- Privileged jobs, SSM:4-27, 4-42,
  - SUG:1-5, 11-31
  - background, SSM:4-31, 4-43
  - background (figure), SSM:4-31
  - differences between virtual
    - jobs and, SSM:4-32
  - foreground, SSM:4-31, 4-43
  - foreground (figure), SSM:4-32
  - system, SSM:4-31
  - system (figure), SSM:4-32
- Privileged mapping, SSM:4-26,
  - 6-21
- Processor,
  - BASIC language, INT:10-1
  - FORTRAN IV language, INT:9-1
  - MACRO-11, INT:11-2
- Processor mode,
  - kernel, SSM:4-16
  - user, SSM:4-16
- Processor priority, MAC:E-2,
  - SSM:6-3
- Processor Status word, See PS.
- Program,
  - control of mapping, SSM:4-21
  - controlling execution while
    - debugging, SUG:21-12
  - decreasing size, MES:3-12
  - development, GEN:1-8
  - development system, MAC:8-11,
    - 8-13, 8-14
  - high limit, SSM:4-38
  - how to queue files from,
    - SSM:3-41
  - module, MAC:E-5
  - overlaid, GEN:1-11, 2-10, 2-16,
    - 2-30
  - status, SSM:2-5
  - suspending execution while
    - debugging, SUG:21-11
  - suspension, REF:1-54
  - terminating execution, SUG:3-7
  - termination or suspension,
    - REF:1-23
  - utility, SUG:IV-1
  - version number,
    - See Version identifier.
  - virtual address space (figure),
    - SUG:11-28
- Program counter, INT:11-3,
  - MAC:5-1, E-2, G-4
- Program development, SUG:2-1
- Program development (figure),
  - SUG:2-3
- Program relocation, INT:12-3
- Program section, See p-sect.
- Program section directive,
  - See .PSECT MACRO-11
    - directive.
- Program sections, See P-sect.
- Programmable clock as system
  - clock, GEN:1-5, 1-16, 8-25
- Programmed request, GEN:1-8
  - .CDFN, REF:2-2
  - .CHAIN, REF:2-3, SSM:2-16
  - .CHCOPY, REF:2-5
  - .CLOSE, REF:2-7
  - .CMKT, GEN:1-17, 8-18, REF:2-8
  - .CNTXSW, GEN:8-26, REF:2-9
  - .CRAW, REF:2-11, SSM:4-61
  - .CRRG, REF:2-14, SSM:4-61
  - .CSIGEN, REF:2-15
  - .CSISPC, REF:2-21
  - .CSTAT, REF:2-23
  - .DATE, REF:2-25
  - .DELETE, REF:2-26

## INDEX

### Programmed request, (Cont)

.DEVICE, REF:2-28  
 .DSTATUS, REF:2-36  
 .ELAW, REF:2-38, SSM:4-64  
 .ELRG, REF:2-39, SSM:4-64  
 .ENTER, GEN:2-40, REF:2-39  
 .EXIT, REF:2-42  
 .FETCH, REF:2-44  
 .GMCX, REF:2-48, SSM:4-63  
 .GTIM, REF:2-49  
 .GTJB, REF:2-50  
 .GTLIN, GEN:8-22, REF:2-52  
 .GTLIN (non-terminating),  
   SSM:2-7  
 .GVAL, REF:2-53, SSM:3-47  
 .HERR, REF:2-54  
 .HRESET, REF:2-56  
 .LIMIT, SUG:4-125, 11-49  
 .LOCK, REF:2-58  
 .LOOKUP, REF:2-60  
 .MAP, REF:2-64, SSM:4-62  
 .MFPS, REF:2-65  
 .MRKT, GEN:1-15, 1-17, 8-18,  
   REF:2-67  
 .MTATCH, REF:2-69, SSM:5-20  
 .MTDTCH, REF:2-71, SSM:5-23  
 .MTGET, REF:2-72, SSM:5-21  
 .MTIN, REF:2-75, SSM:5-22  
 .MTOUT, REF:2-76, SSM:5-22  
 .MTPRNT, REF:2-77, SSM:5-22  
 .MTPS, REF:2-65  
 .MTRCTO, REF:2-78, SSM:5-23  
 .MTSET, REF:2-79, SSM:5-21  
 .MTSTAT, REF:2-80, SSM:5-23  
 .MWAIT, REF:2-81  
 .PRINT, REF:2-82  
 .PROTECT, GEN:8-26, REF:2-83  
 .PURGE, REF:2-85  
 .QSET, REF:2-87  
 .RCTRLO, REF:2-89  
 .RCVD, REF:2-90  
 .RCVDC, REF:2-92  
 .RCVDW, REF:2-93  
 .RDBBK, REF:2-94  
 .RDBDF, REF:2-94  
 .READ, REF:2-94  
 .READC, REF:2-98  
 .READW, REF:2-101  
 .RELEASE, REF:2-44  
 .RENAME, REF:2-103  
 .REOPEN, REF:2-104  
 .RSUM, REF:2-124  
 .SAVESTATUS, REF:2-105  
 .SCCA, REF:2-107  
 .SDAT, REF:2-109  
 .SDATC, REF:2-111  
 .SDATW, REF:2-111  
 .SDTTM, REF:2-112  
 .SERR, REF:2-54

### Programmed request, (Cont)

.SETTOP, REF:2-114, SUG:4-125,  
 11-49  
 .SETTOP in XM, SSM:4-38, 4-41,  
 4-43  
 .SETTOP nonXM, SSM:4-40  
 .SFPA, GEN:8-26, REF:2-117  
 .SPCPS, GEN:1-17, 8-20,  
   REF:2-119  
 .SPFUN, REF:2-121, SSM:7-38  
 .SPND, REF:2-124  
 .SRESET, REF:2-126  
 .TLOCK, REF:2-131  
 .TRPSET, REF:2-132  
 .TTINR, REF:2-134  
 .TTOUTR, REF:2-136  
 .TTYIN, REF:2-134  
 .TTYOUT, REF:2-136  
 .TWAIT, REF:2-138  
 .UNLOCK, REF:2-58  
 .UNMAP, REF:2-139, SSM:4-63  
 .UNPROTECT, REF:2-83  
 .WAIT, REF:2-140  
 .WDBBK, REF:2-141  
 .WDBDF, REF:2-142  
 .WRITC, REF:2-144  
 .WRITE, REF:2-143  
 .WRITW, REF:2-145  
 non-file-structured .LOOKUP,  
   SSM:10-19  
 non-file-structured .READ,  
   SSM:10-20  
 non-file-structured .WRITE,  
   SSM:10-20  
 Programmed request error codes,  
 multi-terminal, SSM:5-24  
 XM, SSM:4-65  
 Programmed requests, GEN:1-15,  
   SUG:1-11, II-1  
 allocating system resources,  
   REF:1-17  
 and system jobs, SSM:3-38  
 argument block, REF:1-8  
 argument parameters, REF:2-1  
 command interpretation,  
   REF:1-18  
 conversion, REF:1-28  
 EMT codes, REF:1-3  
 errors, REF:1-12  
 extended memory function,  
   REF:1-24  
 extended memory monitor,  
   REF:1-2  
 file operations, REF:1-18  
 foreground/background  
   communications, REF:1-22  
 foreground/background monitor,  
   REF:1-2  
 format, REF:1-6

## INDEX

- Programmed requests, (Cont)  
   implementation, REF:1-3  
   in interrupt service routines, SSM:6-14  
   initialization and control, REF:1-15  
   input/output operations, REF:1-19  
   introduction to multi-terminal, SSM:5-10  
   introduction to XM, SSM:4-49  
   magtape, SSM:10-4  
   multi-terminal, REF:1-2, SSM:5-20  
   multi-terminal , REF:1-22  
   program termination or suspension, REF:1-23  
   queue elements, REF:2-87  
   reporting status, REF:1-17  
   restrictions in XM, SSM:4-67  
   services, REF:1-1  
   single-job monitor, REF:1-2  
   summary, REF:1-30  
   system control path flow, REF:1-4  
   system job communications, REF:1-24  
   system job support, REF:1-2  
   timer support, REF:1-23  
   use of .MCALL directive, REF:1-6  
   user stack, REF:1-7  
   using, REF:1-14  
   XM, SSM:4-61
- Programmer's Reference Manual, RT-11,  
   See RT-11 Programmer's Reference Manual.
- Programming for specific devices, SSM:10-1
- Programming language, INT:8-1  
   APL, INT:8-3  
   BASIC-11, INT:8-3  
   DIBOL, INT:8-3  
   FORTRAN IV, INT:8-3  
   MACRO-11, INT:8-3
- Programming standard, MAC:E-1
- Programs,  
   utility, SUG:1-5
- PROM/RT-11,  
   description of,  
   See Optional software products.
- Prompt,  
   keyboard command, SUG:4-6  
   keyboard monitor, INT:4-1  
   LINK, SUG:11-50
- /PROMPT option,  
   LIBRARY, SUG:4-116  
   LINK, SUG:4-123  
   PRINT, SUG:4-135
- Prompting characters (table), SUG:6-3
- Prompting sequence for LINK options (table), SUG:4-120
- Prompting sequence of LIBRARY options (table), SUG:4-117
- Prompts,  
   keyboard command, SUG:4-1
- .PROTECT macro , SSM:6-11
- .PROTECT programmed request, GEN:8-26, REF:2-83
- Protected files, GEN:3-12, 4-5, 5-4, 6-6, SSM:9-8
- Protected locations, SSM:3-53
- Protecting files from deletion, SUG:7-15
- Protecting vectors, SSM:6-11
- Protection,  
   low-memory bitmap, SSM:3-52  
   low-memory bitmap (table), SSM:3-53
- /PROTECTION option,  
   RENAME, GEN:3-13, 6-12, 7-10, SUG:4-141
- PS, SSM:2-10, 4-17, 6-4  
   accessing, REF:2-65  
   condition codes, SSM:7-11
- PS (figure), SSM:6-5
- .PSECT MACRO-11 directive,  
   MAC:3-11, 3-13, 3-14, 6-2, 6-3, 6-19, 6-37, 6-38 to 6-45, 7-9, 9-6, B-7, D-1, D-2, E-5, E-7, H-2, SUG:11-4, 11-5
- Pseudo clock, SSM:3-11
- Pseudo devices, SSM:7-19
- PUN, SSM:5-2
- Punched cards,  
   creating BATCH programs on, SUG:A-41
- .PURGE programmed request, REF:2-85
- PURGE system subroutine, REF:3-85
- Pushbutton console emulator, GEN:E-1
- \$PUTBYT monitor routine, SSM:7-45
- PUTSTR system subroutine, REF:3-85
- PUTSTR.FOR, GEN:2-5, 2-11
- \$PUTWRD monitor routine, SSM:7-46
- ### Q
- /Q option,  
   DIR, SUG:9-8  
   LINK, SUG:11-46  
   PIP, SUG:7-15
- /Q p-sect, GEN:2-26
- .QELDF macro, REF:2-86

## INDEX

- .QSET programmed request, REF:2-87
  - Qualifiers, See Options.
  - QUEMAN,
    - calling, SUG:20-2
    - default device, GEN:1-13
    - messages, MES:7-120, 7-121
    - options, SUG:20-3
    - options (table), SUG:20-3
  - QUEMAN.SAV, GEN:2-4, 2-13, 2-48
  - /QUERY option,
    - COPY, GEN:3-10, 4-8, 5-7, 6-8, SUG:4-40
    - DELETE, SUG:4-51
    - FORMAT, SUG:4-91
    - INITIALIZE, SUG:4-108
  - Query option,
    - PIP, SUG:7-15
  - /QUERY option,
    - PRINT, SUG:4-135
    - RENAME, SUG:4-141
    - SQUEEZE, SUG:4-167
    - TYPE, SUG:4-175, INT:17-2
  - Questions,
    - SYSGEN (summary), GEN:A-4
  - Queue,
    - acknowledgment block, SSM:3-45
    - adding an element to the I/O, SSM:3-14
    - completion, SSM:3-17
    - fork, SSM:3-9, 6-15
    - I/O, SSM:3-12
    - size, GEN:1-10
    - timer, SSM:3-10
    - to another device, GEN:2-48
  - QUEUE, GEN:1-7, 1-10, 1-17, 2-13, 2-28, 2-48, SSM:3-35, 3-41, SUG:4-133,
    - See also Queue Package.
    - building, GEN:C-13
    - calling, SUG:20-1
    - deleting work file, SUG:20-6
    - example program, SSM:3-45
    - file block, SSM:3-43
    - halting, SUG:20-4
    - job block, SSM:3-42
    - listing contents of, SUG:20-5
    - messages, MES:7-121, 7-122
    - removing a job from, SUG:20-5
    - request block, SSM:3-44
    - resuming or restarting, SUG:20-7
    - suspending, SUG:20-7
  - Queue element,
    - allocating, SSM:3-12
    - available (figure), SSM:3-14
    - completion, SSM:3-18
    - completion (figure), SSM:3-18, 3-60
    - fork, SSM:6-16
  - Queue element, (Cont)
    - fork (figure), SSM:3-61
    - free, SSM:3-13
    - I/O, SSM:3-12
    - I/O (figure), SSM:3-13, 3-60
    - I/O in XM, SSM:4-59
    - in XM, SSM:7-42
    - offsets, SSM:7-5
    - requirement, REF:1-43
    - summary, SSM:3-59
    - synch, SSM:3-19, 6-15
    - synch (figure), SSM:3-19, 3-61
    - timer, SSM:3-10
    - timer (figure), SSM:3-10, 3-62
  - Queue element offsets,
    - defining, REF:2-87
  - Queue manager, See QUEMAN.
  - QUEUE option,
    - SHOW, SUG:4-165
  - Queue Package, SUG:1-7, 20-1
    - calling, SUG:20-1
    - setting defaults, SUG:20-6
    - work file, SUG:20-1
  - QUEUE work file, GEN:1-10
  - QUEUE.REL, GEN:2-4, 2-13, 2-28, SUG:20-2
  - QUEUE.SYS, SUG:20-2
  - Queued I/O system, SSM:3-11
    - components, SSM:3-11
    - components (figure), SSM:3-12
  - Queuing,
    - internal, SSM:7-20
  - Queuing an I/O request, SSM:3-20
  - Queuing files, SSM:3-35
    - from a program, SSM:3-41
  - Queuing files for printing, SUG:4-133, 20-1
  - QUFILE.TMP, GEN:2-13, SUG:20-1
    - deleting, SUG:20-6
  - /QUIET option,
    - DIFFERENCES, SUG:4-59
- ## R
- R keyboard command, GEN:1-11, SSM:2-16, SUG:4-137
  - R keyboard command (flowchart), SSM:2-18
  - /R option,
    - DIR, SUG:9-9
    - DUP, SUG:8-15
    - LIBR, SUG:12-8
    - LINK, SUG:11-47
    - PIP, SUG:7-14
    - QUEMAN, SUG:20-7
  - R50ASC system subroutine, REF:3-86
  - Race conditions, SSM:6-10
  - .RAD50 MACRO-11 directive,
    - MAC:6-3, 6-27, 6-28, B-7, H-2

## INDEX

- /RAD50 option,
  - DUMP, SUG:4-74
- RAD50 system subroutine, REF:3-86
- Radix control, MAC:3-14, 6-29, 6-31, B-7
  - temporary, MAC:6-29, 6-30, B-3
- .RADIX MACRO-11 directive,
  - MAC:3-14, 6-3, 6-30, 6-31, B-7, D-1
- Radix-50,
  - See also .RAD50 MACRO-11 directive.
  - character set, MAC:A-4, A-5
  - conversion, REF:1-55
  - displaying and entering Radix-50 values with SIPP, SUG:22-8
  - mode (ODT), SUG:21-10
  - temporary operator, MAC:6-28
  - terminators (table), SUG:21-11
- Random-access device, SSM:9-1, SUG:3-5
  - file storage, SSM:9-8
- Random-access device (figure), SSM:9-2
- RCHAIN system subroutine, REF:3-87
- .RCTRLO programmed request, REF:2-89
- RCTRLO system subroutine, REF:3-87
- .RCVD programmed request, REF:2-90
- .RCVDC programmed request, REF:2-92
- .RCVDW programmed request, REF:2-93
- .RDBBK macro , SSM:4-53
- .RDBBK programmed request, REF:2-94
- .RDBDF macro , SSM:4-52
- .RDBDF programmed request, REF:2-94
- Read command (R),
  - EDIT, INT:5-4, SUG:5-15
- Read only memory storage,
  - See ROM Storage.
- Read pass-all mode, SSM:5-18
- .READ programmed request, REF:2-94
- .READC programmed request, REF:2-98
- Reading into memory, REF:2-94
- Reading physical blocks on magtape, SSM:10-14
- README.TXT, GEN:2-4
- .READW programmed request, REF:2-101
- Real time application, GEN:1-8
- Real time data acquisition,
  - GEN:1-7
- Reboot, GEN:3-12, 4-9, 5-8, 6-11
- /RECORD option,
  - COMPILE, SUG:4-30
  - EXECUTE, SUG:4-88
  - FORTTRAN, SUG:4-96
- Recovering data from a device, SSM:9-15
- Recovering deleted files,
  - SUG:4-44, 8-4
- REENTER keyboard command, SUG:4-138
- Region, SSM:4-22,
  - See also Physical address region.
  - creating, SSM:4-61
  - dynamic, SSM:4-24
  - eliminating, REF:2-39, SSM:4-64
  - mapping a window to, SSM:4-62
  - physical address, SSM:4-22
  - static, SSM:4-23
- Region control block, SSM:4-22, 4-53
- Region control block (figure), SSM:4-53
- Region control block (table), SSM:4-54
- Region definition block,
  - SSM:4-22, 4-51
  - defining symbols, REF:2-94
  - symbolic offset names, REF:2-94
- Region definition block (figure), SSM:4-51
- Region definition block (table), SSM:4-52
- Region status word, SSM:4-51
- Region status word (table), SSM:4-52
- Register,
  - accessing general register with ODT, SUG:21-9
  - conventions, MAC:E-8
  - default definitions, MAC:3-10, 6-20
  - expression, MAC:5-2, B-1
  - ODT internal (table), SUG:21-10
  - symbol, MAC:3-10, D-4
  - term indicator, MAC:3-2, B-1
- Register deferred mode, MAC:5-1, 5-2, B-2, G-1
- Register mode, MAC:5-1, 5-2, B-2, G-1
- Registers available in interrupt service routines, SSM:6-18
- Reinitialize, GEN:2-18
- REL,
  - p-sect attribute, SUG:11-4



## INDEX

- REL file, SUG:3-2
  - format, SSM:8-32
  - type, GEN:2-45
  - with overlays, SSM:8-34
  - without overlays, SSM:8-32
- REL file format, SUG:3-2
- Relative branch offset,
  - ODT, SUG:21-9
- Relative deferred mode, MAC:5-1,
  - 5-8, B-2, G-2, G-4
- Relative mode, MAC:5-1, 5-7, 5-8,
  - B-2, G-2, G-4
- .RELEASE programmed request,
  - REF:2-44
- Reloc-code, SUG:11-4
- Relocatable code,
  - specifying highest address, SUG:11-42
  - specifying lowest address used by, SUG:11-40
- Relocatable expression, MAC:3-17
- Relocatable expressions (r),
  - forms of ODT (table), SUG:21-5
- Relocatable file format,
  - SSM:8-32, SUG:3-2
- Relocatable module, MAC:6-40
- Relocatable p-sect, MAC:6-42,
  - 6-43, B-4
- Relocation, MAC:4-1, 6-40
  - ODT, SUG:21-4
  - virtual address, SSM:4-9
- Relocation base,
  - setting, SUG:4-20
- Relocation bias, MAC:2-2, 3-17,
  - 3-18, 4-1, 6-40
- Relocation calculators,
  - ODT, SUG:21-19
- Relocation register commands,
  - ODT, SUG:21-18
- Remote line, GEN:8-6, 8-39, 8-40
- Remote terminal interrupt
  - service, SSM:5-26
- .REMOV graphics macro, REF:A-9
- REMOVE keyboard command,
  - GEN:1-11, 2-32, SUG:4-139
- /REMOVE option,
  - LIBRARY, GEN:2-10, 2-31, SUG:4-116, INT:13-7
- RENAME keyboard command,
  - GEN:2-12, 2-32, 2-33, 3-7, 3-13, 4-5, 5-5, 6-6, 6-12, 7-10, INT:7-5, SUG:4-140
- Rename operations,
  - cassette users, INT:B-5
  - magtape users, INT:B-5
- .RENAME programmed request,
  - REF:2-103
- Renaming files, REF:2-103,
  - SUG:4-140, 7-14
- .REOPEN programmed request,
  - REF:2-104
- Repeat block,
  - directive,
    - See .REPT MACRO-11 directive.
  - indefinite, MAC:7-3, 7-16 to 7-19, B-4, B-6
- REPEAT system subroutine,
  - REF:3-88
- REPLACE command,
  - BASIC, INT:10-14
- /REPLACE option,
  - COPY, SUG:4-40
  - INITIALIZE, GEN:4-3, 5-3, SUG:4-108
  - LIBRARY, SUG:4-117
  - RENAME, SUG:4-141
- Replacement bad blocks, SSM:7-40
- Replacing bad blocks, SUG:4-108,
  - 8-15
- Replacing modules in a library,
  - SUG:4-117, 12-8
- Reporting status, REF:1-17
- .REPT MACRO-11 directive,
  - MAC:7-2, 7-16, 7-18, 7-19, B-7, D-3
- Request block,
  - QUEUE, SSM:3-44
- Requesting a scheduling pass,
  - SSM:3-32
- Requesting a wide listing (LIBR),
  - SUG:12-9
- Requests,
  - programmed,
    - See Programmed requests.
- RESET keyboard command, SUG:4-143
- Reset of errors, GEN:1-12, 2-38
- Resetting CTRL/O, SSM:5-23
- Resident device handlers, GEN:1-8
- Resident Monitor, See RMON.
- Resident monitor size, GEN:1-4
- Resident USR, GEN:1-8
- RESORC, SUG:1-7, 17-1
  - building, GEN:C-14
  - calling, SUG:17-1
  - messages, MES:7-122
  - options, SUG:17-1
  - options (table), SUG:17-2
- RESORC.SAV, GEN:2-4
- Resource listing,
  - current monitor, SUG:4-161, 17-6
  - device assignments, SUG:4-163, 17-5
  - device handler status, SUG:4-161, 17-3
  - hardware configuration, SUG:4-161, 17-4
  - loaded jobs, SUG:4-163, 17-5

## INDEX

- Resource listing, (Cont)
  - software configuration, SUG:4-161, 17-3
  - special features, SUG:4-161, 17-7
  - summary, SUG:4-161, 17-9
  - terminal status, SUG:4-165, 17-8
- Resource program, See RESORC.
- Resources,
  - showing system, SUG:4-160, 17-1
- Response, GEN:D-3
  - default SYSGEN, GEN:9-2, 10-2
  - inappropriate SYSGEN, GEN:9-2, 10-3
- Response time, GEN:1-7, 2-17
- RESTART keyboard command, SSM:2-16
- .RESTORE MACRO-11 directive, MAC:3-11, 3-13, 6-3, 6-19, 6-46, B-7, D-3
- /RESTORE option, INITIALIZE, SUG:4-109
- Restoring an initialized volume, SUG:4-109, 8-17
- Restoring working system, GEN:3-13
- .RESTR graphics macro, REF:A-9
- Restriction,
  - on use of E and D commands, GEN:2-47
- Restrictions,
  - .SYNCH in XM, SSM:6-23
  - completion routines, REF:1-21, 1-38
  - extended memory programmed requests, REF:1-25
  - for interrupt service routines in XM, SSM:6-20
  - for programmed requests in XM, SSM:4-67
  - foreground job, SSM:3-35
  - FORTRAN IV programs, REF:1-43
  - MQ handler, SSM:3-39
  - multi-terminal, SSM:5-28
  - on system generation, GEN:8-2, 8-2, 10-1
  - PAR1, SSM:3-39, 4-66, 6-22
  - PAR2, SSM:3-39, 4-67
  - specifying an overlay structure, SUG:11-23
  - system job, SSM:3-35, 3-39
  - XM, SSM:4-66
- RESUME,
  - keyboard command, SSM:3-40, SUG:4-144
  - system subroutine, REF:3-89
- Retaining .OBJ files, GEN:8-45
- Retry count for errors, SSM:7-12
- Retrying errors at fork level, SSM:7-16
- RETURN key, INT:3-4
- .RETURN MACRO-11 directive, MAC:H-2
- /REVERSE option, DIRECTORY, SUG:4-70
- Rewind, GEN:2-15, 2-17
- Rewinding magtape, SSM:10-18
- RF.MAC, GEN:2-6, 8-10
- RF.SYS, GEN:2-3
- RF11 disk, GEN:1-5, 1-12, 1-18, 2-8, 2-41, 8-32
- Ring buffer, GEN:1-16, 2-49, 8-21, SSM:3-1
  - high-speed, SSM:3-5
  - input, SSM:3-3
  - input (figure), SSM:3-4, 3-5
  - output, SSM:3-2
  - output (figure), SSM:3-2, 3-3
- RJS03/RJS04 disk, GEN:1-5, 1-18, 2-8, 2-24, 8-32
- RJS04 support for RJS03, GEN:1-9, 2-24
- RK device handler listing, SSM:A-1
- RK.MAC, GEN:2-6, 8-10
- RK.SYS, GEN:2-3
- RK05 disk, GEN:1-4, 1-5, 1-18, 2-8, 2-21, 4-3, 5-1, 7-4, 8-32
  - formatting program for (table), GEN:2-23
- RK06 bootstrap loader (table), GEN:E-10
- RK06/07,
  - device handler, SSM:10-35
  - disk, GEN:1-5, 1-18, 2-8, 4-3, 7-4, 8-33
- RK11, See RK05 disk.
  - bootstrap loader (table), GEN:E-8
- RL01,
  - bootstrap loader (table), GEN:E-10
  - disk, GEN:1-5, 1-10, 1-18, 2-8, 4-3, 5-1, 7-4, 8-32
- RL01/02 device handler, SSM:10-37
- RL02 disk, GEN:1-5, 1-18, 2-8, 5-1, 7-4, 8-32
- RMNUSR p-sect, SSM:2-12
- RMON, SSM:2-12, 3-1, 3-22
  - data structures, SSM:3-47
  - fixed offsets, SSM:3-47
  - fixed offsets (table), SSM:3-48
  - p-sect, SSM:2-14
  - size of, SSM:2-39
  - start of, SSM:2-4
- RMON (figure), SSM:2-12

## INDEX

- \$RMON, GEN:2-26, 2-40, 2-48
- RMONFB.MAC, GEN:2-6, 8-10
- RMONSJ.MAC, GEN:2-6, 8-10
- RO,
  - p-sect attribute, SUG:11-4
- ROM storage, GEN:2-27
- RONLY\$, SSM:7-8
- Root,
  - extending p-sect in, SUG:11-41
- Root p-sect,
  - rounding up size, SUG:11-48
- Root segment, SUG:11-2
- #ROPRT SYSGEN script command,
  - GEN:D-10
- /ROUND option,
  - LINK, SUG:4-124
- Routines,
  - completion, REF:1-22, SSM:3-11, 3-17, 3-23
  - FORTTRAN OTS, GEN:2-10
  - how to write interrupt service, SSM:6-1
  - in-line Interrupt service, SSM:6-4
  - language, GEN:2-10
  - multi-terminal polling, SSM:5-27
  - structure of interrupt service, SSM:6-11
- RP02 disk, GEN:1-5, 1-18, 2-8, 7-4, 8-33
- RP03,
  - disk, GEN:1-5, 1-18, 2-8, 2-34, 7-4, 8-33
  - support for RP02, GEN:1-11, 2-34
- \$RQTSW monitor routine, SSM:3-33
- RSTS/E,
  - magtapes from, SSM:10-21
- .RSUM programmed request,
  - REF:2-124
- RSX-11D,
  - magtapes from, SSM:10-22
- RSX-11M,
  - magtapes from, SSM:10-21
- RT-11,
  - communicating with,
    - BATCH, SUG:A-35
    - conditional, GEN:F-1
    - data blocks, SSM:8-4
    - environment, GEN:2-20
    - file formats, SSM:8-1
    - history of, SSM:1-1
    - introduction, INT:1-1
    - Introduction to,
      - See Introduction to RT-11.
      - overview, SUG:I-1
      - software components (table), GEN:2-2
      - software documentation, SUG:1-9
  - RT-11, (Cont)
    - version 1, SSM:1-1
    - version 2, SSM:1-2
    - version 3, SSM:1-2
    - version 4, SSM:1-3
  - RT-11 2780/3780,
    - description of,
      - See Optional software products.
  - RT-11 and DOS/BATCH,
    - transferring files between, SUG:14-3
  - RT-11 and interchange diskette,
    - transferring files between, SUG:14-5
  - RT-11 Installation and System Generation Guide, DOC:3-5
  - RT-11 Master Index, DOC:3-10
  - RT-11 mode,
    - BATCH, SUG:A-34
    - creating BATCH programs, SUG:A-36
    - examples (BATCH), SUG:A-40
  - RT-11 operating system,
    - application packages, INT:1-12
    - device handlers, INT:1-11
    - monitor program, INT:1-11
    - system software, INT:1-10
    - utility programs, INT:1-11
  - RT-11 Pocket Guide, DOC:3-10
  - RT-11 Programmer's Reference Manual, DOC:3-8
  - RT-11 Software Dispatch Review, GEN:2-20, 3-9
  - RT-11 Software Support Manual, DOC:3-9
  - RT-11 System Message Manual, DOC:3-9
  - RT-11 System Release Notes, DOC:3-5
  - RT-11 System User's Guide, DOC:3-7
  - RT-11/FORTTRAN IV Installation Guide, DOC:3-5
  - RT-11/RSTS/E FORTTRAN IV User's Guide, DOC:3-12
  - \$RT11 command,
    - BATCH, SUG:A-31
  - RT11 p-sect, SSM:2-12
  - RT11BL.SYS, GEN:2-2
  - RT11FB.SYS, GEN:2-2
  - RT11SJ.SYS, GEN:2-2
  - RTBL.MAP, GEN:2-4, SSM:2-12
  - RTDATA p-sect, SSM:2-12, 3-47
  - RTFB.MAP, GEN:2-4, SSM:2-12
  - RTPS-11, SSM:1-2
  - RTS PC instruction, SSM:6-18
  - RTSJ.MAP, GEN:2-4, SSM:2-12
  - RUBOUT or DELETE, SUG:5-3
  - RUBOUT or DELETE key, SUG:3-8

## INDEX

- RUN command, INT:9-11
    - BASIC, INT:10-8
  - \$RUN command,
    - BATCH, SUG:A-31
  - RUN keyboard command, GEN:1-11, 3-17, 4-14, 5-13, 6-15, 7-15, INT:11-15, SSM:2-14, SUG:4-145
  - RUN keyboard command (flowchart), SSM:2-17
  - /RUN option,
    - EXECUTE, SUG:4-88
    - LINK, SUG:4-124
  - Run-time overlay handler (figure), SUG:11-20
  - Runnable job,
    - characteristics of, SSM:3-33
  - RW,
    - p-sect attribute, SUG:11-4
  - RX01 diskette, GEN:1-4, 1-5, 1-18, 2-8, 2-18, 3-1, 4-1, 8-29, 10-1
  - RX02 diskette, GEN:1-5, 1-19, 2-8, 2-18, 2-21, 6-1, 8-30, 10-1
    - formatting of, GEN:2-21
  - RX11, See RX01 diskette.
  - RX11 bootstrap loader (table), GEN:E-9
  - RX211, See RX02 diskette.
  - RX211 bootstrap loader (table), GEN:E-11
- S**
- /S option,
    - DIR, SUG:9-9
    - DUP, SUG:8-9
    - LINK, SUG:11-47
    - PIP, SUG:7-13
    - QUEMAN, SUG:20-7
  - Sample,
    - application program, SSM:C-1
    - assembly listing (figure), SUG:10-6
    - backup diskettes (figure), GEN:6-2
    - backup disks (figure), GEN:4-2, 5-2
    - backup magtapes (figure), GEN:7-2
    - backup volumes (figure), GEN:3-2
    - BATCH stream, SUG:A-32
    - cache memory error report (figure), SUG:19-8
    - command syntax illustration (figure), SUG:4-3
    - load map (figure), SUG:11-17
    - Sample, (Cont)
      - load map description (table), SUG:11-17, 11-37
      - memory parity error report (figure), SUG:19-8
      - overlay structure for a FORTRAN program (figure), SUG:11-19
      - report file environment and error count report (figure), SUG:19-10
      - SRCCOM output listing, SUG:15-4
      - storage device error report (figure), SUG:19-7
      - storage device error report analysis (table), SUG:19-7
      - subroutine calls and return paths (figure), SUG:11-23
      - summary error report for device statistics (figure), SUG:19-9
      - summary error report for memory statistics (figure), SUG:19-10
      - text (SRCCOM), SUG:15-3
  - SAV file format, SUG:3-2
  - SAV file,
    - format, SSM:8-30
  - .SAV file,
    - inserting value into word 56, SUG:11-43
  - SAVE command,
    - BASIC, INT:10-13
  - Save command (S),
    - EDIT, SUG:5-30
  - Save image files,
    - patching, See SIPP.
    - patching pre-V04, See PATCH.
  - Save image patch program,
    - See SIPP.
  - SAVE keyboard command, SUG:4-147
  - .SAVE MACRO-11 directive,
    - MAC:6-3, 6-19, 6-45, 6-47, B-7, B-8, D-3
  - Save/set main-line PC and PS programmed request,
    - See .SPCPS programmed request.
  - .SAVESTATUS programmed request,
    - REF:2-105
  - .SBTTL MACRO-11 directive,
    - MAC:6-3, 6-4, 6-15, 6-16, B-8, H-2
  - .SCCA programmed request,
    - REF:2-107
  - SCCA system subroutine, REF:3-89
  - Scheduler, SSM:3-23
  - Scheduler and completion routines, SSM:3-33
  - Scheduler operations, SSM:3-32
  - Scheduling pass, SSM:3-20, 3-32

## INDEX

- Scheme,
  - overlay (figure), SUG:11-20
- SCOMP system subroutine, REF:3-90
- Scope-code, SUG:11-4, 11-5
- SCOPY system subroutine,
  - REF:3-91
- SCR command,
  - BASIC, INT:10-6
- Scratch region,
  - creating in extended memory, SUG:4-125, 11-49
- Screen,
  - difficult to read, GEN:2-28
  - display editor format for 12-inch (figure), SUG:5-35
- Screen values,
  - display (table), SUG:4-109
- SCRIPT,
  - messages,
    - See SYSGEN SCRIPT messages.
- Script command (SYSGEN),
  - #ABBR, GEN:D-3
  - #ASK, GEN:D-3
  - #CALL, GEN:D-5
  - #DECR, GEN:D-5
  - #ENDC, GEN:D-6
  - #ENDS, GEN:D-6
  - #EXIT, GEN:D-6
  - #FILE, GEN:D-7
  - #IF, GEN:D-7
  - #IFF, GEN:D-8
  - #IFGT, GEN:D-7
  - #IFN, GEN:D-7
  - #IFT, GEN:D-8
  - #IFTF, GEN:D-8
  - #INCR, GEN:D-9
  - #NAME, GEN:D-9
  - #PRINT, GEN:D-9
  - #ROPRT, GEN:D-10
  - #SET, GEN:D-11
  - #SUBS, GEN:D-11
- Script file errors (table),
  - GEN:D-12
- Script language,
  - SYSGEN, GEN:D-1
- .SCROL graphics macro, REF:A-9
- Scrolled editing commands,
  - GEN:2-28
- .SDAT programmed request,
  - REF:2-109
- .SDATC programmed request,
  - REF:2-111
- .SDATW programmed request,
  - REF:2-111
- .SDTTM programmed request,
  - REF:2-112
- Search commands,
  - EDIT, SUG:5-21
- SEARCH.TEC, GEN:2-7
- Searches,
  - library (figure), SUG:11-13
  - ODT, SUG:21-25
- SECNDS system subroutine,
  - REF:3-91
- Second controller, GEN:8-29, 8-31
- Second disk and line printer
  - receive system build output (figure), GEN:8-14
- Second RX01 controller, GEN:1-16
- Second RX02 controller, GEN:1-16
- Second terminal configuration
  - word, SSM:5-17
- Second TU58 controller, GEN:1-16
- Secondary bootstrap, GEN:7-2
- Section attributes (table),
  - SUG:11-6
- Sections,
  - cross-reference (table), SUG:4-129
- Segment limits,
  - overlaid program (table), SUG:22-14, 22-15
- Segments,
  - changing number of directory, SUG:8-14
- /SEGMENTS option,
  - INITIALIZE, GEN:2-50, SUG:4-110
- Sequence, GEN:2-17
- \$SEQUENCE command,
  - BATCH, SUG:A-32
- Sequential-access devices,
  - SSM:9-1, 9-22, SUG:3-5
- Serial asynchronous interface,
  - GEN:8-39
- Serial line printer, GEN:1-6, 2-12, 2-33, 2-48, 8-37,
  - See also Line printer.,
  - See also LS:.,
  - See Line printer.
- address, GEN:1-11
- Serial line printer address,
  - GEN:1-11
- Serial line unit, See SLU.
- .SERR programmed request,
  - REF:2-54
- SET command execution, SSM:7-23
- SET command option table,
  - REF:2-34
- SET device conditions and modifications (table),
  - SUG:4-150
- SET keyboard command, GEN:1-11, 2-12, 2-33, 2-34, 2-43, 3-1, 3-10, 4-1, 5-1, 6-1, 6-9, 7-1, SUG:4-149
- SET options,
  - examples, SSM:7-25
  - implementing, SSM:7-22

## INDEX

- SET options status word, SSM:3-8
- SET options status word (table), SSM:3-8
- #SET SYSGEN script command, GEN:D-11
- SET table format, SSM:7-23
- SET TT keyboard command, SSM:3-40
- SET USR SWAP or NOSWAP, SUG:4-158
- SETCMD system subroutine, REF:3-92
- /SETDATE option,
  - COPY, SUG:4-41
  - RENAME, SUG:4-141
- .SETTOP programmed request,
  - extended memory environment, REF:2-116
  - nonXM, SSM:4-40
  - XM, SSM:4-38, 4-41, 4-43, REF:2-114, SUG:4-125
- .SETTOP summary (table), SSM:4-47, 4-49
- .SETTOP summary, SSM:4-46
- SETUP mode, GEN:3-1, 4-1, 5-1, 6-1, 7-1
- Seven-track magtape, SSM:10-22
- Severe status, SSM:2-5
- Severity level codes,
  - error message,
    - See Error message severity level codes.
- .SFPA programmed request, GEN:8-26, REF:2-117
- SHOW JOBS keyboard command, SSM:3-40
- SHOW keyboard command, GEN:2-32, INT:4-11, SUG:4-160
- /SHOW option,
  - COMPILE, SUG:4-30
  - EXECUTE, SUG:4-88
  - FORTRAN, SUG:4-97
  - MACRO, SUG:4-132
- Silo,
  - diskette, SSM:6-2
- /SINCE option,
  - DIRECTORY, SUG:4-70
- Single volume system,
  - copying files with, SUG:7-16
- Single-density diskette,
  - See RX01 diskette.
- Single-density mode,
  - formatting diskettes in, SUG:4-91, 18-5
- Single-instruction mode,
  - commands (ODT) (table), SUG:21-14
  - ODT, SUG:21-14
- Single-job monitor,
  - See SJ monitor.
- /SINGLE DENSITY option,
  - FORMAT, SUG:4-91
- SIPP, GEN:2-23, 3-7, 4-5, 5-5, 6-6, 7-6, SUG:1-8, 22-1
  - advancing in bytes, SUG:22-6
  - backing up through files, SUG:22-6
  - backing up to a previous prompt, SUG:22-11
  - building, GEN:C-14
  - calling, SUG:22-1
  - checksum, SUG:22-15
  - commands, SUG:22-4
  - commands (table), SUG:22-4
  - completing code modifications, SUG:22-12
  - creating SIPP command file, SUG:16-5
  - dialogue, SUG:22-3
  - displaying and entering ASCII values, SUG:22-7
  - displaying and entering Radix-50 values, SUG:22-8
  - entering octal values, SUG:22-7
  - extending files and overlay segments, SUG:22-12
  - messages, MES:7-124 to 7-127
  - options, SUG:22-2
  - options (table), SUG:22-2
  - running from a BATCH stream, SUG:22-17
  - running from an indirect command file, SUG:22-16
  - searching through files, SUG:22-9
  - verifying input, SUG:22-10
- /SIPP option,
  - DIFFERENCES, SUG:4-59
- SIPP.SAV, GEN:2-4
- Size,
  - components, SSM:2-38, 2-39
  - default directory (table), SUG:4-110
  - device handlers, SSM:2-39
  - distributed components (table), SSM:2-38
  - EDIT's text window, GEN:2-28
  - files, SSM:9-12
  - KMON, SSM:2-39
  - LINK's library module list, GEN:2-27
  - RMON, SSM:2-39
  - USR, SSM:2-39
- SJ,
  - completion routines, SSM:3-18
  - considerations for the completion queue, SSM:3-18
  - keeping the USR resident in, SSM:2-30

## INDEX

- SJ, (Cont)
  - systems without timer service, SSM:3-9
  - timer support, GEN:8-18
- SJ monitor, GEN:1-3, 1-7, 2-32, 2-38, 8-17, REF:1-2
  - device support for, GEN:1-7
  - duplicating standard, GEN:A-3
  - exercise, GEN:3-14, 4-11, 5-10, 6-13, 7-13
  - halts, See System failures.
  - impure area, SSM:3-55
  - link map for, GEN:H-5
  - looping, See System failures.
  - memory requirement, SUG:1-3
- SJ.MAC, GEN:2-6, 8-10
- /SLOWLY option,
  - COPY, SUG:4-41
  - LINK, SUG:4-124
- SLP, GEN:2-42, 3-7, 4-6, 5-5, 6-6, 7-7, SUG:1-8, 24-1
  - building, GEN:C-14
  - calling, SUG:24-1
  - example, SUG:24-3
  - messages, MES:7-127 to 7-130
  - options, SUG:24-2
  - options (table), SUG:24-2
- SLP command file,
  - adding lines to a file, SUG:24-6
  - creating, SUG:15-7, 24-4
  - creating a numbered listing, SUG:24-6
  - deleting lines in a file, SUG:24-8
  - operators (table), SUG:24-4
  - replacing lines in a file, SUG:24-9
  - update line format, SUG:24-4
- /SLP option,
  - DIFFERENCES, SUG:4-59
- SLP.SAV, GEN:2-4
- SLU, SSM:5-3
- Small device, GEN:2-18
- Smallest monitor, GEN:1-7
- Soft error codes, REF:2-55
- Soft errors,
  - logging, SSM:7-35
- Software,
  - altering (distributed), GEN:2-23
  - bootstrap,
    - writing, SSM:7-52
  - concepts (XM), SSM:4-20
  - distribution kit, GEN:2-2
  - documentation (RT-11), SUG:1-9
  - kit, GEN:1-1, 2-10, 2-20, 2-33, 2-36, 3-1
  - kit map, GEN:2-7, G-1
  - Software configuration,
    - resource listing, SUG:4-161, 17-3
  - Software errors discovered since release, GEN:2-20, 3-7, 4-5, 5-5, 6-6, 7-6
  - Software manuals, INT:1-13
  - Software Performance Report, See SPR.
  - Software products,
    - optional, See Optional software products.
  - Software reset, REF:2-126
  - Software Support Manual,
    - RT-11, See RT-11 Software Support Manual.
  - Sort categories,
    - directory listing (table), SUG:4-69
  - /SORT option,
    - DIRECTORY, SUG:4-71
  - SORT.TEC, GEN:2-7
  - Source comparison program, See SRCCOM.
  - Source files, GEN:2-5, 2-13, 8-2, 8-9, 9-4, 9-7, 10-4, 10-9
    - creating a patch for, SUG:15-7, 24-4
    - on second disk for system build (figure), GEN:8-13
    - required for system build (table), GEN:8-9
  - Source input device, GEN:8-9, 8-44
  - Source language patch program, See SLP.
  - Source listings, INT:1-14
  - Source patch, GEN:2-20, 3-7, 4-5, 5-5, 6-6, 7-6
  - Space considerations for system jobs, SSM:3-38
  - Space limitations, GEN:2-7
  - /SPACES option,
    - DIFFERENCES, SUG:4-59
  - .SPCPS programmed request, GEN:1-17, 8-20, REF:2-119
  - Special features, GEN:8-5
    - resource listing, SUG:4-161, 17-7
  - Specification field options (table), SUG:A-7
  - Specifications,
    - file type, SUG:4-5
  - SPECL\$, SSM:7-8
  - .SPFUN programmed request, REF:2-121, SSM:7-38
  - SPFUN\$, SSM:7-7

## INDEX

- .SPND programmed request, REF:2-124
- SPND\$, SSM:3-30
- SPR, GEN:8-11, 9-7, 9-9, 10-12, MES:1-1
- SQU.TEC, GEN:2-7
- SQUEEZE keyboard command, GEN:2-18, 3-4, 3-12, 4-4, 4-9, 5-4, 5-8, 6-4, 6-11, 7-10, SUG:4-167
- Squeezing a device, SUG:4-167, 8-9
- SRC:, GEN:8-8, 8-45
- SRCCOM, GEN:2-24, SUG:1-7, 15-1 building, GEN:C-15 calling, SUG:15-1 characters for insertions and deletions, GEN:1-9 messages, MES:7-130, 7-131 options, SUG:15-2 options (table), SUG:15-2 output format, SUG:15-3 sample output listing, SUG:15-4 sample text, SUG:15-3
- SRCCOM.SAV, GEN:2-4
- .SRESET programmed request, REF:2-126
- SRUN, default device, GEN:I-3 default file type, GEN:I-3 SRUN keyboard command, GEN:I-3, SSM:2-22, 3-39, SUG:4-169
- Stack, foreground, SSM:2-26
- Stack address, specifying in link, SUG:11-44
- Stack after \$ENSY, SSM:3-27
- Stack after \$INTEN, SSM:3-26
- /STACK option, LINK, SUG:4-124
- Stack overflow causing system failure, See System failures.
- Stack pointer, MAC:E-2, SUG:11-3 definition, MAC:3-10 initial value, SSM:2-3
- STACK\$ p-sect, SSM:2-14
- Standard monitor, GEN:1-4, 2-32, 2-43 duplicating, GEN:A-1 link map for, GEN:H-1
- Standard size line printer paper, GEN:2-37
- Start address, job, SSM:2-3 module, SUG:11-47 p-sect in root, SUG:11-49 .START graphics macro, REF:A-10 START keyboard command, SSM:2-14, SUG:4-171
- Start of RMON, SSM:2-4
- /START option, COPY, SUG:4-41 CREATE, SUG:4-45 DIFFERENCES, SUG:4-59 DIRECTORY, SUG:4-71 DUMP, SUG:4-74 STARTF.COM, GEN:2-4, SUG:4-15
- Starting a data transfer, SSM:7-12
- Starting a loaded program, SUG:4-171
- Starting the system, INT:B-1, SUG:3-1
- STARTS.COM, GEN:2-4, SUG:4-15
- Startup indirect command file, GEN:1-5, 1-9, 1-12, 2-13, 2-15, 2-25, 2-43, 8-25, SUG:3-2, 4-15 echo, GEN:2-43
- STARTx.COM, GEN:2-13, SUG:4-15
- .STAT graphics macro, REF:A-10
- \$STAT table, SSM:3-63
- STAT\$ p-sect, SSM:2-14
- Static region, SSM:4-23
- Static window, SSM:4-24
- Statistical record of errors, GEN:1-15
- /STATISTICS option, COMPILE, SUG:4-30 EXECUTE, SUG:4-88 FORTRAN, SUG:4-97
- Status information, channels, REF:2-23 devices, REF:2-36 multi-terminal system, REF:2-80 system jobs, REF:2-50, 3-8 terminal unit, REF:2-72 window mapping, REF:2-48
- Status registers, XM, SSM:4-16
- Status word, SET options, SSM:3-8 SET options (table), SSM:3-8
- STB file format, SSM:8-24
- .STOP graphics macro, REF:A-11
- Stopping foreground program, GEN:3-19, 4-16, 5-15, 6-18, 7-18
- Stopping in-progress I/O transfers, REF:2-56, SSM:6-12
- Stopping the system, INT:B-1
- Storage, GEN:8-8
- Storage device error report, SUG:4-164, 19-6
- Storage medium, INT:1-5
- Storage volumes, INT:2-4, 3-4, 3-8
- Storing volume identification, SUG:8-15



## INDEX

- Stream ASCII file format, SSM:8-34
- STRPAD system subroutine, REF:3-93
- SUB command,
  - BASIC, INT:10-4
- SUB instruction, MAC:E-12
- Subconditional assembly, MAC:6-52, 6-53, 6-54
- Subroutine,
  - adding to a module, SUG:23-6
  - application, GEN:2-10
  - register usage, REF:1-46
  - system, GEN:2-10
- Subroutines,
  - adding to SYSLIB, GEN:1-9
- #SUBS SYSGEN script command, GEN:D-11
- Substituting volumes during operations, INT:8-6
- SUBSTR system subroutine, REF:3-94
- Success status, SSM:2-5
- Success/failure indicator, MAC:E-9
- Suffix,
  - device handler, SSM:3-51
- Summary,
  - .SETTOP action, SSM:4-46
  - .SETTOP action (table), SSM:4-47, 4-49
- BASIC editing commands, INT:10-7
- BASIC execution commands, INT:10-12
- commands to run FORTRAN programs, INT:9-13
- comparison commands, INT:6-5
- editing commands, INT:5-13
- file maintenance commands, INT:7-8
- immediate mode editing commands, INT:5-16
- initial monitor commands, INT:4-16
- keyboard commands and utility program options, SUG:B-1
- macro calls, SSM:6-17
- macro calls (table), SSM:6-17
- multi-terminal activities, SSM:5-10
- multi-terminal activities (table), SSM:5-10
- operations for separate assemblies, GEN:10-11
- queue elements, SSM:3-59
- utility program options, SUG:B-13
- XM activities, SSM:4-50
- XM activities (table), SSM:4-50
- Summary error report, SUG:4-164, 19-9
  - for device statistics (sample) (figure), SUG:19-9
- /SUMMARY option, DIRECTORY, SUG:4-71
- Summary resource listing, SUG:17-9
- Suppressing confirmation message, SUG:4-40, 4-51, 4-108, 4-168, 8-13
- Suppressing printing of banner pages, SUG:20-6
- Suppressing terminal output, SUG:3-7
- SUSPEND keyboard command, SSM:3-40, SUG:4-172
- Suspended job,
  - resuming, SUG:4-144
- Suspending execution of a job, REF:2-81, 2-138, 2-140, SUG:4-172
- Suspending program execution while debugging, SUG:21-11
- SUSPND system subroutine, REF:3-94
- SWAP,
  - building, GEN:C-15
- /SWAP option,
  - COMPILE, SUG:4-30
  - EXECUTE, SUG:4-88
  - FORTRAN, SUG:4-97
- SWAP.SYS, GEN:2-3, 2-9, 3-11, 8-28, SSM:2-16
- Swapping the USR, REF:1-14, 1-40, SSM:2-30
- Switch,
  - CONTINUE, GEN:2-39
  - DEPOSIT, GEN:2-22
  - ENABLE/HALT, GEN:2-22
  - EXAM, GEN:2-22
  - LOAD ADDRESS, GEN:2-22
  - START, GEN:2-22
- Switch register, GEN:2-22, 2-38, E-1
- Switches, See Options.
  - function control, See Function control options.
  - listing control, See Listing control options.
- Switching to system state
  - asynchronously, SSM:3-25
- Switching to system state
  - synchronously, SSM:3-27
- Switching to user state, SSM:3-28
- SY:, GEN:1-11, 2-34
- SYCND, GEN:10-9, SSM:7-58
- SYCND.BL, GEN:2-6
- SYCND.DIS, GEN:2-6
- SYCND.HD, GEN:2-6

## INDEX

- SYCND.MAC, GEN:8-2, 8-10, 9-5, 9-7  
 .SYG files,  
     renaming, GEN:9-7, 9-9, 10-12  
 .SYG, GEN:9-7, 9-9, 10-12  
 Symbol name syntax, MAC:E-3  
 Symbol table, INT:11-4, 11-10,  
     MAC:1-1, 1-2, F-1  
 Symbol table definition file,  
     SUG:4-119  
     format, SSM:8-24  
 Symbolic references,  
     resolving, INT:12-2  
 /SYMBOLTABLE option,  
     LINK, SUG:4-124  
 .SYNC graphics macro, REF:A-11  
 Synch, See .SYNCH macro.  
 Synch block, SSM:6-15  
 .SYNCH considerations for the  
     completion queue, SSM:3-18  
 .SYNCH macro,  
     in XM, SSM:6-23  
     summary (table), SSM:6-17  
     summary, SSM:6-17  
 .SYNCH macro , SSM:6-14  
 .SYNCH macro, REF:2-127  
 Synch queue element, SSM:3-19  
 Synch queue element (figure),  
     SSM:3-19, 3-61  
 .SYNCH, See also Synch.  
 Synchronous I/O, REF:1-19  
 Synchronous system trap vectors,  
     SSM:4-67  
 Synchronous system trap vectors  
     (table), SSM:4-67  
 Synchronous system traps in XM,  
     SSM:4-67  
 Syntax,  
     CSI file specification, SUG:6-1  
     EDIT command string, SUG:5-6  
     keyboard command, INT:4-2,  
         SUG:4-1  
     sample command (figure),  
         SUG:4-3  
 SYSBLD.COM, GEN:8-3  
 SYSCOM,  
     See System communication  
     area.  
 SYSGEN,  
     altering, GEN:D-1  
     answers that create example  
         SYSGEN session, GEN:B-1  
     answers that duplicate standard  
         monitors, GEN:A-1  
     answers to create an example  
         multi-terminal system,  
         GEN:B-2  
     building, GEN:C-15  
     dialogue, GEN:1-14, 8-7  
 SYSGEN, (Cont)  
     error message (table), GEN:9-3,  
         10-3  
     input and output files  
         (figure), GEN:8-4  
     messages, MES:7-131, 7-132  
     options, See Special features.  
     prompt, GEN:9-2, 10-2  
     questions (summary), GEN:A-4  
     word, SSM:3-54  
 SYSGEN (table), SSM:3-55  
 SYSGEN options,  
     See Special features.  
 SYSGEN SCRIPT,  
     messages, MES:7-123, 7-124  
 SYSGEN script file errors  
     (table), GEN:D-12  
 SYSGEN script language, GEN:D-1  
 SYSGEN script messages, GEN:D-12,  
     MES:7-122  
 SYSGEN.CND, GEN:2-4, 8-2, D-5  
 SYSGEN.SAV, GEN:2-4, 8-2, 8-15,  
     9-1, 10-2  
 SYSLIB, INT:9-3, MAC:F-4,  
     SUG:1-11  
     adding subroutines to, GEN:1-9  
     conversion calls, REF:1-55  
     messages, MES:7-132  
 SYSLIB-FORTRAN callable  
     subprograms, SUG:1-11  
 SYSLIB.OBJ, GEN:1-11, 2-5, 2-10,  
     2-30, 2-35  
 SYSMAC, See System macro library.  
 SYSMAC.MAC, GEN:2-5  
 SYSMAC.SML, GEN:2-4, 2-12  
 SYSTBL.BL, GEN:2-6  
 SYSTBL.CND, GEN:2-4, 8-2  
 SYSTBL.DIS, GEN:2-7  
 SYSTBL.MAC, GEN:8-2, 8-10, 9-5,  
     9-7, SSM:5-1  
 System build, GEN:9-9  
     diskettes, GEN:10-6  
     errors (table), GEN:9-6, 10-13  
     indirect command files,  
         GEN:9-7, 10-4  
     option, GEN:8-44  
     performing assemblies  
         separately, GEN:10-9  
     procedure, GEN:8-7  
     using MONBLD and DEVBLD to  
         perform, GEN:9-7  
     using SYSBLD to perform,  
         GEN:9-4  
 System clock, GEN:1-16, 8-25  
     programmable clock as,  
         GEN:1-5  
 System communication, SUG:II-1  
 System communication area,  
     REF:1-3, SSM:2-3, SUG:11-3

## INDEX

- System communication area (figure), SSM:2-3
- System communication area (table), SSM:2-3
- System components, SSM:2-1
- System conditional, GEN:F-1
- System conventions, SUG:3-1
  - addressing modes, REF:1-10
  - blank arguments, REF:1-9
  - channels and channel numbers, REF:1-11
  - device blocks, REF:1-11
  - keyword macro arguments, REF:1-11
  - programmed request errors, REF:1-12
  - programmed request format, REF:1-6
  - USR requirement, REF:1-12
- System developmenet, GEN:1-8
- System device, GEN:1-11, 1-18, 2-10, 2-14, 2-15, 2-18, 3-11, 8-8
  - valid, GEN:8-28
- System device handler, GEN:2-10, 2-19, 3-11, SSM:2-11, 7-50
- System device handler (figure), SSM:2-12
- System device I/O error, GEN:1-7
- System device requirements, GEN:1-7
- System devices,
  - back up, INT:B-3
- System documentation,
  - hardware manuals, INT:1-13
  - software manuals, INT:1-13
  - source listings, INT:1-14
- System failures, MES:4-13, 4-14
  - BL and SJ monitor looping, MES:4-20, 4-21
  - BL monitor halts, MES:4-15
  - failures that cause a return to the keyboard monitor, MES:4-14
  - failures that cause program looping, MES:4-19
  - FB and XM monitor halts, MES:4-17, 4-18
  - FB and XM monitor looping, MES:4-21
  - handler looping, MES:4-21
  - monitor halts, MES:4-14, 4-15
  - SJ monitor halts, MES:4-16, 4-17
  - stack overflow, MES:4-19
  - USR swapping, MES:4-18
- System files,
  - deleting, SUG:4-51
  - operating on, SUG:4-142, 7-13
  - renaming, SUG:4-142
- System generation, GEN:8-2
  - altering command files, GEN:9-4
  - automatic, GEN:8-2, 8-8
  - conditionals, SSM:7-4
  - dialogue, GEN:8-15
  - features word, SSM:3-54
  - features word (table), SSM:3-55
  - files, GEN:2-4
  - introduction to, GEN:1-1
  - introduction to (flowchart), GEN:1-2
  - manual, GEN:8-2, 8-15
  - on disk system, GEN:9-1
  - process, GEN:8-1
  - process (figure), GEN:8-3
  - questions, GEN:8-15
  - requirements for, GEN:8-2
  - restrictions on, GEN:8-2
  - survey, GEN:8-2
  - worksheet, GEN:8-47
- System generation command file, invoking, GEN:9-8
- System Generation Guide,
  - See RT-11 Installation and System Generation Guide.
- System halt, GEN:1-7, 1-17, 2-39
- System hardware components, INT:1-1, SUG:1-1
- System I/O error message, GEN:1-5, 1-16
- System jobs, GEN:1-17, 2-13, 2-28, 8-19, 8-27, I-3, SSM:2-20, 3-35, SUG:1-7, V-1
  - assigning a terminal to, SUG:4-170
  - characteristics of, SSM:3-36
  - communicating with, SSM:3-8, 3-40
  - communications, REF:1-24
  - design considerations for, SSM:3-37
  - directing control to, SUG:3-8
  - executing, SUG:4-169
  - file type of, SSM:3-36
  - inter-job communications, REF:2-90, 2-109, 3-34, 3-45
  - keyboard commands and, SSM:3-39
  - message handling and, SSM:3-38
  - privileged, SSM:4-31
  - privileged (figure), SSM:4-32
  - programmed requests and, SSM:3-38
  - restrictions of, SSM:3-35, 3-39
  - scheduling considerations and, SSM:3-37
  - space considerations and, SSM:3-38
  - starting, SSM:2-24
  - status information, REF:2-50, 3-8

## INDEX

- System jobs, (Cont)
  - support, GEN:1-5, REF:1-2
  - unloading, SUG:4-176
  - USR swapping considerations
    - for, SSM:2-37
  - virtual, SSM:4-27, 4-46
  - virtual (figure), SSM:4-30
- System library,
  - building, GEN:C-15
- System macro library, GEN:2-12,
  - INT:11-11, MAC:1-1, 7-19, 8-6, 8-10, 8-12, 9-3, 9-5, REF:1-1, SUG:1-11,
  - See also .MCALL MACRO-11 directive., See SYSMAC.
  - building, GEN:C-17
- System Macro Library listing, REF:B-1
- System manager,
  - use of manuals, DOC:2-3
- System messages, MES:7-55
- System monitors, SUG:1-2
- /SYSTEM option,
  - COPY, SUG:4-41
  - DELETE, SUG:4-51
  - RENAME, GEN:2-12, SUG:4-142
- System program/keyboard command equivalents (table), SUG:B-13
- System resources,
  - complete listing, SUG:4-161, 17-2
  - showing, SUG:4-160, 17-1
- System response time, GEN:1-7, 2-17
  - slow, GEN:2-17
- System services,
  - obtaining, SUG:1-9
- System software, INT:1-9
  - language processors, INT:1-12
- System software components, SUG:1-2
- System software error, GEN:2-20
- System source file, GEN:8-9
- System state, SSM:3-20, 3-24
  - switching asynchronously, SSM:3-25
  - switching synchronously, SSM:3-27
- System state (figure), SSM:3-26
- System status,
  - obtaining, SSM:5-23
- System subroutine, GEN:2-10
  - AJFLT, REF:3-1
  - CHAIN, REF:3-1
  - CLOSEC, REF:3-2
  - CONCAT, REF:3-4
  - CVTTIM, REF:3-5
  - DEVICE, REF:3-5
  - DJFLT, REF:3-6
  - GETSTR, REF:3-7
- System subroutine, (Cont)
  - GTIM, REF:3-8
  - GTJB, REF:3-8
  - GTLIN, REF:3-10
  - IADDR, REF:3-11
  - IAJFLT, REF:3-11
  - IASIGN, REF:3-12
  - ICDFN, REF:3-13
  - ICHCPY, REF:3-14
  - ICLOSE, REF:3-2
  - ICMKT, REF:3-15
  - ICSI, REF:3-16
  - ICSTAT, REF:3-18
  - IDelet, REF:3-19
  - IDJFLT, REF:3-20
  - IDSTAT, REF:3-21
  - IENTER, REF:3-21
  - IFETCH, REF:3-23
  - IFREEC, REF:3-24
  - IGETC, REF:3-24
  - IGETSP, REF:3-25
  - IGTJB, REF:3-8
  - IJCVT, REF:3-26
  - ILUN, REF:3-27
  - INDEX, REF:3-27
  - INSERT, REF:3-28
  - INTSET, REF:3-28, SSM:6-18
  - IPEEK, REF:3-30
  - IPEEKB, REF:3-30
  - IPOKE, REF:3-31
  - IPOKEB, REF:3-31
  - IQSET, REF:3-32
  - IRAD50, REF:3-33
  - IRCVD, REF:3-34
  - IRCVDC, REF:3-34
  - IRCVDF, REF:3-35
  - IRCVDW, REF:3-36
  - IREAD, REF:3-36
  - IREADC, REF:3-38
  - IREADF, REF:3-39
  - IREADW, REF:3-40
  - IRENAM, REF:3-41
  - IREOPN, REF:3-42
  - ISAVES, REF:3-43
  - ISCHED, REF:3-44
  - ISCOMP, REF:3-90
  - ISDAT, REF:3-45
  - ISDATC, REF:3-46
  - ISDATF, REF:3-47
  - ISDATW, REF:3-47
  - ISLEEP, REF:3-48
  - ISPFN, REF:3-48
  - ISPFNC, REF:3-50
  - ISPFNF, REF:3-51
  - ISPFNW, REF:3-53
  - ISPY, REF:3-54
  - ITIMER, REF:3-55
  - ITLOCK, REF:3-56
  - ITTINR, REF:3-57
  - ITTOUR, REF:3-57

## INDEX

### System subroutine, (Cont)

ITWAIT, REF:3-59  
 IUNTIL, REF:3-60  
 IWAIT, REF:3-61  
 IWRITC, REF:3-62  
 IWRITE, REF:3-61  
 IWRITEF, REF:3-63  
 IWRITW, REF:3-64  
 JADD, REF:3-64  
 JAFIX, REF:3-65  
 JCMP, REF:3-65  
 JDFIX, REF:3-66  
 JDIV, REF:3-67  
 JICVT, REF:3-67  
 JJCVT, REF:3-68  
 JMOV, REF:3-68  
 JMUL, REF:3-69  
 JSUB, REF:3-70  
 JTIME, REF:3-70  
 LEN, REF:3-71  
 LOCK, REF:3-72  
 LOOKUP, REF:3-73  
 MRKT, REF:3-76  
 MTATCH, REF:3-76  
 MTDTCH, REF:3-79  
 MTGET, REF:3-79  
 MTIN, REF:3-80  
 MTOUT, REF:3-81  
 MTPRNT, REF:3-81  
 MTRCTO, REF:3-82  
 MTSET, REF:3-82  
 MTSTAT, REF:3-83  
 MWAIT, REF:3-84  
 PRINT, REF:3-84  
 PURGE, REF:3-85  
 PUTSTR, REF:3-85  
 R50ASC, REF:3-86  
 RAD50, REF:3-86  
 RCHAIN, REF:3-87  
 RCTRLO, REF:3-87  
 REPEAT, REF:3-88  
 RESUME, REF:3-89  
 SCCA, REF:3-89  
 SCOMP, REF:3-90  
 SCOPY, REF:3-91  
 SECNDS, REF:3-91  
 SETCMD, REF:3-92  
 STRPAD, REF:3-93  
 SUBSTR, REF:3-94  
 SUSPND, REF:3-94  
 TIMASC, REF:3-95  
 TIME, REF:3-96  
 TRANSL, REF:3-97  
 TRIM, REF:3-98  
 UNLOCK, REF:3-99  
 VERIFY, REF:3-99  
 System subroutine library,  
     REF:1-1  
     capabilities, REF:1-36  
     channel numbers, REF:1-37

### System subroutine library, (Cont)

    completion routines, REF:1-37  
     device blocks, REF:1-39  
     FORTRAN IV restrictions,  
         REF:1-43  
     INTEGER\*4 support, REF:1-55  
     INTEGER\*4 support , REF:1-39  
     queue element requirement,  
         REF:1-43  
     system conventions, REF:1-37  
     using, REF:1-35  
     USR requirements, REF:1-40  
 System subroutine summary,  
     REF:1-59  
 System subroutines, REF:3-1  
 System tables,  
     removing a device from,  
         SUG:4-139  
 System throughput, GEN:2-49  
 System utility programs,  
     See Utility program.  
 System volume, See System device.  
     creating a bootable, SUG:4-34,  
         8-11  
 System volumes,  
     representative, INT:2-4  
 System-wide definitions, GEN:8-2  
 Systems with timer service,  
     SSM:3-9  
 \$\$SYSWT monitor routine  
     (flowchart), SSM:3-32  
 \$\$SYSWT monitor routine, SSM:3-31

## T

/T option,  
     DUP, SUG:8-10  
     GT, SUG:4-109  
     LINK, SUG:11-47  
     PIP, SUG:7-13  
     RESORC, SUG:17-8  
 T.CNF2 word, SSM:5-17  
 T.CNFG word, SSM:5-15  
 T.STAT word, SSM:5-18  
 Tall cassette, GEN:1-6, 1-12,  
     8-36  
 TAB key, INT:3-4, SUG:5-3  
 Table,  
     cross-reference (figure),  
         SUG:10-12  
 Table in DUP, GEN:2-50  
 Table of contents, MAC:6-12,  
     6-16, B-8  
 Tables,  
     adding a device to, SSM:3-65  
     monitor device, SSM:3-62  
 Tape mark,  
     writing, SSM:10-18  
 Target application, GEN:8-5

## INDEX

- Target system, GEN:1-17, 1-18, 8-4
- Task builder, See Linker.
- TC11 bootstrap loader (table), GEN:E-8
- TC11 DECTape, GEN:8-32
- TCB, GEN:8-2, SSM:5-1, 5-11
  - contents (table), SSM:5-13
  - format (figure), SSM:5-12
  - patching, SSM:5-18
- TECO, DOC:2-4, GEN:2-14, SSM:1-2, SUG:4-151
  - building, GEN:C-18
  - macro, GEN:2-14
- /TECO option,
  - EDIT, GEN:1-13, 2-47, SUG:4-81
- TECO.INI, GEN:2-7
- TECO.SAV, GEN:2-7
- TECO.TEC, GEN:2-7
- Teleprinter listing format,
  - MAC:6-7, 6-8, 6-12,
  - See also Listing control.
- Temporary files,
  - BATCH, SUG:A-9
- Temporary storage, GEN:2-9
- Temporary work file, GEN:2-13
  - MACRO-11 assembler, SUG:10-3
- Term,
  - definition of, MAC:3-16
- Terminal, GEN:1-4, 1-7, 1-9, 1-16, 2-25, 2-29, INT:1-3
  - as default output device
  - instead of line printer, GEN:2-25
  - assigning to a foreground job, SUG:4-100
  - assigning to a system job, SUG:4-170
  - attaching, SSM:5-20
  - configuration, SSM:5-3
  - console, SSM:5-4
  - detaching, SSM:5-23
  - hard copy, SSM:5-6
  - I/O limitations, SSM:3-6
  - intelligent, GEN:1-5, 1-7, 2-12, 3-1, 8-32
  - interface options, GEN:8-39
  - LA30S DECwriter, GEN:2-29
  - local, SSM:5-26
  - older, GEN:2-29
  - output, GEN:2-49
  - output buffer, GEN:1-14
  - remote, SSM:5-26
  - service, GEN:2-20, SSM:3-1
  - setting characteristics, SSM:5-21
  - special mode, SSM:3-4
  - switching, SSM:5-5
  - using as a printer, SSM:5-6
  - video, GEN:2-13, SSM:5-6
- Terminal, (Cont)
  - VT05, GEN:1-10, 2-29
  - VT100, GEN:3-1, 4-1, 5-1, 6-1, 7-1, 8-22
  - VT11/VS60 graphic display, GEN:1-7, 2-14
    - with nonstandard ESCAPE code, GEN:2-29
  - B line length, SSM:3-6
  - Terminal configuration word, SSM:5-15
    - second, SSM:5-17
  - Terminal control block, See TCB.
  - Terminal device conditions,
    - setting, SUG:4-156
  - Terminal input/output, REF:1-21
  - Terminal interrupt,
    - ODT, SUG:21-26
  - /TERMINAL option,
    - DIFFERENCES, SUG:4-59
    - DIRECTORY, SUG:4-71
    - DUMP, SUG:4-74
    - FRUN, SUG:4-100
    - HELP, SUG:4-105
    - SRUN, SUG:4-170
  - Terminal output,
    - discarding, SSM:3-7
    - restarting, SSM:3-7
    - resuming, SUG:3-8
    - suppressing, SUG:3-7
    - suspending, SSM:3-7, SUG:3-8
  - Terminal status,
    - obtaining, SSM:5-21
    - resource listing, SUG:4-165, 17-8
  - Terminal status word, SSM:5-18
  - TERMINALS option,
    - SHOW, SUG:4-165
  - Terminating a program, REF:2-42
  - Terminating directive,
    - See .END MACRO-11 directive.
  - Terminating input, SUG:3-8
  - Terminating program execution,
    - SUG:3-7
  - Terminating the MACRO-11 assembler, SUG:10-3
  - Termination section, SSM:7-18
  - Terminators,
    - ASCII (table), SUG:21-20
    - Radix-50 (table), SUG:21-11
  - TEST55.FOR, GEN:2-5
  - Testing a device handler,
    - SSM:7-65
  - Testing working system, GEN:3-13, 4-11, 5-9, 6-12, 7-12
  - Text editor, GEN:2-46
    - character-oriented, GEN:2-14
    - cursor-oriented, GEN:2-14
    - EDIT, GEN:1-10, 2-13, 2-20, 2-28, SUG:1-5, 4-79, 5-1

## INDEX

- Text editor, (Cont)
  - text window in, GEN:2-28
  - K52, GEN:2-14, SSM:1-3, SUG:1-5, 4-79, 4-151
  - KED, GEN:2-14, SSM:1-3, SUG:1-5, 4-79, 4-151
  - TECO, DOC:2-4, GEN:2-14, SSM:1-2, SUG:4-151
- Text files,
  - editing, INT:5-1, SUG:4-79, 5-1
  - SRCCOM sample, SUG:15-3
- Text listing commands,
  - EDIT, SUG:5-24
- Text modification commands,
  - EDIT, SUG:5-25
- Text window, GEN:2-28
  - EDIT's, GEN:1-10
- Thrashing, MAC:F-1
- Threaded code, GEN:2-11
- TIM\$IT, SSM:7-5
- TIMASC system subroutine,
  - REF:3-95
- Time, SSM:3-9
  - displaying system, SUG:4-173
  - obtaining, REF:2-49
  - setting, REF:2-112
  - setting system, INT:4-8, SUG:4-173
  - storing, SSM:3-10
- Time conversion and date access,
  - REF:1-54
- TIME keyboard command, GEN:3-18, 4-15, 5-14, 6-17, 7-16, INT:4-8, SUG:4-173
- TIME system subroutine, REF:3-96
- Time-out,
  - example (line printer), SSM:7-32
  - routine for DL interface, SSM:5-27
  - support, SSM:7-28
- Time-sharing system, GEN:1-8
- Timer, GEN:1-4, 1-5, 1-17, 8-18
- Timer block format, SSM:7-29
- Timer queue, SSM:3-10
- Timer queue element, SSM:3-10
- Timer queue element (figure),
  - SSM:3-10, 3-62
- Timer service, SSM:3-9
  - SJ systems without, SSM:3-9
  - systems with, SSM:3-9
  - Timer support, REF:1-23
- .TIMIO macro, SSM:7-28
- .TIMIO macro, REF:2-129
- .TITLE MACRO-11 directive,
  - MAC:6-3, 6-4, 6-13, 6-15, 6-21, B-8, D-2, E-5, E-7, E-15, H-1
- TJ.MAC, GEN:2-7, 8-10
- TJU16 bootstrap loader (table),
  - GEN:E-9
- TJU16 magtape, GEN:1-11, 1-19, 2-33, 7-3, 8-34
- .TLOCK programmed request,
  - REF:2-131
- TM.MAC, GEN:2-7, 8-10
- TM11 bootstrap loader (table),
  - GEN:E-10
- TM11 magtape, GEN:1-11, 1-19, 2-33, 7-3, 8-33
- Toggle-in pushbutton console emulator, GEN:2-21
- Toggle-in software bootstrap,
  - GEN:3-3, 4-2, 5-2, 6-2, 7-2
- /TOP option,
  - LINK, SUG:4-124
- /TOPS option,
  - COPY, SUG:4-41
  - DIRECTORY, SUG:4-71
- .TRACK graphics macro, REF:A-11
- Transfer operations,
  - file, See Files.
- /TRANSFER option,
  - LINK, SUG:4-124
- Transferring files, SUG:4-32, 7-1
  - between RT-11 and DOS/BATCH, SUG:14-3
  - between RT-11 and interchange diskette, SUG:4-37, 14-5
  - to RT-11 from DECsystem-10, SUG:14-8
- TRANSL system subroutine,
  - REF:3-97
- Translating locations in a file,
  - PATCH, SUG:25-5
- Transparency, SSM:3-4, 5-18
- Trap, GEN:2-42
  - bus timeout, GEN:1-12
  - FPU, SSM:4-68
  - interception, REF:2-132
  - synchronous system in XM, SSM:4-67
  - to 10, SSM:4-68, 4-68
  - to 4, SSM:4-68, 4-68
- Trap addresses,
  - setting, REF:2-117
- TRAP instruction, MAC:5-9, D-4, SSM:4-68
- Trap vectors, SSM:2-1
  - synchronous system (table), SSM:4-67
  - synchronous system trap, SSM:4-67
- Trap vectors (figure), SSM:2-2
- Trap vectors (table), SSM:2-2
- /TRIM option,
  - DIFFERENCES, SUG:4-61

## INDEX

- TRIM system subroutine, REF:3-98  
 .TRPSET programmed request,  
   REF:2-132  
 TS.MAC, GEN:2-7, 8-10  
 TS11 magtape, GEN:1-11, 2-33,  
   8-35  
 TST instruction, MAC:E-9, E-10,  
   H-2  
 TT device handler, SSM:3-1, 10-34  
 TT.MAC, GEN:2-7, 8-10  
 TT.SYS, GEN:2-3, 2-20, 3-11  
 TTCNFG, SSM:3-8  
 .TTINR programmed request,  
   REF:2-134  
 TTIWT\$, SSM:3-30  
 TTOEM\$, SSM:3-30  
 .TTOUTR programmed request,  
   REF:2-136  
 TTOWT\$, SSM:3-30  
 .TTYIN programmed request,  
   REF:2-134  
 .TTYOUT programmed request,  
   REF:2-136  
 TU58, See DECTape II.  
 .TWAIT programmed request,  
   REF:2-138  
 Two-word integer support  
   (INTEGER\*4), REF:1-55  
 TYPE keyboard command, INT:7-7,  
   SUG:4-174  
 Type-ahead feature, SUG:3-9  
 Type-code, SUG:11-4  
 TYPE.TEC, GEN:2-7  
 Types of files, INT:4-13  
 Typing files at terminal,  
   SUG:4-174
- ## U
- /U option,  
   DUP, SUG:8-11  
   LIBR, SUG:12-9  
   LINK, SUG:11-48  
   PIP, SUG:7-13  
 \$UNAM1 table, SSM:3-64  
 UNAM1\$ p-sect, SSM:2-12  
 \$UNAM2 table, SSM:3-64  
 UNAM2\$ p-sect, SSM:2-14  
 Unary operator, MAC:3-4, 3-16,  
   7-5, 7-7  
   control, MAC:6-29, 6-31  
   universal, MAC:3-3, 3-5, B-1  
 Unblocking a job, SSM:3-32  
 Unconditional assembly, MAC:6-52  
 Unconditionally fatal status,  
   SSM:2-5  
 Undefined global symbols,  
   GEN:1-9, 2-10, SUG:11-7  
 Undefined symbol, MAC:3-8, 6-20,  
   D-2, D-4  
 Underline key,  
   ODT, SUG:21-8  
 Uninitializing a volume, SUG:8-17  
 /UNITS option,  
   COMPILE, SUG:4-30  
   EXECUTE, SUG:4-88  
   FORTRAN, SUG:4-97  
 Universal unary operator,  
   See Unary operator.  
 .UNLNK graphics macro, REF:A-12  
 UNLOAD F keyboard command,  
   GEN:3-19, 4-16, 5-15, 6-18,  
   7-18  
 UNLOAD keyboard command,  
   INT:15-9, SSM:3-39, SUG:4-176  
 .UNLOCK programmed request,  
   REF:2-58  
 UNLOCK system subroutine,  
   REF:3-99  
 .UNMAP programmed request,  
   REF:2-139, SSM:4-63  
 Unmapped overlay, GEN:2-10  
   handler for, GEN:2-31  
 Unmapping a window, REF:2-139,  
   SSM:4-63  
 Unnamed CSECT,  
   See also Blank p-sect.  
 .UNPROTECT programmed request,  
   REF:2-83  
 Unresolved global symbols,  
   SUG:4-119  
 Unsave command (U),  
   EDIT, SUG:5-31  
 Unsupported software, GEN:2-7  
 Unused areas of a volume,  
   listing, SUG:9-5  
 Unused locations in load module,  
   filling, SUG:11-50  
 Up-arrow key,  
   ODT, SUG:21-8  
 /UPDATE option,  
   LIBRARY, SUG:4-117  
 Updates,  
   how PAT effects, SUG:23-3  
 Updating,  
   library file, SUG:12-9  
   module using PAT (figure),  
     SUG:23-2  
   object modules (examples),  
     SUG:23-5  
 Upper case characters, INT:5-12  
 User error byte, SSM:2-4  
   setting, SSM:2-6  
 User error byte (table), SSM:2-6  
 User mapping, SSM:4-18  
 User processor mode, SSM:4-16  
 User program error code,  
   See User error byte.



## INDEX

- User Service Routine, See USR.
  - User stack, SUG:11-3
  - User state, SSM:3-20, 3-24  
switching to, SSM:3-28
  - User state (figure), SSM:3-26
  - User's Guide,  
RT-11 System,  
See RT-11 System User's Guide.
  - User-defined symbol table,  
MAC:2-2, 3-6 to 3-8, 3-15
  - USR, GEN:1-8, 2-9, 3-10, INT:4-1,  
SSM:2-27, SUG:1-2, 4-30,  
4-88, 4-97, 11-6  
buffer, SSM:2-27  
execution, SSM:2-29  
keeping resident in FB,  
SSM:2-35  
load address, SSM:2-4  
locking in memory, REF:2-58  
new directory segments and,  
SSM:2-29  
optimizing operations, SSM:2-36  
releasing from memory, REF:2-59  
setting to SWAP or NOSWAP,  
SUG:4-158  
sharing, SSM:2-37  
size of, SSM:2-39  
sliding, SSM:2-19  
structure, SSM:2-27  
swapping, SSM:2-22  
swapping considerations,  
SSM:2-30  
swapping considerations for  
background jobs, SSM:2-36  
swapping considerations for  
foreground jobs, SSM:2-37  
swapping considerations for  
system jobs, SSM:2-37  
swapping with an SJ FORTRAN  
program, SSM:2-32  
swapping with an SJ MACRO  
program, SSM:2-31
  - USR (figure), SSM:2-28
  - USR requirements, REF:1-12, 1-40  
strategies in USR swapping,  
REF:1-41  
USR lockout and timing,  
REF:1-42
  - USR swapping that causes system  
failure, See System failures.
  - USR.MAC, GEN:2-7, 8-10
  - USRWT\$, SSM:3-30
  - Utilities volume, GEN:2-15
  - Utility commands,  
EDIT, SUG:5-30
  - Utility program, GEN:1-7, 2-3,  
2-15, SUG:1-5, IV-1  
keyboard command subset,  
GEN:8-23
  - Utility program options,  
summary, SUG:B-13
  - Utility program/keyboard command  
equivalents, SUG:B-13
- ## V
- /V option,  
DIR, SUG:9-10  
DUP, SUG:8-12, 8-14  
FORMAT, SUG:18-5  
LINK, SUG:11-31, 11-49  
V4USER.TXT, GEN:2-4
  - Valid system devices, GEN:8-28
  - Variable-size volumes, SSM:7-40
  - VDT debugging program, SSM:4-69,  
5-29
  - VDT.OBJ, GEN:2-4
  - Vector, GEN:1-11, 2-12, 8-5, 8-29  
nonstandard address for,  
GEN:2-12, 2-32, 8-7
  - Vector address,  
changing, GEN:2-33
  - Vector area,  
interrupt (figure), SSM:2-10
  - Vector control protection,  
REF:2-83
  - Vector tables for multi-vector  
device, REF:2-35
  - Vectors,  
interrupt, SSM:2-8, 6-3  
interrupt (table), SSM:2-8  
protected, SSM:3-53  
protecting, SSM:3-52, 6-11  
setting up, SSM:6-12  
synchronous system trap,  
SSM:4-67  
synchronous system trap  
(table), SSM:4-67  
trap, SSM:2-1  
trap (figure), SSM:2-2  
trap (table), SSM:2-2
  - /VECTORS option,  
COMPILE, SUG:4-30  
EXECUTE, SUG:4-88  
FORTRAN, SUG:4-97
  - VEG.TEC, GEN:2-7
  - Verification bit patterns,  
selecting FORMAT, SUG:4-91,  
18-3
  - Verify command (V),  
EDIT, INT:5-7, SUG:5-25
  - /VERIFY option,  
DIRECTORY, SUG:4-71  
FORMAT, SUG:4-91
  - VERIFY system subroutine,  
REF:3-99
  - Verifying SIPP input, SUG:22-10
  - Verifying volumes, SUG:4-91

## INDEX

- Version 1, SSM:1-1  
     programmed requests, REF:1-26
- Version 2, SSM:1-2  
     programmed requests, REF:1-26
- Version 3, SSM:1-2  
     programmed requests, REF:1-27
- Version 4, SSM:1-3  
     programmed requests, REF:1-27
- Version identifier,  
     See also .IDENT directive.  
     assembler, MAC:6-4  
     file, MAC:8-17  
     program, MAC:1-2, 6-17, B-5  
     standard, MAC:E-13 to E-15
- Vertical bar, GEN:1-9
- VHANDL, GEN:2-10, 2-31
- Video terminal, GEN:2-13, SSM:5-6
- Virtual .SAV file,  
     running, SUG:4-99
- Virtual address pages, SSM:4-9
- Virtual address pages (figure),  
     SSM:4-10
- Virtual address relocation,  
     SSM:4-9
- Virtual address space, SUG:11-27  
     gaps, SSM:4-41  
     gaps (figure), SSM:4-42  
     program (figure), SUG:11-28
- Virtual address window, SSM:4-24,  
     See also Window.
- Virtual addresses, SSM:4-2  
     correspondence with APRS  
     (table), SSM:4-56
- Virtual and physical address  
     space (figure), SUG:11-30,  
     11-32
- Virtual background job, SSM:4-27,  
     4-45
- Virtual background job (figure),  
     SSM:4-28
- Virtual Debugging Technique,  
     See VDT.
- Virtual foreground job, SSM:4-27,  
     4-46
- Virtual foreground job (figure),  
     SSM:4-30
- Virtual foreground jobs,  
     running, SUG:4-99
- Virtual high limit, SSM:4-38
- Virtual job, SSM:2-7, 2-17, 4-26,  
     4-44
- Virtual job initial register  
     contents (table), SSM:4-20
- Virtual jobs, SUG:1-5, 11-31  
     differences between privileged  
     jobs and, SSM:4-32
- Virtual mapping, SSM:4-26  
     selecting, SSM:4-26
- Virtual system job, SSM:4-27,  
     4-46
- Virtual system job (figure),  
     SSM:4-30
- Volume, GEN:2-9  
     BASIC-11, GEN:2-19  
     FORTRAN language, GEN:2-19  
     identification, SUG:8-12  
     LINK, GEN:2-19  
     PDT-11, GEN:3-1, 8-32  
     system, GEN:2-19
- Volume directory,  
     See Directory listing .,  
     See Directory.
- Volume formatting program,  
     See FORMAT.
- Volume ID, GEN:10-6
- Volume identification,  
     changing, SUG:8-15  
     /VOLUMEID option,  
     DIRECTORY, SUG:4-72  
     INITIALIZE, SUG:4-110
- Volumes,  
     bootstrapping foreign,  
         SUG:4-23, 8-9  
     changing during an operation,  
         SUG:4-23, 4-41, 4-51, 4-72,  
         4-92, 4-110, 4-136, 4-142,  
         7-16, 8-13  
     copying, SUG:4-35, 8-5  
     formatting, SUG:4-90, 18-1  
     initializing, SUG:4-107, 8-14  
     maintaining, SUG:8-1  
     restoring initialized,  
         SUG:4-109, 8-17  
     size, GEN:2-50  
     squeezing, SUG:4-167, 8-9  
     variable-size, SSM:7-40
- VT-11,  
     display hardware, INT:4-5
- VT05 terminal, GEN:1-10, 2-29
- VT100 terminal, GEN:3-1, 4-1,  
     5-1, 6-1, 7-1, 8-22
- VT11,  
     building library, GEN:C-19
- VT11/VS60 graphic display,  
     GEN:1-4, 1-6, 1-7, 1-10,  
     2-14, 2-28, 3-14, 4-12, 5-11,  
     6-13, 7-13, 8-38
- VT11/VS60 graphic display  
     floating vector, GEN:1-10,  
     2-25
- VT52.TEC, GEN:2-7
- VTEDIT.TEC, GEN:2-7
- VTHDLR, GEN:8-38
- VTHDLR.OBJ, GEN:2-5, 2-14
- VTMAC.MAC, GEN:2-5, 2-14

## INDEX

### W

- /W option,
  - DUP, SUG:8-13
  - FORMAT, SUG:18-5
  - LIBR, SUG:12-9
  - LINK, SUG:11-49
  - PIP, SUG:7-15
- /WAIT option,
  - BOOT, SUG:4-23
  - COPY, GEN:3-10, SUG:4-41
  - DELETE, SUG:4-51
  - DIRECTORY, SUG:4-72
  - FORMAT, SUG:4-92
  - INITIALIZE, SUG:4-110
- Wait option,
  - PIP, SUG:7-16
- /WAIT option,
  - RENAME, SUG:4-142
  - SQUEEZE, GEN:3-5, 6-4, SUG:4-168
  - TYPE, SUG:4-175, 4-136
- .WAIT programmed request,
  - REF:2-140
- Wait-mode I/O, SSM:3-20
- Warning status, SSM:2-5
- /WARNINGS option,
  - COMPILE, SUG:4-31
  - DIBOL, SUG:4-55
  - EXECUTE, SUG:4-89
  - FORTRAN, SUG:4-97
- .WDBBK macro , SSM:4-57
- .WDBBK macro example, SSM:4-58
- .WDBBK programmed request,
  - REF:2-141
- .WDBDF macro , SSM:4-56
- .WDBDF programmed request,
  - REF:2-142
- WF:, GEN:10-8
- Wide listing,
  - requesting (LIBR), SUG:12-9
- Wide load map listing,
  - producing, SUG:4-125, 11-49
- /WIDE option,
  - EXECUTE, SUG:4-89
  - LINK, SUG:4-125
- Wildcard construction,
  - BATCH, SUG:A-6
- Wildcard defaults (table),
  - SUG:4-8
- Wildcards, INT:5-11, 7-2, 17-1
  - commands supporting (table), SUG:4-8
  - using, SUG:4-7, 7-1
- Window, REF:2-11, SSM:4-24,
  - See also Virtual address window.
  - creating, SSM:4-61
  - dynamic, SSM:4-25
- Window, (Cont)
  - eliminating, REF:2-38, SSM:4-64
  - mapping to a region, SSM:4-62
  - static, SSM:4-24
  - unmapping, SSM:4-63
  - virtual address, SSM:4-24
- Window control block, SSM:4-24, 4-59
- Window control block (figure),
  - SSM:4-59
- Window control block (table),
  - SSM:4-60
- Window definition block,
  - SSM:4-24, 4-53
  - symbol definition, REF:2-141
  - symbolic offset names, REF:2-142
- Window definition block (figure),
  - SSM:4-54
- Window definition block (table),
  - SSM:4-55
- Window status word, SSM:4-54
- Window status word (table),
  - SSM:4-57
- WONLY\$, SSM:7-8
- .WORD MACRO-11 directive,
  - MAC:3-13, 3-14, 6-3, 6-22, 6-23, 6-31, 6-33, B-8,
  - See also Implicit .WORD directive.
- Words,
  - searching for while debugging, SUG:21-15
- /WORDS option,
  - DUMP, SUG:4-74
- Work file, GEN:2-13, 2-28
- MACRO, GEN:8-9, 10-8
- QUEUE, GEN:1-10
- deleting, SUG:20-6
- Queue Package, SUG:20-1
- Worksheet,
  - installation, GEN:2-52
  - system generation, GEN:8-47
- Workspace,
  - FORTRAN programs, REF:1-51
  - in extended memory, SSM:4-37
- .WRITC programmed request,
  - REF:2-144
- Write command (W),
  - EDIT, SUG:5-16
- Write command arguments (table),
  - SUG:5-17
- Write enable, GEN:3-3, 4-5, INT:2-5
- Write pass-all mode, SSM:5-18
- .WRITE programmed request,
  - REF:2-143
- Write protect, GEN:3-3, 4-2, 5-2, INT:2-5
- Write ring, GEN:7-2

## INDEX

Writing from memory, REF:2-143  
Writing physical blocks on  
magtape, SSM:10-14  
.WRITW programmed request,  
REF:2-145

## X

/X option,  
LIBR, SUG:12-10  
LINK, SUG:11-49  
XM,  
.LIMIT MACRO-11 directive,  
SSM:4-41  
.SETTOP programmed request,  
SSM:4-38, 4-41, 4-43  
.SYNCH macro in, SSM:6-23  
activities summary, SSM:4-50  
activities summary (table),  
SSM:4-50  
address conversion, SSM:4-9  
and synchronous system traps,  
SSM:4-67  
applications, SSM:4-34  
context switching, SSM:4-32  
data structures, SSM:4-51  
debugging applications,  
SSM:4-69  
design implications, SSM:4-66  
device handler in (figure),  
SSM:7-43  
device handlers, SSM:7-41  
environment, SSM:7-41  
example program, SSM:4-70  
free memory list, SSM:4-60  
hardware concepts, SSM:4-7  
I/O queue element in, SSM:4-59  
interrupt service routines in,  
SSM:6-20  
memory layout, SSM:4-20  
memory layout (figure),  
SSM:4-21  
planning applications, SSM:4-49  
programmed request error codes,  
SSM:4-65

XM (Cont)  
programmed requests, SSM:4-61  
programmed requests  
(introduction), SSM:4-49  
queue element in, SSM:7-42  
restrictions, SSM:4-66  
restrictions for programmed  
requests, SSM:4-67  
software concepts, SSM:4-20  
status registers, SSM:4-16  
using ODT in, SSM:7-68  
XM monitor, GEN:1-3, 1-4, 1-8,  
1-15, 2-45, 2-48, 2-49, 8-18,  
REF:1-2, SSM:4-7, SUG:1-4  
extended memory functions,  
REF:1-24  
halts, See System failures.  
looping, See System failures.  
memory requirement, SUG:1-4  
routines, SSM:7-44  
XM overlays,  
See Extended memory overlays.  
XM.MAC, GEN:2-7, 8-10  
/XM, SUG:4-125  
XMSUBS p-sect, SSM:2-14  
XMSUBS.MAC, GEN:2-7, 8-10  
XOFF, SSM:3-7  
XON, SSM:3-7

## Y

/Y option,  
DUP, SUG:8-13  
LINK, SUG:11-49  
PIP, SUG:7-13

## Z

/Z option,  
DUP, SUG:8-14  
LINK, SUG:11-50  
PIP, SUG:7-15  
RESORC, SUG:17-9  
Zeroing a volume directory,  
SUG:4-107, 8-14

READER'S COMMENTS

RT-11  
Master Index  
AA-H380A-TC

NOTE: This form is for document comments only. DIGITAL will use comments submitted on this form at the company's discretion. If you require a written reply and are eligible to receive one under Software Performance Report (SPR) service, submit your comments on an SPR form.

Did you find this manual understandable, usable, and well-organized? Please make suggestions for improvement.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Did you find errors in this manual? If so, specify the error and the page number.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Please indicate the type of reader that you most nearly represent.

- Assembly language programmer
- Higher-level language programmer
- Occasional programmer (experienced)
- User with little programming experience
- Student programmer
- Other (please specify) \_\_\_\_\_

Name \_\_\_\_\_ Date \_\_\_\_\_

Organization \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_  
or  
Country

Please cut along this line.

Do Not Tear - Fold Here and Tape

**digital**




No Postage  
Necessary  
if Mailed in the  
United States

**BUSINESS REPLY MAIL**  
FIRST CLASS PERMIT NO.33 MAYNARD MASS.

POSTAGE WILL BE PAID BY ADDRESSEE

BSSG PUBLICATIONS TW/A14  
DIGITAL EQUIPMENT CORPORATION  
1925 ANDOVER STREET  
TEWKSBURY, MASSACHUSETTS 01876



Do Not Tear - Fold Here

Cut Along Dotted Line



**digital**

digital equipment corporation